\_ WELL ID\_

KOLAR DOC ID \_

## **WATER WELL RECORD** (WWC-5)

From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

LOCATION OF WATER WELI	_				C	riginal Recor	d Coi	rrection	Chang	e in Wel	l Use
Latitude	Longitude		S	Section	Township	Range	E W	Fraction	1/4	1/4	1/4
Datum	Elevation		(	County	-		VV				
WATER WELL OWNER			WELL WATER USE				NEAREST SOURCE OF POTENTIAL CONTAMINATION				
Name											
			COMPI	ETION			Distance		Direction	n	
Business			COMPLETION				from well:		_ from wel	l:	
Address				Depth of completed well:ft.		Source descriptio					
				Depth(s) groundwater encountered:							
Well location			(1) ft.; (2) ft.; (3) ft.; (4) dry well								
Well location							Distance from well:	:	Direction from wel	n l:	
at owner's			Static water level in well: ft.				Source				
address			measured below land surface on (mm/dd/yy):				descriptio	n:			
CONSTRUCTION					ve land surface				e of contami	nation	
Borehole interval:	Borehole dia	meter:	on	(mm/dd/y	y):			100 feet.			
fromto ft.		in.	Estima	ted yield:	gpm		PERMIT &	ID NUMBER	S (AS REQUI	RED)	
fromto ft.		in.	Water level was: ft. after hours				DWR Application No.:				
Casing height above land sur			pumping gpm				KDHE / EPA Project Code:				
If casing height is less that			Pump installed? Yes No				Site Name:				
has a variance been approved?* Yes No						KDHE UIC Class V Form Completed: Yes No				No	
*variance not required for monitoring			Water well disinfected? Yes No			County Permit: Yes No Permit ID:					
or environmental remediation wells  Casing type:			Date disinfected (mm/dd/yy):								
Blank casing interval:	ft. to	ft.	Aquife	r, if known	1:		# of boreh	oles:	# of dewater	ring wells:	
Blank casing diameter:			LITHOL	OGIC LOG	i						
Casing joints:			FROM	ТО	LITHOLOGY IN	TERVALS					
Weight:lbs	/ft.										
Wall thickness or gauge 1	10.:										
Blank casing interval:	ft. to	ft.									
Blank casing diameter:	in.										
Casing joints:											
Weight:lbs											
Wall thickness or gauge 1	10.:										
Grout interval: ft. to	ft.										
Grout material:											
Grout interval: ft. to	ft.		6014141	-NITC							
Grout material:			COMMI	:N15							
Screen / perforation material:											
Screen / perforation opening					OR LANDOWNERS (	CERTIFICATION					
Screen / perforation intervals			This w	ater well	was constructed	reconstru	cted p	oursuant to	the stated w	ater well	
Fromft. to			contra	ctor's lice	ense and was comp	leted on	·	I certify tha	at this recor	d is true t	0
Slot size unit _			the be	st of my l	knowledge and beli	ef. This water v	well record	was comple	ted on		
From ft. to			under	the busir	ness name of						,
Slot size unit _			Kansa	s Water V	Vell Contractor's L	icense No	ur	nder the aut	hority of th	e designa	ted
Gravel mode not used	Cmarcal at		person	n as defin	ed in K.A.R. 28-30	-2(j) and signe	d and certifi	ied by the e	lectronic sig	gnature o	f the
Gravel pack not used:		in	-		son at its submittal			•		-	
From ft. to Gravel pack not used:	_ ft. Gravel size _				VATER WELL OWN		e for your rec	ords Fee of \$	5.00 for each	constructs	d wall

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT
Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367
(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record			
Doc ID	1716100			
Well Owner	Fred Ritsema			
Contractor	Hydro Resources Mid Continent, Inc. #145			

## Lithology

From	То	Lithology Intervals				
0	2	topsoil				
2	7	sand,fine				
7	40	sand,fine to coarse,gravelly				
40	50	clay,sandy				
50	62	sand & gravel,fine to coarse				
62	104	clay				
104	122	clay,sandy				
122	140	sand & gravel,fine to coarse				
140	235	sand & gravel,fine to coarse				
235	257	clay,sandy				
257	290	sand,fine to medium				
290	307	clay,sandy				
307	322	sand,fine,clayey				
322	350	sand,fine to coarse				
350	354	clay,sandy				
354	380	sand,fine to medium,clayey				
380	395	sand,fine				
395	422	sandstone,unweathered,claye				
422	456	shale,highly weathered,sandy				
456	502	shale,highly weathered				
502 520		shale,unweathered,black,hard				