WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

OCATION OF WATER WELL						Original Reco	ord Co	rrection	Chang	je in Wel	l Use
Latitude	Longitude			Section	Township	Range	E		1/4	1/4	1/4
Datum	Elevation			County							
WATER WELL OWNER		l	WELL	WATER USE			NEAREST	SOURCE OF	POTENTIAL C	ONTAMIN	IATION
Name											
			COMP	LETION							
Business				LETION			from wel	l:	Directio from we	·II:	
Address					ed well:		Source				
] -	-	water encountered	:	description	on:			
******					(2) ft.;		Source:				
Well location			(3)	ft.; ((4) dry well		Distance	1.	Directio from we	n 11.	
at owner's			Static	water level	in well:	ft.	Source	l;	110111 we	11;	
address			m	easured belo	ow land surface		description	on:			
CONCEDUCTION			on	(mm/dd/y	y):		No no	tontial cours	e of contami	ination	
CONSTRUCTION	D 1 1 1				ve land surface			itentiai sourc	c of contain	mation	
	Borehole dia	meter:	on	(mm/dd/y	y):		PERMIT &	ID NUMBER	RS (AS REQU	IRED)	
fromtoft.		in.	Estim	ated yield: _	gpm						
fromto ft.		in.	Water	level was:	ft. after	hours	1 -	-	:		
Casing height above land surf	face:	in.			pumping	gpm	KDHE /	EPA Project (Code:		
If casing height is less that			Pump	installed?	Yes No						
has a variance been appro		s No	T17.	11 11	. 10				orm Complet		
*variance not required for environmental remed					ected? Yes N		1		No Perm		
Casing type:	lation wens		Date	disinfected ((mm/dd/yy):						
Blank casing interval:	ft. to	ft.	Aquif	er, if known	:		# of borel	noles:	# of dewate	ring wells:	
Blank casing diameter:			LITHO	LOGIC LOG	i						
Casing joints:			FROI	м то	LITHOLOGY	NTERVALS					
Weight: lbs/											
Wall thickness or gauge n											
Blank casing interval:											
Blank casing diameter:											
Casing joints:											
Weight: lbs/	ft.										
Wall thickness or gauge n	10.:										
Court interval 6 to											
Grout interval: ft. to_											
Grout material: ft. to											
			COMM	IENTS							
Grout material:											
Screen / perforation material:											
Screen / perforation material:			CONT	RACTOR'S	OR LANDOWNER	S CERTIFICATION	N				
Screen / perforation openings								D118011224 + -	the stated -	vatar 11	
From ft. to					was constructe			•	the stated v		
					ense and was con	=		-			
Slot size unit _ From ft. to					knowledge and b						
Slot size unit _					ness name of						
			Kans	as Water V	Vell Contractor's	License No	u	nder the au	thority of th	ne designa	ated
Gravel pack intervals:	Cmarcel et		perso	on as defin	ed in K.A.R. 28-	30-2(j) and sign	ed and certi	fied by the e	electronic si	gnature o	f the
Gravel pack not used:		in	^		on at its submitt	,		•			
From ft. to	_				VATER WELL OW	<u> </u>	ne for your rea	ords. Fee of 9	5 00 for each	constructe	d well
Gravel pack not used:		in	Jena O	copy to v		EPARTMENT OF	•			constituent	a men
From ft. to	_ tt.			Bureau	of Water, Geology					2-1367	

Form	WWC5.2 - Water Well Record
Doc ID	1716041
Well Owner	Ervin and Todd Ploeger
Contractor	Hydro Resources Mid Continent, Inc. #145

Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	180	16	Welded	.219
240	296	16	Welded	.219
316	339	16	Welded	.219
389	409	16	Welded	.219

Form	WWC5.2 - Water Well Record
Doc ID	1716041
Well Owner	Ervin and Todd Ploeger
Contractor	Hydro Resources Mid Continent, Inc. #145

Lithology

From	То	Lithology Intervals	
0	2	topsoil	
2	26	clay,sandy,whiteish,gray	
26	47	clay,fine,sandy,grayish,tan	
47	57	sand,fine to medium	
57	84	sand,fine to medium,clayey,tan	
84	121	clay,fine,sandy,tan	
121	123	clay,grayish,tan	
123	145	clay,fine,sandy	
145	200	sand,fine to medium,loose	
200	220	sand,fine to medium,clayey	
220	225	sand,fine to medium,loose	
225	230	sand,fine to medium	
230	235	sand,fine to medium,clayey	
235	240	clay,medium to coarse,sandy	
240	253	clay,medium,sandy,white	
253	262	clay,sandy,tannish,white	
262	278	clay,sandy,other,weakly cemented,yellow	
278	297	clay,other,yellow	
297	315	sand,fine to coarse,white	
315	322	clay,fine,sandy	
322	323	sand,medium to coarse	
323	338	clay,fine,sandy	

Form	WWC5.2 - Water Well Record
Doc ID	1716041
Well Owner	Ervin and Todd Ploeger
Contractor	Hydro Resources Mid Continent, Inc. #145

Lithology

From	То	Lithology Intervals
338	345	sand,fine
345	358	sand,fine to coarse,clayey
358	380	sand,fine to coarse
380	389	sand, fine to medium, moderately cemented
389	392	clay,yellowish,black
392	393	shale,unweathered,black

Form	WWC5.2 - Water Well Record
Doc ID	1716041
Well Owner	Ervin and Todd Ploeger
Contractor	Hydro Resources Mid Continent, Inc. #145

Screen and Gravel

From	То	Slot Size		Gravel Pack Used			Gravel Size
180	240	.08	inches	Yes	20	409	.25
296	316	.08	inches	No			
339	389	.08	millimeters	No			