WELL ID

KOLAR DOC ID

WATER WELL RECORD (WWC-5)

OCATION OF WATER WELL	L					Original Red	cord	l Coi	rrection	Chang	e in Wel	l Use
Latitude	Longitude		S	ection	Township	Rang	ge	E W	Fraction	1/4	1/4	1/4
Datum	Elevation			County	r		5-	W				
VATER WELL OWNER	Lievation			ATER USE	 :			NEADEST S	OURCE OF	POTENTIAL C	ONTAMIN	ΙΑΤΙΩΙ
			WELL VI	AI LIN OJL	•		آ ر					IAIIO
Name							┚╽	Distance		Direction		
Business			COMPL	ETION			- I	from well:		_ from we	ll:	
Address			Depth	of complet	ed well:	ft.		Source				
radicss			Depth(s) groundv	water encountered:			descriptio	n:			
			(1)	ft.; ((2) ft.;			Source:				
Well location		(3)_		(3) ft.; (4) dry well				D' /		Direction	n	
, ,			Static v	vater level i	in well: fi		1		·	from we	ll:	
at owner's address			measured below land surface					Source description:				
CONSTRUCTION				mm/dd/yy sured abo	ve land surface		- }			e of contami	nation	
Borehole interval:	Borehole dia	meter:	on (mm/dd/yy):			. l	within 100 feet.					
fromto ft.		in.	Estima	ted vield:	gpm		ן ן	PERMIT &	ID NUMBER	RS (AS REQU	RED)	
fromtoft.		in.	Estimated yield: gpm Water level was: ft. after hours					DWR Application No.:				
Casing height above land sur			pumping gpm				KDHE / EPA Project Code:					
			Pump i			8i		Site Name:				
If casing height is less that has a variance been appro		s No	Pump installed? Yes No			4	KDHE UIC Class V Form Completed: Yes N				No	
*variance not required for monitoring			Water well disinfected? Yes No				County Permit: Yes No Permit ID:					
or environmental remediation wells			Date disinfected (mm/dd/yy):				Lease Name & Well #:					
Casing type:			Aquifo	r, if known			1			# of dewater		
Blank casing interval:		ft.	_									
Blank casing diameter:				OGIC LOG								
Casing joints:			FROM	ТО	LITHOLOGY II	NTERVALS						
Weight:lbs.												
Wall thickness or gauge r Blank casing interval:												
Blank casing diameter:		1t.										
Casing joints:												
Weight: lbs.												
Wall thickness or gauge r												
Grout interval: ft. to												
Grout material:												
Grout interval: ft. to	ft.		COMME	:NTS								
Grout material:												
Samoon / monformation montonial												
Screen / perforation material: Screen / perforation opening			CONTR	ACTORIS (OR LANDOWNERS	CEDTIEICATI	ON					
Screen / perforation intervals:								. 1		41	411	
Fromft. to					was constructed					the stated w		
					nse and was com	•			•			to
Slot size unit _ From ft. to				•	nowledge and be				-			
Slot size unit _					ess name of							,
			Kansa	s Water V	Vell Contractor's	License No		ur	nder the au	thority of th	e designa	ated
Gravel pack intervals: Gravel pack not used: Gravel size in			person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the									
From ft. to		in	-		on at its submitta				•	·		
	f t				on at its submitte	11.						
					VATER WELL OW		one f	or your rec	ords. Fee of s	55.00 for each	constructe	ed wel

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record		
Doc ID	1716032		
Well Owner	Rusty Seger		
Contractor	Hydro Resources Mid Continent, Inc. #145		

Lithology

From	То	Lithology Intervals
0	2	topsoil
2	39	clay,sandy,brown
39	84	caliche,fine,sandy
84	102	sand & gravel,fine to coarse,clayey
102	119	clay,sandy,brown
119	126	sand,fine to coarse
126	140	clay,sandy,tan
140	159	sand,fine to coarse
159	165	clay,sandy,tan
165	199	sand & gravel,fine to coarse,brown
199	215	clay,sandy,tan
215	235	sand,fine to coarse,clayey
235	311	sand & gravel, fine to coarse, clayey, brown
311	319	clay,sandy,brown
319	368	sand & gravel,fine to coarse,brown
368	387	sand,fine to coarse,clayey
387	400	clay,sandy,brown
400	418	sand & gravel,fine to coarse,brown
418	440	sand & gravel,fine to coarse,brown

Form	WWC5.2 - Water Well Record		
Doc ID	1716032		
Well Owner	Rusty Seger		
Contractor	Hydro Resources Mid Continent, Inc. #145		

Lithology

From	То	Lithology Intervals
440	457	sand & gravel,fine to coarse,brown
457	483	sandstone,unweathered
483	509	sandstone,unweathered,claye y
509	520	shale,unweathered,red