## **WATER WELL RECORD** (WWC-5)

From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

<b>WATER WELL RI</b>	ECORD (W	NC-5)					OC ID	WELL ID_		
OCATION OF WATER W	/ELL				Ori	ginal Recor	d Correction	Chang	e in Wel	ll Use
Latitude	Longitude		Sec	ction	Township	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		Со	unty			,,,			
ATER WELL OWNER			WELL WA	TER USE			NEAREST SOURCE OF F	OTENTIAL C	ONTAMIN	NATIO
ame							Source:			
usiness			COMPLET	TION			Distance	Direction	 n	
dollicoo							from well:	_ from we	d:	
ddress					ed well: vater encountered:	ft.	Source description:			
			(1)	ft.; (2	2) ft.;		Source:			
Vell location			(3)	ft.; (4	4) dry well		Distance from well:		n II·	
at owner's			Static wa	ter level i	n well: ft.		Source	_ 110111 110		
address			I	ured belo nm/dd/yy	w land surface ):		description:			
CONSTRUCTION  Borehole interval: Borehole diameter:			measured above land surface on (mm/dd/yy):				No potential source of contamination within 100 feet.			
orehole interval: omto ft.							PERMIT & ID NUMBER	S (AS REQU	RED)	
		in.	I		gpm	,	DWR Application No.:			
omto ft.			water lev		ft. after		1			
asing height above land		in.	pumpinggpm  Pump installed? Yes No			_ gpm	KDHE / EPA Project Code: Site Name:			
If casing height is less		No	rump m	staneu:	res No					N
has a variance been approved?* Yes No *variance not required for monitoring			Water well disinfected? Yes No				KDHE UIC Class V Form Completed: Yes N County Permit: Yes No Permit ID:			
or environmental remediation wells			Date disinfected (mm/dd/yy):				Lease Name & Well #:			
asing type:							# of boreholes:			
lank casing interval:		ft.	Aquifer,	if known:			" of boreliotes.	# Of dewater	ing wens.	
lank casing diameter:	in.		LITHOLO	GIC LOG						
Casing joints:			FROM	то	LITHOLOGY INTE	RVALS				
Weight:	_lbs/ft.									
Wall thickness or gau										
ank casing interval:		ft.								
ank casing diameter:	in.									
Casing joints:										
Weight:	_lbs/ft.									
Wall thickness or gau	ige no.:	_								
rout interval:f	t. to ft.									
Grout material:										
rout interval:										
Grout material:			COMMEN	ITS						
creen / perforation mate	rial:									
creen / perforation oper			CONTRAC	CTOR'S O	R LANDOWNERS CE	RTIFICATION				
reen / perforation inter			This wa	ter well v	was constructed	reconstru	cted pursuant to	the stated w	ater well	
Fromft. to							•			
Slot size ur					_		I certify the			
From ft. to				-	_		vell record was comple			
Slot size ur										
			Kansas	Water W	ell Contractor's Lice	ense No	under the aut	hority of th	e designa	ated
-	C 1 :		person a	as define	d in K.A.R. 28-30-2	(j) and signed	d and certified by the e	lectronic sig	gnature o	f the
		in	-				•	`		
						and ratain are	for your magains Eas -f. th	E 00 for as al-	construct	.d
Gravel pack intervals:  Gravel pack not used:  Fromft. to  Gravel pack not used:	ft.	in	person a	as define ted perso	d in K.A.R. 28-30-2 on at its submittal:	(j) and signed		lectronic sig	gnature	c

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT
Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367
(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record	
Doc ID	1716018	
Well Owner	Kilgore Farms LLC	
Contractor	Hydro Resources Mid Continent, Inc. #145	

## Lithology

From	То	Lithology Intervals
0	2	topsoil
2	58	clay,sandy,brown
58	94	clay,fine,sandy,brown
94	100	sand,fine to coarse
100	111	sand,fine to medium,clayey
111	127	clay,sandy,brown
127	140	clay,light,brownish,blue
140	197	clay,brown
197	201	sand,fine
201	210	clay,brown
210	225	sand,fine,clayey
225	251	sand,fine to coarse
251	264	clay,brown
264	275	sand,fine to medium
275	312	clay,brown
312	328	sand,fine to coarse
328	337	clay,brown
337	410	sand,fine to coarse,gravelly
410	416	shale,highly weathered,yellowish,red
416	457	sandstone,unweathered,claye y
457	484	sandstone,unweathered
484	533	sandstone,unweathered,claye y

Form	WWC5.2 - Water Well Record	
Doc ID	1716018	
Well Owner	Kilgore Farms LLC	
Contractor	Hydro Resources Mid Continent, Inc. #145	

## Lithology

From	То	Lithology Intervals
533	559	shale,highly weathered
559	580	shale,unweathered,red