WELL ID

KOLAR DOC ID

## **WATER WELL RECORD** (WWC-5)

OCATION OF WATER W	VELL					Original F	Recor	d Coi	rrection	Chang	e in Wel	l Use
Latitude	Longitude		S	Section	Township	R	ange	E W	Fraction	1/4	1/4	1/4
Datum	Elevation		(	County	1		0	VV				
WATER WELL OWNER	Elevation			VATER USI	<b>-</b>			NEADECT	OUDCE OF I	POTENTIAL C	ONITA MIN	ATIO
			VVLLLV	VAI ER OSI	-							AHO
Name								Distance		Direction		
Business			COMPL	ETION				from well:		from wel	l:	
Address			Depth	of complet	ted well:	f	t.	Source				
ridaress			Depth	(s) ground	water encountered	:		descriptio	n:			
			(1)	ft.;	(2) ft.;			Source:				
Well location			(3)	(3) ft.; (4) dry well				D		Direction from wel	n	
, ,			Static v	water level	in well:	ft.				from wel	1:	
at owner's address			measured below land surface on (mm/dd/yy):				Source description:					
CONSTRUCTION			me	asured abo	ve land surface				ential sourc	ce of contami	nation	
Borehole interval:	Borehole dia	meter:	on	(mm/dd/y	y):		_			RS (AS REQUI	RED)	
fromto ft.		in.	Estima	ted yield:	gpm					( ILQOI	,	
fromto ft.		in.	Water	level was:	ft. after	hours		DWR App	olication No.	.:		
Casing height above land	d surface:	in.			pumping	gpm		KDHE / E	PA Project (	Code:		
If casing height is les	s than 12 in.		Pump	installed?	Yes No			Site Name	<b>:</b>			
has a variance been a		s No			. 10			KDHE UI	C Class V F	orm Complete	ed: Yes	No
*variance not required for monitoring					ected? Yes N					No Permi		
or environmental remediation wells  Casing type:			Date disinfected (mm/dd/yy):				Lease Name & Well #:					
Blank casing interval:	ft. to	ft.	Aquife	r, if known	::			# of boreh	oles:	# of dewater	ring wells:	
Blank casing diameter:			LITHOL	OGIC LOG	 i							
Casing joints:			FROM		LITHOLOGY	INTERVALS						
Weight:												
Wall thickness or gau												
Blank casing interval:	-											
Blank casing diameter:												
Casing joints:												
Weight:	lbs/ft.											
Wall thickness or gau	uge no.:											
Grout interval:f												
Grout material:												
Grout interval:f	п. toп.		соммі	ENTS								
Grout material:												
Screen / perforation mate	orial.											
Screen / perforation mate			CONTR	ACTOR'S	OR LANDOWNER	C CEDTIEIC	TION					
										.1 1	. 11	
Screen / perforation inter					was constructe		onstru	•		the stated w		
Fromft. to					ense and was con	•			•			0
Slot size u			the be	est of my l	knowledge and b	elief. This w	vater v	vell record v	was comple	eted on		
From ft. to			under	the busin	ness name of							,
Slot size u	nıt		Kansa	s Water V	Vell Contractor's	License No	)	ur	nder the au	thority of th	e designa	ited
Gravel pack intervals:			person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the									
Gravel pack not used: Gravel sizein			designated person at its submittal:									
From ft. to _					VATER WELL OW		ain on	for your so	orde Eas of d	\$5.00 for 22.24	constructs	d wal
Gravel pack not used		in	sena on	е сору ю ч		NER and reta		•			constructe	u wel
From ft. to	ft.			D.,,,,,,,,	of Water Coology						1267	

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record
Doc ID	1715892
Well Owner	Rome Farms
Contractor	Hydro Resources Mid Continent, Inc. #145

## Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	380	16	Welded	.25
460	524	16	Welded	.25
544	564	16	Welded	.25

Form	WWC5.2 - Water Well Record
Doc ID	1715892
Well Owner	Rome Farms
Contractor	Hydro Resources Mid Continent, Inc. #145

## Lithology

From	То	Lithology Intervals
0	2	topsoil
2	11	clay,sandy,brown
11	35	sand,fine,clayey
35	78	clay,sandy,brown
78	110	sand & gravel,fine to coarse
110	148	clay,caliche stringers,brown
148	152	caliche
152	173	clay,sandy,brown
173	189	sand,fine to medium
189	220	clay,brown
220	255	sand,fine to medium,clayey
255	280	clay,sandy,brown
280	315	sand,fine to medium,clayey,brown
315	336	sand,fine to medium
336	380	clay,sandy,brown
380	416	sand,fine
416	442	sand,fine,clayey
442	460	sand,fine,clayey
460	497	clay,sandy,brown
497	520	clay,blueish,brown
520	544	sand,fine to medium
544	560	shale,unweathered,red