WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

LOCATION OF WATER WELL						Original Reco	ord (Correction	Chang	e in Wel	l Use
Latitude	Longitude		S	ection	Township	Range		E W Fraction	1/4	1/4	1/4
Datum	Elevation			ounty	1	8		W			
WATER WELL OWNER	Lievation			ATER USE			NEADE	ST SOURCE OF	DOTENTIAL C	ONITA MAIN	IATION
			VV LLL VV	AI LK OJL	-						IATION
Name							Distan	::	Direction		
Business			COMPL	ETION			from v	vell:	from wel	l:	
Address			Depth	of complet	ed well:	ft.	Source				
Address			Depth(s) groundv	water encountered:		descrip				
			(1)	ft.;	(2) ft.;		Source	::			
Well location			(3)	ft.; ((4) dry well		D		D: .:	n	
			Static v	ater level	in well:f	t.			from we	l:	
at owner's address			measured below land surface on (mm/dd/yy):				Source description:				
CONSTRUCTION			mea	sured abo	ve land surface			potential source	e of contami	nation	
Borehole interval:	Borehole dia	meter:	on (mm/dd/yy):			PERMIT & ID NUMBERS (AS REQUIRED)					
fromto ft.		in.	Estima	ed yield:	gpm		PERIVII	WID NOWIDER	IJ (MO REQUI	NEU)	
fromto ft.		in.	Water l	evel was:	ft. after	hours	DWR	Application No.	.:		
Casing height above land sur					pumping	gpm	KDHE / EPA Project Code:				
If casing height is less tha			Pump i	nstalled?	Yes No		Site Name:				
has a variance been appro		s No					KDHE	E UIC Class V F	orm Complet	ed: Yes	No
*variance not required for			Water well disinfected? Yes No			County Permit: Yes No Permit ID:					
or environmental remediation wells			Date disinfected (mm/dd/yy):			Lease Name & Well #:					
Casing type:Blank casing interval:	ft to		Aquife	; if known	:		# of bo	oreholes:	# of dewater	ing wells:	
Blank casing diameter:				OGIC LOG							
Casing joints:			FROM		LITHOLOGY I	NTERVALS					
Weight: lbs/			TROM	10	Emilozodii	NILIVALS					
Wall thickness or gauge n											
Blank casing interval:											
Blank casing diameter:											
Casing joints:											
Weight: lbs/											
Wall thickness or gauge n											
Grout interval: ft. to											
Grout material:											
Grout interval: ft. to			СОММЕ	NTS							
Grout material:											
Screen / perforation material:											
Screen / perforation opening					OR LANDOWNERS						
Screen / perforation intervals:			This w	ater well	was constructed	d reconsti	ructed	pursuant to	the stated w	ater well	
Fromft. to			contra	ctor's lice	ense and was com	pleted on		I certify th	at this recor	d is true 1	to
Slot size unit _			the be	st of my k	nowledge and be	elief. This water	well reco	rd was comple	eted on		
Fromft. to			under	the busin	ess name of						,
Slot size unit _			Kansa	s Water V	Vell Contractor's	License No.		under the au	thority of th	e designa	ited
Gravel pack intervals:									•	_	
Gravel pack not used: Gravel sizein			person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the designated person at its submittal:								
From ft. to							no for	racorda ECA	E 00 for1	conctu	d r.r.11
Gravel pack not used:		in	sena one	copy to V	VATER WELL OW: KANSAS DI	NER and retain o E PARTMENT OF				constructe	a well.
From ft. to	_ ft.			Bureau	of Water, Geology					2-1367	

Form	WWC5.2 - Water Well Record			
Doc ID	1715887			
Well Owner	Glenn Johnson			
Contractor	Hydro Resources Mid Continent, Inc. #145			

Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	198	16	Welded	.219
258	272	16	Welded	.219
373	392	16	Welded	.219

Form	WWC5.2 - Water Well Record			
Doc ID	715887			
Well Owner	Glenn Johnson			
Contractor	Hydro Resources Mid Continent, Inc. #145			

Lithology

From	То	Lithology Intervals
0	4	topsoil
4	36	sand & gravel,fine to coarse,gravelly
36	65	clay,sandy,tan
65	101	sand & gravel, fine to coarse, gravelly
101	128	clay,gray
128	151	sand & gravel, fine to coarse
151	162	clay,sandy,brown
162	198	clay,blue
198	230	sand & gravel, fine to coarse
230	240	sand & gravel,fine to coarse,clayey
240	245	clay,sandy,brown
245	260	sand,fine to coarse,clayey
260	275	clay,sandy,brown
275	283	sand,fine to coarse
283	300	sand,fine to medium,clayey
300	330	sand & gravel,fine to coarse
330	339	clay,sandy,brown
339	350	sand,fine,clayey
350	360	clay,sandy,brown
360	364	sandstone,slightly weathered
364	372	sandstone,slightly weathered,clayey

Form	WWC5.2 - Water Well Record			
Doc ID	715887			
Well Owner	Glenn Johnson			
Contractor	Hydro Resources Mid Continent, Inc. #145			

Lithology

From	То	Lithology Intervals
372	413	shale,highly weathered,sandy
413	440	shale,slightly weathered,black
440	453	shale,slightly weathered,sandy
453	494	shale,unweathered,black
494	500	sandstone,unweathered
500	519	shale,slightly weathered
519	538	sandstone,unweathered
538	559	shale,unweathered
559	581	shale,unweathered,sandy
581	680	shale,unweathered,hard