WELL ID

KOLAR DOC ID

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

## **WATER WELL RECORD** (WWC-5)

LOCATION OF WATI	ER WELL							Origin	al Recor	d Coi	rection	Chang	e in We	ll Use	
Latitude		Longitude			Section		Township		Range	E W	Fraction	1/4	1/4	1/4	
Datum		Elevation			County		1		0	VV					
WATER WELL OWNE	:R				WATER U	SE				NEAREST S	OURCE OF I	POTENTIAL C	ONTAMIN	NATION	
Name															
Business				COMP	LETION					Distance		Direction			
Dusilless					LETION					from well:		from wel	l:		
Address				Depth of completed well:ft.				ft.	Source						
				1 -	-		encountered:			descriptio					
Well location				(1)ft.; (2)ft.;					Source:						
weii iocation				(3) ft.; (4) dry well					Distance Direction from well:						
at owner's				Static	Static water level in well: ft.					Source					
address					measured below land surface on (mm/dd/yy):					description:					
CONSTRUCTION						• •	nd surface			No pot	ential sourc	e of contami	nation		
Borehole interval:		Borehole dia	meter:	measured above land surface on (mm/dd/yy):					within 100 feet.						
from to			in.		ated yield		gpm			PERMIT &	ID NUMBER	S (AS REQUI	RED)		
fromto			in.		•		gpm ft. after	bo	nurs	DWR Application No.:					
				, rate	icver was	•	pumping			KDHE / EPA Project Code:					
Casing height above			in.	Pumr	installed	? Ye		81		Site Name:					
If casing height i has a variance be			s No	Pump installed? Yes No					KDHE UIC Class V Form Completed: Yes No						
*variance not red				Water well disinfected? Yes No					County Permit: Yes No Permit ID:						
or environment	al remedi	ation wells		Date disinfected (mm/dd/yy):					Lease Name & Well #:						
Casing type:Blank casing interva	1.	ft to		Aquifer, if known:					# of boreh	oles:	# of dewater	ing wells:			
Blank casing diamet			1t.		LOGIC LO										
Casing joints:				FRO			ITHOLOGY II	NTERVA	NI S						
-	lbs/i			110	" "	<u> </u>		VI LIVV	123						
Wall thickness o															
Blank casing interva															
Blank casing diamet															
Casing joints:															
Weight:	lbs/i	ft.													
Wall thickness o	r gauge no	o.:	_												
Grout interval:	ft. to	ft													
Grout material:															
Grout interval:															
Grout material:				COMN	IENTS										
Screen / perforation	material:														
Screen / perforation	openings	::		CONT	RACTOR'	S OR L	ANDOWNERS	CERTIF	ICATION						
Screen / perforation	intervals:			This	water we	ell was	constructed	d ı	reconstru	cted p	ursuant to	the stated w	ater well		
Fromft. toft.					actor's li	cense	and was com	pleted o	on		I certify th	at this record	d is true	to	
Slot size	unit			the b	est of my	know	vledge and be	lief. Th	is water v	vell record	was comple	eted on			
From ft. to ft.				the best of my knowledge and belief. This water well record was completed on under the business name of,											
Slot size unit														ated	
Gravel pack intervals:				Kansas Water Well Contractor's License No under the authority of the designated person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the											
Gravel pack not used: Gravel sizein				designated person at its submittal:											
From ft.		_					ER WELL OW		motolin	for	mdo Ess - C#	25 00 for1	20motur	ad r. r. 11	
Gravel pack not		Gravel size _	in	sena o	ne copy to	VVAIE				e for your reco EALTH AND			constructe	eu weii.	
From ft.	to	ft.			D.,	6343	7-4 C1-	041	1000 6147	C4 C			1267		

Form	WWC5.2 - Water Well Record				
Doc ID	1715875				
Well Owner	Kent Dunn				
Contractor	Hydro Resources Mid Continent, Inc. #145				

## Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	337	16	Welded	.25
407	459	16	Welded	.25
479	515	16	Welded	.25
575	580	16	Welded	.25

Form	WWC5.2 - Water Well Record
Doc ID	1715875
Well Owner	Kent Dunn
Contractor	Hydro Resources Mid Continent, Inc. #145

## Lithology

From	То	Lithology Intervals
0	2	topsoil
2	30	clay,caliche stringers,brown
30	75	clay,sandy,brown
75	80	clay,reddish,brown
80	95	clay,whiteish,brown
95	267	sand,fine to coarse
267	276	clay,brownish,blue
276	306	sand,fine,clayey
306	407	sand,fine to medium
407	421	other,sandy,moderately cemented,Limerock
421	456	clay,sandy,brownish,white
456	479	sand,fine,silty,loose
479	517	clay,sandy,brown
517	575	sandstone,unweathered,claye y,brownish,tan
575	580	limestone,slightly weathered

Form	WWC5.2 - Water Well Record				
Doc ID	1715875				
Well Owner	Kent Dunn				
Contractor	Hydro Resources Mid Continent, Inc. #145				

## Screen and Gravel

From	То			Gravel Pack Used			Gravel Size
337	407	.05	inches	Yes	20	580	0.125
459	479	.05	inches	No			
515	575	.05	inches	No			