WELL ID

KOLAR DOC ID

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

LOCATION OF WATER WEL	L					Orio	ginal Recor	d Correction	Chang	e in Wel	l Use
Latitude	Longitude		Sec	ction	Townsh	ip	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		Co	unty				VV			
WATER WELL OWNER		V	VELL WA	-				NEAREST SOURCE OF PO	OTENTIAL C	ONTAMIN	IATION
Name								Source:			
Business			OMPLET	TION							
Dusiness								from well:	from wel	l:	
Address			Depth of completed well:ft. Depth(s) groundwater encountered:				ft.	Source description:			
			(1) ft.; (2) ft.;					Source:			
Well location			(3) ft.; (4) dry well				Distance from well:		n l:		
at owner's address			Static water level in well: ft. measured below land surface on (mm/dd/yy):				Source description:				
CONSTRUCTION			measured above land surface				No potential source of contamination within 100 feet.				
Borehole interval:	Borehole dia		on (mm/dd/yy):					PERMIT & ID NUMBERS (AS REQUIRED)			
fromto ft.				_	gpm						
fromto ft.		in.	Water lev	vel was: _	ft. after			DWR Application No.:			
Casing height above land sur	rface:		.	. 11 . 16	pumping		_ gpm	KDHE / EPA Project Code:			
If casing height is less the has a variance been appr		s No	Pump ins	stalled?	Yes No			Site Name: KDHE UIC Class V Form Completed: Yes No			
*variance not required fo			Water well disinfected? Yes No					County Permit: Yes No Permit ID:			
or environmental remed	liation wells		Date disinfected (mm/dd/yy):					Lease Name & Well #:			
Casing type:	G .		Aquifer, if known:					# of boreholes:			
Blank casing interval:		—" L									
Blank casing diameter:		-	ITHOLOG FROM	TO	LITHOLOG	VINTER	DVALC				
Casing joints: lbs/ft.			FROIN	10	LITHOLOG	II IIVIE	TVALS				
Wall thickness or gauge											
Blank casing interval:											
Blank casing diameter:											
Casing joints:											
Weight:lbs	s/ft.										
Wall thickness or gauge no.:											
Grout interval: ft. to	ft.										
Grout material:			_								
Grout interval:ft. to											
Grout material:		(OMMEN	ITS							
Screen / perforation material											
Screen / perforation opening			ONTRAC	CTOR'S	OR LANDOWN	ERS CER	RTIFICATION				
Screen / perforation intervals							reconstru	cted pursuant to t	he stated w	ater well	
Fromft. to			This water well was constructed reconstructed pursuant to the stated water well contractor's license and was completed on I certify that this record is true to								
Slot size unit _			the best of my knowledge and belief. This water well record was completed on								
From ft. to	om ft to ft						_				
Slot size unit				nder the business name of							
Gravel pack intervals:			Kansas Water Well Contractor's License No under the authority of the designated								
Gravel pack not used: Gravel sizein			person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the								
Fromft. toft. designated person at its submittal:											
Gravel pack not used: Gravel size in Send one copy to WATER WELL OWNER and retain one for your KANSAS DEPARTMENT OF HEALTH A					•		constructe	ed well.			

Form	WWC5.2 - Water Well Record		
Doc ID	1715720		
Well Owner	Wayne Reynolds		
Contractor	Hydro Resources Mid Continent, Inc. #145		

Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	315	16	Welded	.25
415	444	16	Welded	.25
494	514	16	Welded	.25

Form	WWC5.2 - Water Well Record		
Doc ID	1715720		
Well Owner	Wayne Reynolds		
Contractor	Hydro Resources Mid Continent, Inc. #145		

Lithology

From	То	Lithology Intervals
0	2	topsoil
2	19	clay,sandy,brown
19	31	clay,other,multi-color
31	89	clay,brown
89	93	clay,caliche stringers,brown
93	108	sand & gravel,medium to coarse,stiff
108	111	clay,sandy,tan
111	126	sand,fine to medium
126	138	clay,sandy,brown
138	154	sand,fine to medium
154	159	clay,brown
159	173	sand,fine to medium
173	180	clay,sandy,brown
180	189	clay,sandy,brown
189	217	sand,fine to medium
217	228	sand,fine to coarse,loose
228	242	clay,brown
242	258	sand,fine to coarse,firm
258	415	sand & gravel,fine to coarse,loose
415	444	clay,sandy,tan
444	454	sand & gravel,fine to coarse
454	457	shale,highly weathered,clayey,yellowish

Form	WWC5.2 - Water Well Record		
Doc ID	1715720		
Well Owner	Wayne Reynolds		
Contractor	Hydro Resources Mid Continent, Inc. #145		

Lithology

From	То	Lithology Intervals
457		sandstone,unweathered,yello wish
494	500	shale,slightly weathered,red