WELL ID

KOLAR DOC ID

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

LOCATION OF WATI	ER WELL							Origin	al Recor	d Coi	rection	Change	e in We	ll Use
Latitude		Longitude			Section		Township		Range	E W	Fraction	1/4	1/4	1/4
Datum		Elevation			County		1		0	VV				
WATER WELL OWNE	:R				VATER U	SE				NEAREST S	OURCE OF I	POTENTIAL C	ONTAMIN	NATION
Name														
Business				COMPI	ETION					Distance		Direction		
Dusilless					ETION					from well:		from wel	l:	
Address							ell:		ft.	Source				
				1 -			encountered:			descriptio				
X47-111 1 42			(1) ft.; (2) ft.; (3) ft.; (4) dry well						Source:					
Well location				-						Distance from well:		Direction from wel		
at owner's				Static water level in well: ft.						Source				
address				measured below land surface on (mm/dd/yy):						description:				
CONSTRUCTION						• •	nd surface			No pot	ential sourc	e of contami	nation	
Borehole interval:		Borehole dia	meter:		(mm/dd		iiu surrace			within	100 feet.			
from to			in.		ated yield		gpm			PERMIT &	ID NUMBER	S (AS REQUI	RED)	
fromto			in.		•		gpm ft. after	bo	nurs	DWR Apr	olication No.	:		
				, vacci	iever was	•	pumping			KDHE / EPA Project Code:				
Casing height above			in.	Pump	installed	? Ye		81		Site Name:				
If casing height i has a variance be			. No							KDHE UIC Class V Form Completed: Yes No				
*variance not red				Water well disinfected? Yes No						County Permit: Yes No Permit ID:				
or environment	al remedia	ation wells		Date disinfected (mm/dd/yy):						Lease Name & Well #:				
Casing type: ft. to ft.				Aquifer, if known:						# of boreh	oles:	# of dewater	ing wells:	
Blank casing diamet			11.		OGIC LO									
Casing joints:				FROM			ITHOLOGY II	NTERVA	NI S					
-	lbs/f			111011	" "	<u> </u>		VI LIVV	11.5					
Wall thickness o														
Blank casing interva	0 0													
Blank casing diamet														
Casing joints:														
Weight:	lbs/f	t.												
Wall thickness o	r gauge no	o.:												
Grout interval:	ft. to	ft.												
Grout material:														
Grout interval:														
Grout material:				COMM	ENTS									
Screen / perforation	material: _													
Screen / perforation	openings:	:		CONTR	ACTOR'	S OR L	ANDOWNERS	CERTIF	ICATION					
Screen / perforation	intervals:			This v	vater we	ll was	constructed	d 1	reconstru	cted p	ursuant to	the stated w	ater well	
Fromft. to	Fromft. toft. contractor's license and was completed on I certify that this record is true to							to						
Slot size				the be	est of my	know	vledge and be	elief. Th	is water v	vell record v	was comple	eted on		
From ft. to ft.				under the business name of,										
Slot size unit				Kansas Water Well Contractor's License No under the authority of the designated										
Gravel pack intervals:				person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the										
Gravel pack not used: Gravel size in				designated person at its submittal:										
From ft.									ratain as	for your == -	orde Eas af #	5 00 for and	construct	ad recll
Gravel pack not used: Gravel size in From ft. to ft.				Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT										
From ft.		D		Total Cools	041	1000 6147	C4 C			1267				

Form	WWC5.2 - Water Well Record
Doc ID	1715572
Well Owner	KDHE-BER
Contractor	GSI Engineering, LLC

Lithology

From	То	Lithology Intervals
0	.5	topsoil,brown,moist
.5	3	clay,sandy,dark,brown,moist
3	35	sand,medium to coarse,gravelly,tan,dry
35	45	clay,sandy,tan
45	60	clay,sandy,tan
60	69	clay,sandy,light,brown,moist
69	70	clay,caliche stringers,red

