KOLAR Document ID: 1716358

Confidentiality Requested:

Yes No

### Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:				
Name:	Spot Description:				
Address 1:					
Address 2:	Feet from North / South Line of Section				
City:	Feet from East / West Line of Section				
Contact Person:	Footages Calculated from Nearest Outside Section Corner:				
Phone: ()	□NE □NW □SE □SW				
CONTRACTOR: License #	GPS Location: Lat:, Long:				
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxxx)				
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84				
Purchaser:	County:				
Designate Type of Completion:	Lease Name: Well #:				
New Well Re-Entry Workover	Field Name:				
	Producing Formation:				
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:				
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:				
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet				
<ul><li>☐ CM (Coal Bed Methane)</li><li>☐ Cathodic</li><li>☐ Other (Core, Expl., etc.):</li></ul>	Multiple Stage Cementing Collar Used? Yes No				
	If yes, show depth set: Feet				
If Workover/Re-entry: Old Well Info as follows:					
Operator:	If Alternate II completion, cement circulated from:				
Well Name:	feet depth to: sx cmt.				
Original Comp. Date: Original Total Depth:					
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan				
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)				
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls				
Dual Completion Permit #:	Dewatering method used:				
SWD Permit #:	Location of fluid disposal if hauled offsite:				
EOR	·				
GSW	Operator Name:				
	Lease Name: License #:				
Spud Date or Date Reached TD Completion Date or	QuarterSecTwpS. R East West				
Recompletion Date Recompletion Date	County: Permit #:				

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received Drill Stem Tests Received						
Geologist Report / Mud Logs Received						
UIC Distribution						
ALT I III Approved by: Date:						

KOLAR Document ID: 1716358

#### Page Two

Operator Name: _				Lease Name:			Well #:		
Sec Twp.	S. R.	Ea	ast West	County:					
	flowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,	
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.go\	. Digital electronic log	
Drill Stem Tests Ta			Yes No		_	on (Top), Depth ar		Sample	
Samples Sent to G	Geological Surv	ey	Yes No	Na	me		Тор	Datum	
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No						
		R			New Used	on, etc.			
Purpose of Strir		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
			ADDITIONAL	CEMENTING / S	QUEEZE RECORD	I			
Purpose:		epth Ty	pe of Cement	# Sacks Used					
Protect Casi									
Plug Off Zon									
<ol> <li>Did you perform a</li> <li>Does the volume o</li> <li>Was the hydraulic</li> </ol>	of the total base f	luid of the hydraulic	fracturing treatment	_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three (	,	
Date of first Producti Injection:	ion/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other (Explain)			
Estimated Production Per 24 Hours	on	Oil Bbls.			Water Bbls. Gas-Oil Ratio			Gravity	
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			N INTERVAL: Bottom	
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom	
,	, Submit ACO-18.)				· · · · · · · · · · · · · · · · · · ·				
Shots Per Foot	Perforation Top						Record		
TUBING RECORD:	Size:	Set /	At:	Packer At:					
. 5213 (1200) 10.	JIEG.			. 30.0.71					

Form	ACO1 - Well Completion
Operator	RJ Energy, LLC
Well Name	NASH 4A
Doc ID	1716358

## Casing

Purpose Of String	Size Hole Drilled	Size Casing Set			Type Of Cement		Type and Percent Additives
Surface	9.875	7	17	20	portland	8	n/a
Production	5.875	2.875	9	692	portland	80	n/a



Well #: Nash 4A

Operator:

RS Gnergy

Spud Date:

25

Surface Casing: Surface Length:

**Surface Cement:** 

SX

County:

L/S:

L/S Tally: L/S Date:

	Run	Depth	Recovery	Run	Depth	Recovery
Coring:	1			3		
	2			4	-18	

Depth	Formation
0-2	5.1
2-6	Cláv
6- 55	Line
55-61	Shale
61- 82	Lime
82 - 85	Shale Blk
85 - 90	Cime
90-94	Shale
94-104	lime Sh.I.
104-106	Shale
106-112	Line
1/2 136	Shale
136-139	Lime
139- 282	JAQ 6
282 - 3cl	Lime
306-345	Shole
345-346	Lione
346 362	Shale
362-374	Shale
374 - 389	Shale
389-396	Line
396-427	Shale
421- 451	lipne
451-460	Shale w
468	Lime
468-561	Shole
BCI- BCC	Lina
566 -628	Shale

Depth <u>628-638</u> <u>638-64</u> <u>642-552</u> <u>552-</u>	Formation white mody Shale cobo (Slight) Sand Shale cobo (Slight)
	TP no2
642-645	Good odor, Good Bleed
648-652	Road oder Shight Bleed BIN Sand, Tex Bleed in Simples Slight oder, No Bleed



ANI	TREA	TMENT F	REPORT				A COMPLETE SE				
Cus	tomer:	RJ Energy		Well:	Well: Nash, #4A, 12I			EP8237			
City,	State:			County:		Linn, KS	Date:	4/10/2023			
Fiel	d Rep:	Jason Kent	!	S-T-R:		Sc		Longstrings			
Dow	nhole Ir	formation		Calculated Slu	urry - Lead		Calc	culated Slurry - Tail			
Hole	e Size:	5 7/8 in		Blend:				distes Sidily - Lan			
	m e			Weight:		ppg	Blend: Weight:	ppg			
Casing	g Size:	2 7/8 in		Water / Sx:				gal / sx			
Casing I	Depth:	ft		Yield:		ft³/sx	Water / Sx: Yield:	ft³/sx			
Tubing /	Liner:	in		Annular Bbls / Ft.:		bbs / ft.	Annular Bbis / Ft.:	bbs / ft.			
	Depth:	ft		Depth:	1. Day 12 Property 500	n l	Depth:	Ħ			
Tool / P	acker:			Annular Volume:	0.0	STERNING TO SERVICE THE SERVICE STATE OF THE SERVIC		0 bbls			
Tool	Depth:	ft		Excess:	160		Excess:				
Displace	ement:	bbl	ls .	Total Slurry:	0.0	bbls	Total Slurry:	0.0 bbls			
		ST	AGE TOTAL	Total Sacks:	0		Total Sacks:	0 sx			
TIME	RATE	PSI BI	BLs BBLs	REMARKS							
2:00 PM				On location Held saftey m	neeting						
	523400			#12I Hole TD 860', Pipe Ti	D 854'						
	3.0			Established circulation thr	Established circulaion through the 2 7/8" tubing						
	3.0			Mixed and pumped 400# of	of bentonite	gel followed by 4BBI of	fresh water				
	3.0			Mixed and pumped 90 sks	Mixed and pumped 90 sks of Econobond cement						
			-	Knocked off and flushed	pump clean						
	1.0	200.0		Dropped two rubber plugs	s and displa	aced them with 4.9 BBL o	f fresh water				
		800.0	-	Pressured well up to 800 PSI, released pressure to set float valve							
3:30 PM	-		<u> </u>	Wash up equipment and n	moved						
			<u> </u>			***************************************					
				#5W Hole TD 702', Pipe T	D 692'						
	$\vdash$	-+		Established circulation thr							
	-	-	+	Mixed and pumped 400# o			fresh water				
	+		_	Mixed and pumped 80 sks							
	+	200.0		Knocked off and flushed							
		800.0		Dropped two rubber plugs							
4:00 PM		800.0		Pressured well up to 800 PSI, released pressure to set float valve  Wash up equipment and Left location							
4.00 7 86				wash up equipment and L	Left location						
						-		Superior and a superi			
		CREW		UNIT			SUMMAR	Y			
Cementer: Garrett S.				97	Г	Average Rate	Average Pressure	Total Fluid			
Pump Op	erator:	Nick B		209	Ī	2.5 bpm	500 psi	- bbis			
	ulk #1:	Doug G		193							
В	ulk #2:	Keith D		124							