_ WELL ID_

KOLAR DOC ID

WATER WELL RECORD (WWC-5)

OCATION OF WATER WELL						Original I	Recor	d Co	rrection	Chang	e in We	l Use
Latitude	Longitude			Section	Township	R	lange	E W	Fraction	1/4	1/4	1/4
Datum	Elevation			County	<u> </u>							
WATER WELL OWNER		l	WELL	NATER US	 			NEAREST S	OURCE OF	POTENTIAL C	ONTAMIN	IATION
Name								Source:				
Business			COMP	LETION				Distance		Direction	n	
Dustriess					. 1 . 11			from well:		from we	ll:	
Address			Depth of completed well:ft. Depth(s) groundwater encountered:				ft.	Source descriptio	n.			
			1 -	•	(2) ft.;	•						
Well location												
			(3) ft.; (4) dry well					Distance Direction from well:				
at owner's address			Static water level in well: ft. measured below land surface					Source description:				
CONSTRUCTION				(mm/dd/y				No not	ential cour	ce of contami	nation	
CONSTRUCTION Parabala interval.	Donahal. J.	um at c ==			ve land surface				100 feet.			
	orehole interval: Borehole diameter:			on (mm/dd/yy):			=	PERMIT & ID NUMBERS (AS REQUIRED)				
fromtoft.		in.			gpm			DIATE 4	ali anti co Ni			
fromto ft.			Water		ft. after		•	1).: Code:		
Casing height above land sur		in.	pumping gpm					KDHE / EPA Project Code: Site Name:				
If casing height is less that has a variance been appr		s No	Pump installed? Yes No				KDHE UIC Class V Form Completed: Yes No				No	
*variance not required fo			Water well disinfected? Yes No						s No Perm			
or environmental remediation wells			Date disinfected (mm/dd/yy):			_	1		:			
Casing type:			Aquifer, if known:					# of boreholes: # of dewatering wells:				
Blank casing interval:		ft.										
Blank casing diameter:				LOGIC LOG		NITED\/A.I.C						
Casing joints:lbs			FROI	и то	LITHOLOGY	NIERVALS	'					
Wall thickness or gauge r												
Blank casing interval:												
Blank casing diameter:												
Casing joints:												
Weight:lbs												
Wall thickness or gauge r	10.:											
Grout interval:ft. to	ft											
Grout material:												
Grout interval: ft. to												
Grout material:			сомм	ENTS								
Screen / perforation material:												
Screen / perforation opening			CONTE	RACTOR'S	OR LANDOWNER	S CERTIFIC	ATION					
Screen / perforation intervals			This	water well	was constructe	d reco	onstru	cted p	oursuant to	the stated w	ater well	
Fromft. to			contr	actor's lice	ense and was con	npleted on		·	I certify th	nat this recor	d is true	to
Slot size unit _			the b	est of my l	knowledge and b	elief. This v	vater v	well record	was compl	eted on		
From ft. to			unde	r the busii	ness name of							,
Slot size unit _			Kans	as Water V	Vell Contractor's	License No	o	uı	nder the au	thority of th	e designa	ited
Gravel pack intervals:	Cmar1 - '				ed in K.A.R. 28-3					•	_	
Gravel pack not used:		in	-		son at its submitt	•	٥				-	
From ft. to Gravel pack not used:					VATER WELL OW		ain one	e for vour rec	ords. Fee of	\$5.00 for each	constructe	d well
From ft. to		in		· · · · · · · · · · · · · · · · · · ·				EALTH AND				
710m n. to	11.			Bureau	of Water, Geology (7			Jackson St., S A. 82a-1212		peka KS 66612	2-1367	

Form	WWC5.2 - Water Well Record		
Doc ID	1715263		
Well Owner	K2 FARMS		
Contractor	Downey Drilling, Inc. #748		

Lithology

From	То	Lithology Intervals
0	2	topsoil,soft
2	11	clay,tan,soft
11	54	sand,fine to medium,red,soft
54	67	sand,fine to medium,clayey,red,soft
67	106	sand,fine to medium,gravelly,red,soft
106	118	clay,sandy,red,firm
118	140	sand,fine to coarse,red,soft
140	154	sand & gravel,fine to coarse,red,soft
154	158	clay,sandy,red,soft
158	200	sand & gravel,fine to coarse,red,soft
200	214	sand & gravel,fine to coarse,red,soft
214	222	clay,sandy,tan,firm
222	276	sand & gravel,fine to medium,red,soft
276	320	clay,fine,sandy,tan,soft
320	338	clay,tan,firm
338	345	sand,fine to medium,tan,soft
345	389	clay,sandy,red,soft
389	392	clay,tan,firm
392	405	sand & gravel,fine to coarse,sandy,red,soft

Form	WWC5.2 - Water Well Record		
Doc ID	1715263		
Well Owner	K2 FARMS		
Contractor	Downey Drilling, Inc. #748		

Lithology

From	То	Lithology Intervals
405	414	clay,sandy,tan,firm
414	437	sandstone,unknown,tan,soft,R OCK, MED SAND
437	444	shale,unknown,gray,hard
444	447	sandstone,unknown,tan,soft,F INE SAND
447	461	shale,unknown,brown,soft,RO CK, CLAY
461	468	sandstone,unknown,brown,sof t,ROCK, MED SAND
468	473	shale,unknown,gray,hard
473	490	sandstone,unknown,brown,sof t,ROCK
490	520	shale,unknown,gray,hard