## KOLAR Document ID: 1715090

## WATER WELL RECORD (WWC-5)

KOLAR DOC ID

Source: Distance

from well:

from well:

Site Name:

within 100 feet.

DWR Application No.:\_\_ KDHE / EPA Project Code: \_\_\_\_\_

Lease Name & Well #:

Source description:

Source description: Source: Distance

Correction

Original Record

WELL ID Change in Well Use

NEAREST SOURCE OF POTENTIAL CONTAMINATION

No potential source of contamination

KDHE UIC Class V Form Completed: Yes No

PERMIT & ID NUMBERS (AS REQUIRED)

County Permit: Yes No Permit ID:

Direction

from well:

Direction

from well:

#### LOCATION OF WATER WELL

Latitude	Longitude	Section	Т	Township	F	Range	E W	Fraction	1⁄4	1⁄4	1⁄4
Datum	Elevation	County									

#### WATER WELL OWNER

Name				
Business				
Address				
Well location				
at owner's address				

#### CONSTRUCTION

Borehole interval:	Borehole diameter:		
fromtoft.	in.		
fromtoft.	in.		
Casing height above land su			
If casing height is less th has a variance been app			
*variance not required for or environmental reme			
Casing type:			
Blank casing interval:	ft. toft.		
Blank casing diameter:	in.		
Casing joints:			
Weight:lbs	s/ft.		
Wall thickness or gauge	no.:		
Blank casing interval:	ft. toft.		
Blank casing diameter:			
Casing joints:			
Weight:lbs	s/ft.		
Wall thickness or gauge			
Grout interval: ft. to	oft.		
Grout material:			
Grout interval: ft. to	oft.		
Grout material:			
Screen / perforation material	:		
Screen / perforation opening	gs:		
Screen / perforation intervals	s:		
Fromft. to	_ft.		
Slot size unit			
Fromft. to	_ft.		
Slot size unit			
Gravel pack intervals:			
Gravel pack not used:	Gravel size in		
From ft. to			
Gravel pack not used:			
From ft. to			

	County				
WELL	WATER U	SE			
сомі	PLETION				
Dept	th of compl	eted well	:		ft
Dept	th(s) groun	dwater ei	ncountere	ed:	
(1)_	ft.;	(2)	ft.;		
(3) _	ft.;	(4) d	lry well		
Stati	c water leve	el in well:		_ft.	
	neasured be on (mm/dd/		surface		
	neasured ab on (mm/dd/		surface		
Estir	nated yield	:	gpm		
Wate	er level was:	:	ft. after		hours
		p	oumping		gpm
Pum	p installed	Yes	No		

Water well disinfected? Yes No

Date disinfected (mm/dd/yy):

## Aq

### LITH

Aquifer, if known:			# of boreholes: # of dewatering wells:
ITHOLOG	IC LOG	,	
FROM	то	LITHOLOGY INTERVALS	

#### COMMENTS

#### CONTRACTOR'S OR LANDOWNERS CERTIFICATION

This water well was constructed	reconstructed	pursuant to the stated water well				
contractor's license and was complete	I certify that this record is true to					
the best of my knowledge and belief. This water well record was completed on						
under the business name of		······,				
Kansas Water Well Contractor's Licer	nse No	_ under the authority of the designated				
person as defined in K.A.R. 28-30-2(	j) and signed and co	ertified by the electronic signature of the				
designated person at its submittal:		·				
Send one copy to WATER WELL OWNER	and retain one for you	r records. Fee of \$5.00 for each constructed well.				
KANSAS DEPAR	TMENT OF HEALTH	AND ENVIRONMENT				

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record
Doc ID	1715090
Well Owner	JAMES O BEYER GENERATION SKIPPING TRUST
Contractor	Downey Drilling, Inc. #748

# Lithology

From	То	Lithology Intervals
0	4	topsoil,brown,soft
4	56	sand,fine,soft
56	62	clay,sandy,tan,soft
62	84	sand,fine to coarse,firm
84	108	sand & gravel,fine to coarse,stiff
108	122	clay,sandy,brown,soft
122	143	sand & gravel,fine to medium,white,stiff
143	156	sand & gravel,fine to coarse,firm
156	164	clay,brown
164	173	clay,sandy,brown
173	181	clay,fine to coarse,sandy,firm
181	185	sand,fine to coarse,firm
185	210	sand & gravel,fine to coarse,stiff
210	223	clay,brown
223	232	sand,fine to coarse,firm
232	277	sand & gravel,fine to coarse,stiff
277	291	clay,fine,sandy,tan,soft
291	314	sand,fine to coarse,firm
314	330	sand & gravel,fine to coarse,white,stiff
330	335	clay,sandy,tan,soft

Form	WWC5.2 - Water Well Record
Doc ID	1715090
Well Owner	JAMES O BEYER GENERATION SKIPPING TRUST
Contractor	Downey Drilling, Inc. #748

# Lithology

From	То	Lithology Intervals
335	349	sand,fine to coarse,firm
349	365	clay,sandy,tan,soft
365	380	sand,fine to coarse,firm
380	391	clay,sandy,tan,firm
391	404	sand,fine to medium,soft
404	416	clay,brown
416	421	sand,fine to medium,soft
421	430	clay,brown
430	434	sand,fine to coarse,soft
434	474	clay,brown
474	484	sand,fine to coarse
484	514	clay,brown
514	516	sand,fine to medium,soft
516	526	conglomerate,slightly weathered,clayey,gray,hard
526	532	clay,gray,hard
532	554	sandstone,unknown,sandy,br own,hard
554	565	sand,fine,gray,firm,SOAPSTO NE
565	577	clay,gray,soft
577	584	sandstone,unknown,gray,hard
584	605	clay,gray,soft
605	623	shale,unknown,gray,soft