KOLAR Document ID: 1714022

WATER WELL RECORD (WWC-5)

KOLAR DOC ID _____

Source:

Correction

Original Record

WELL ID_____ Change in Well Use

LOCATION OF WATER WELL

Latitude	Longitude	Section	Т	Township	F	Range	E W	Fraction	1⁄4	1⁄4	1⁄4
Datum	Elevation	County									

WATER WELL OWNER

Name				
Business				
Address				
Well location				
at owner's address				

CONSTRUCTION

Borehole interval:	Borehole diameter:
fromtoft.	in.
fromtoft.	in.
Casing height above land su	
If casing height is less the has a variance been appr *variance not required fo	roved?* Yes No
or environmental remed	U U
Casing type:	
Blank casing interval:	ft. toft.
Blank casing diameter:	in.
Casing joints:	
Weight:lbs	s/ft.
Wall thickness or gauge	no.:
Blank casing interval:	ft. toft.
Blank casing diameter:	in.
Casing joints:	
Weight:lbs	s/ft.
Wall thickness or gauge	no.:
Grout interval: ft. to	ft.
Grout material:	
Grout interval: ft. to	oft.
Grout material:	
Screen / perforation material	:
Screen / perforation opening	gs:
Screen / perforation intervals	S:
Fromft. to	_ft.
Slot size unit _	
Fromft. to	_ft.
Slot size unit _	
Gravel pack intervals:	
Gravel pack not used:	Gravel size in
From ft. to	ft.
Gravel pack not used:	
From ft. to	

	County				
WELL	WATER U	SE			
сом	PLETION				
Dept	th of compl	eted wel	l:		ft.
	th(s) groun				
(1)	ft.;	(2)	ft.;		
(3) _	ft.;	(4)	dry well		
Stati	c water leve	el in well	:	ft.	
	neasured be on (mm/dd/		l surface		
	neasured at on (mm/dd/		l surface		
Estir	nated yield	:	_gpm		
Wate	er level was		ft. after		hours
		1	pumping		gpm
Pum	p installed	Yes	No		
Wate	er well disir	fected?	Yes	No	

Distance from well:	Direction from well:			
Source description:				
Source:				
Distance from well:	Direction from well:			
Source description:				
No potential source within 100 feet.	of contamination			
PERMIT & ID NUMBERS (AS REQUIRED)				
DWR Application No.:_				
KDHE / EPA Project Code:				
Site Name:				
KDHE UIC Class V For				
County Permit: Yes No Permit ID:				
Lease Name & Well #:				

of dewatering wells: _

NEAREST SOURCE OF POTENTIAL CONTAMINATION

Aquifer, if known:

Date disinfected (mm/dd/yy):

FROM	то	LITHOLOGY INTERVALS				
		•				

of boreholes: _

COMMENTS

CONTRACTOR'S OR LANDOWNERS CERTIFICATION

This water well was constructed	reconstructed	pursuant to the stated water well				
contractor's license and was complete	ed on	I certify that this record is true to				
the best of my knowledge and belief. This water well record was completed on						
under the business name of		,				
Kansas Water Well Contractor's Lice	nse No	_ under the authority of the designated				
person as defined in K.A.R. 28-30-2(j) and signed and c	ertified by the electronic signature of the				
designated person at its submittal:						
Send one copy to WATER WELL OWNER	and retain one for you	r records. Fee of \$5.00 for each constructed well.				
KANSAS DEPAR	TMENT OF HEALTH	AND ENVIRONMENT				

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record
Doc ID	1714022
Well Owner	WILLIAM R & TERESA ME COTTRELL
Contractor	Downey Drilling, Inc. #748

Lithology

From	То	Lithology Intervals	
0	3	topsoil,brown,soft	
3	11	clay,brown,soft,SILTY	
11	17	clay,gray,soft	
17	38	clay,sandy,tan,soft	
38	48	sand,fine to coarse,firm	
48	91	clay,sandy,tan,soft	
91	118	sand & gravel,fine to coarse,firm	
118	139	clay,brown,soft	
139	150	sand,fine to coarse,firm	
150	223	clay,blue,soft	
223	229	clay,sandy,firm	
229	245	sand & gravel,fine to coarse,firm	
245	248	clay,brown	
248	258	sand & gravel,fine to coarse,firm	
258	259	sand,fine,white,stiff	
259	269	sand & gravel,fine to coarse,firm	
269	272	sand,fine,white,stiff	
272	289	sand,fine to coarse,firm	
289	292	sand,fine to medium,white,stiff	
292	304	sand,fine to coarse,firm	
304	334	sand,fine to medium,brown,stiff	

Form	WWC5.2 - Water Well Record
Doc ID	1714022
Well Owner	WILLIAM R & TERESA ME COTTRELL
Contractor	Downey Drilling, Inc. #748

Lithology

From	То	Lithology Intervals
334	352	clay,fine to coarse,white,stiff,SANDY CLAY
352	367	clay,sandy,tan,soft
367	382	sand,fine to coarse,firm
382	395	clay,sandy,tan,soft
395	430	sand,fine,white,firm
430	455	clay,brown