WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

WATER WELL RI	ECORD (W	NC-5)					OC ID	WELL ID_		
OCATION OF WATER W	/ELL				Ori	ginal Recor	d Correction	Chang	e in Wel	ll Use
Latitude	Longitude		Sec	ction	Township	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		Со	unty			,,,			
ATER WELL OWNER			WELL WA	TER USE			NEAREST SOURCE OF F	OTENTIAL C	ONTAMIN	NATIO
ame							Source:			
usiness			COMPLET	TION			Distance	Direction	 n	
dollicoo							from well:	_ from we	d:	
ddress					ed well: vater encountered:	ft.	Source description:			
			(1)	ft.; (2	2) ft.;		Source:			
Vell location			(3)	ft.; (4	4) dry well		Distance from well:		n II·	
at owner's			Static wa	ter level i	n well: ft.		Source	_ 110111 110		
address			I	ured belo nm/dd/yy	w land surface):		description:			
orehole interval:	Borehole dia	natari		ured abov nm/dd/yy	ve land surface		No potential source within 100 feet.	e of contami	nation	
omto ft.							PERMIT & ID NUMBER	S (AS REQU	RED)	
		in.	I		gpm	,	DWR Application No.:			
omto ft.			water lev		ft. after		KDHE / EPA Project C			
asing height above land		in.	Darman in		pumping	_ gpm	Site Name:			
If casing height is less has a variance been a		No	rump m	staneu:	Yes No		KDHE UIC Class V Fo			N
*variance not require		NO	Water we	ell disinfe	cted? Yes No		County Permit: Yes	-		
or environmental rea			Date disi	nfected (1	mm/dd/yy):		Lease Name & Well #:			
asing type:							# of boreholes:			
lank casing interval:		ft.	Aquifer,	if known:			" of boreliotes.	# Of dewater	ing wens.	
lank casing diameter:	in.		LITHOLO	GIC LOG						
Casing joints:			FROM	то	LITHOLOGY INTE	RVALS				
Weight:	_lbs/ft.									
Wall thickness or gau										
ank casing interval:		ft.								
ank casing diameter:	in.									
Casing joints:										
Weight:	_lbs/ft.									
Wall thickness or gau	ige no.:	_								
rout interval:f	t. to ft.									
Grout material:										
rout interval:										
Grout material:			COMMEN	ITS						
creen / perforation mate	rial:									
creen / perforation oper			CONTRAC	CTOR'S O	R LANDOWNERS CE	RTIFICATION				
reen / perforation inter			This wa	ter well v	was constructed	reconstru	cted pursuant to	the stated w	ater well	
Fromft. to							•			
Slot size ur					_		I certify the			
From ft. to				-	_		vell record was comple			
Slot size ur										
			Kansas	Water W	ell Contractor's Lice	ense No	under the aut	hority of th	e designa	ated
-	C 1 :		person a	as define	d in K.A.R. 28-30-2	(j) and signed	d and certified by the e	lectronic sig	gnature o	f the
		in	-				•	`		
						and ratain are	for your magains Eas -f &	E 00 for as al-	construct	.d
Gravel pack intervals: Gravel pack not used: Fromft. to Gravel pack not used:	ft.	in	person a	as define ted perso	d in K.A.R. 28-30-2 on at its submittal:	(j) and signed		lectronic sig	gnature	c

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT
Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367
(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record
Doc ID	1713923
Well Owner	KLEYSTEUBER & GILLEN INC
Contractor	Downey Drilling, Inc. #748

Lithology

From	То	Lithology Intervals
0	20	sand,fine,brown,soft
20	40	clay,fine,sandy,brown,soft
40	65	sand,medium,red,soft
65	100	sand & gravel,fine to coarse,gravelly,brown,soft
100	120	clay,fine to medium,white,soft
120	145	sand & gravel,fine to coarse,red,soft
145	160	sand & gravel,fine to coarse,red,soft
160	185	sand & gravel,fine to medium,red,soft,SANDY CLAY
185	200	clay,fine to medium,sandy,tan,soft
200	237	sand & gravel,fine to medium,red,soft
237	240	clay,sandy,white,soft
240	270	sand,fine to medium,red,soft
270	320	clay,fine to medium,sandy,white,soft
320	380	sand & gravel,fine to medium,sandy,brown,soft
380	400	sand & gravel,medium to coarse,tan,soft
400	440	sand & gravel,fine to medium,gray,hard
440	460	clay,fine,sandy,brown,hard

Form	WWC5.2 - Water Well Record
Doc ID	1713923
Well Owner	KLEYSTEUBER & GILLEN INC
Contractor	Downey Drilling, Inc. #748

Lithology

From	То	Lithology Intervals
460	540	sand & gravel,fine,clayey,brown,hard
540	568	clay,fine to medium,brown,hard
568	591	shale,unweathered,gray