WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

OCATION OF WATER WELL						Original Reco	ord Co	rrection	Chang	je in Wel	l Use
Latitude	Longitude			Section	Township	Range	E		1/4	1/4	1/4
Datum	Elevation			County							
WATER WELL OWNER		l	WELL	WATER USE			NEAREST	SOURCE OF	POTENTIAL C	ONTAMIN	IATION
Name											
			COMP	LETION							
Business				LETION			from well	l:	Directio from we	·II:	
Address			Depth of completed well:ft.				Source				
] -	-	water encountered	:	description	on:			
******					(2) ft.;		Source:				
Well location			(3)	ft.; ((4) dry well		Distance	ı.	Directio from we	n 11.	
at owner's			Static	water level	in well:	ft.	Source	l÷	110111 we	11;	
at owners address			m	measured below land surface				on:			
CONCEDUCTION			on	(mm/dd/y	y):		No no	tantial source	a of contami	ination	
CONSTRUCTION	D 1 1 1			measured above land surface on (mm/dd/yy):			No potential source of contamination within 100 feet.				
	Borehole dia	meter:	on	(IIIII/aa/y	y):		PERMIT &	ID NUMBER	RS (AS REQU	IRED)	
fromtoft.		in.	Estim	ated yield: _	gpm						
fromto ft.		in.	Water	level was:	ft. after	hours	1 -	-	:		
Casing height above land surf	face:	in.			pumping	gpm	KDHE /	EPA Project (Code:		
If casing height is less that	Pump	installed?	Yes No			Site Name:					
has a variance been appro		s No	T17.	11 11	. 10				orm Complet		
*variance not required for monitoring or environmental remediation wells			Water well disinfected? Yes No Date disinfected (mm/dd/yy):				County Permit: Yes No Permit ID:				
Casing type:	lation wens		Date	disinfected (mm/dd/yy):		I				
Blank casing interval:	ft. to	ft.	Aquif	er, if known	:		# of borel	noles:	# of dewate	ring wells:	
Blank casing diameter:			LITHO	LOGIC LOG	i						
Casing joints:			FRO	м то	LITHOLOGY	NTERVALS					
Weight: lbs/											
Wall thickness or gauge n											
Blank casing interval:											
Blank casing diameter:											
Casing joints:											
Weight: lbs/	ft.										
Wall thickness or gauge n	10.:										
Court interval 6 to											
Grout interval: ft. to_											
Grout material: ft. to											
			COMM	IENTS							
Grout material:											
Screen / perforation material:											
Screen / perforation material:			CONT	RACTOR'S	OR LANDOWNER	S CERTIFICATION	N				
Screen / perforation openings								numouset t-	the stated -	vatar 11	
From ft. to					was constructe			•	the stated v		
					ense and was con	=		-			
Slot size unit _ From ft. to					knowledge and b						
					ness name of						
Slot size unit _			Kans	as Water V	Vell Contractor's	License No	u	nder the au	thority of th	ne designa	ated
Gravel pack intervals:	Cmarcel et		perso	on as defin	ed in K.A.R. 28-	30-2(j) and sign	ed and certi	fied by the e	electronic si	gnature o	f the
Gravel pack not used:		in	^		on at its submitt	,					
From ft. to	_				VATER WELL OW	<u> </u>	ne for your red	ords. Fee of 9	5 00 for each	constructe	d well
Gravel pack not used:		in	Jena O	copy to v		EPARTMENT OF	•			constituent	a men
From ft. to	_ tt.			Bureau	of Water, Geology					2-1367	



FIGURE 1 - AREA BASE MAP



1311 E 25th St., Suite B Lawrence, KS 66046

(785) 841-8707 office (785) 865-4282 fax

PROJECT:

Mac's 66 Service 8139 Metcalf Ave Overland Park, KS KDHE ID: U4-046-12100 Date: 4/11/23

120 feet

LEGEND:

Approximate Location of Active UST Basins, Product Lines and Pump Islands
Approximate Location of Former UST Basins, and Pump Islands
Approximate Location of Former Waste Oil UST

Waste Oil UST

Publishing with Programment

Building with Basement

Existing Monitoring Well

O Plugged Monitoring Well

Propossed Monitoring Well

DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jessica Chapman Larsen & Associates 1311 E. 25th Street, Suite B Lawrence, Kansas, 66046 May 2, 2023 Revised June 14, 2023

RE: Monitor Well Elevation Survey 8139 Metcalf Ave, Overland Park, Kansas Proj. 23-00Q Mac's 66 Service U4-046-12100

Bnch Mark: Chiseled Square on North center of Southeast concrete pump island.

Elev: 1068.79		.79	North 3404	We	st 5227	(from SE Cor. Sec. 29-12-25E)			
	MW-12R	rim top pipe	1055.53 1055.13	North West	3575 4907	SE1/4,NW1/4,SW1/4,NW1/4 Lat= 38.98109 Long = 94.66629			
	MW-13R	rim top pipe	1059.06 1058.77	North West	3353 4907	SE1/4,NW1/4,SW1/4,NW1/4 Lat= 38.98048 Long = 94.66629			
	MW-22	rim top pipe	1059.24 1058.85	North West	3510 5040	SW1/4,NW1/4,SW1/4,NW1/4 Lat= 38.98091 Long = 94.66676			
	MW-23	rim top pipe	1054.70 1054.37	North West	3564 4851	SW1/4,NW1/4,SW1/4,NW1/4 Lat= 38.98106 Long = 94.66610			
	MW-24	rim top pipe	1067.44 1067.08	North West	3414 5252	SW1/4,NW1/4,SW1/4,NW1/4 Lat= 38.98064 Long = 94.66751			

Elevation derived from existing project.

Lat & Long derived from Lenexa 7.5 Quad Map

If you have any guestions, please feel free to call me. Thank you for the opportunity to be