WELL ID

KOLAR DOC ID

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

LOCATION OF WATER	WELL					Origin	al Recor	d Coi	rection	Chang	e in We	ll Use
Latitude	Longitude		Section	n	Township		Range	E W	Fraction	1/4	1/4	1/4
Datum	Elevation		Count	7	1		0	VV				
WATER WELL OWNER		· · · · · · · · · · · · · · · · · · ·	WELL WATER					NEAREST S	OURCE OF F	POTENTIAL C	ONTAMI	NATION
Name												
Business			COMPLETION					Distance		Direction		
Dusiness			COMPLETIO					from well:		from wel	l:	
Address			Depth of completed well:ft.				ft.	Source				
					ter encountered:			descriptio				
VAT-II lo anti am			(1) ft.; (2) ft.;					Source: _				
Well location			(3) ft.; (4) dry well					Distance from well:		Direction from wel		
at owner's			Static water level in well: ft.					Source				
address			measured below land surface on (mm/dd/yy):					description:				
CONSTRUCTION				• •	land surface			No pot	ential sourc	e of contami	nation	
Borehole interval:	Borehole dia	meter:	on (mm/					within	100 feet.			
from to			Estimated yi					PERMIT &	ID NUMBER	S (AS REQUI	RED)	
fromto			•		gpiii ft. after	bo	nirs	DWR Apr	olication No.	:		
	1		viater lever v		pumping			KDHE / EPA Project Code:				
Casing height above la	· · · · · · · · · · · · · · · · · · ·		Pump install	ed?		81	,	Site Name:				
If casing height is le has a variance beer		s No	Pump installed? Yes No					KDHE UIC Class V Form Completed: Yes No				
	ired for monitoring		Water well disinfected? Yes No					County Permit: Yes No Permit ID:				
or environmental	remediation wells		Date disinfected (mm/dd/yy):					Lease Name & Well #:				
Casing type:Blank casing interval:		Aquifer, if known:					# of boreholes: # of dewatering wells:					
Blank casing diameter:		— · · · L	ITHOLOGIC									
Casing joints:			FROM	TO TO	LITHOLOGY II	NTFRV/	NI S					
Weight:			TROM	-	LITTIOLOGITI	******	123					
Wall thickness or g												
Blank casing interval:	-											
Blank casing diameter:												
Casing joints:												
Weight:	lbs/ft.											
Wall thickness or g	auge no.:	_										
Grout interval:	ft to ft											
Grout material:												
Grout interval:												
Grout material:		(COMMENTS									
Screen / perforation ma	nterial:											
Screen / perforation op	penings:		CONTRACTO	R'S OR	LANDOWNERS	CERTIF	ICATION					
Screen / perforation int	ervals:		This water	well wa	as constructed	l 1	reconstru	cted p	oursuant to	the stated w	ater well	l
Fromft. to _	ft.		contractor's	licens	se and was com	pleted	on	<u> </u>	I certify tha	at this record	d is true	to
Slot size			the best of	my kno	owledge and be	lief. Th	is water v	well record	was comple	ted on		
From ft. to _				-	s name of				_			,
Slot size	unit				ll Contractor's							ated
Gravel pack intervals:					in K.A.R. 28-3							
	ed: Gravel size _	in	=		at its submitta	-	0-5-10		5 , 1110 0	5 O - 11 C 01 E	,	
From ft. to				•	TER WELL OW		retain one	o for your rec	ords Fee of \$	5 00 for each	construct	ed well
Gravel pack not use		in	zina one copy	11/1				EALTH AND			construct	ca mell.
From ft. to	ft.		D		Materia Caralia (1000 0147 1	1 04 0		-l IZC (((12	1267	



FIGURE 1 - AREA BASE MAP



1311 E 25th St., Suite B Lawrence, KS 66046

(785) 841-8707 office (785) 865-4282 fax

PROJECT:

Mac's 66 Service 8139 Metcalf Ave Overland Park, KS KDHE ID: U4-046-12100 Date: 4/11/23

120 feet

LEGEND:

Approximate Location of Active UST Basins, Product Lines and Pump Islands
Approximate Location of Former UST Basins, and Pump Islands
Approximate Location of Former Waste Oil UST

Waste Oil UST

Publishing with Programment

Building with Basement

Existing Monitoring Well

O Plugged Monitoring Well

Propossed Monitoring Well

DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jessica Chapman Larsen & Associates 1311 E. 25th Street, Suite B Lawrence, Kansas, 66046 May 2, 2023 Revised June 14, 2023

RE: Monitor Well Elevation Survey 8139 Metcalf Ave, Overland Park, Kansas Proj. 23-00Q Mac's 66 Service U4-046-12100

Bnch Mark: Chiseled Square on North center of Southeast concrete pump island.

Elev: 1068	.79	North 3404	We	st 5227	(from SE Cor. Sec. 29-12-25E)
MW-12R	rim top pipe	1055.53 1055.13	North West	3575 4907	SE1/4,NW1/4,SW1/4,NW1/4 Lat= 38.98109 Long = 94.66629
MW-13R	rim top pipe	1059.06 1058.77	North West	3353 4907	SE1/4,NW1/4,SW1/4,NW1/4 Lat= 38.98048 Long = 94.66629
MW-22	rim top pipe	1059.24 1058.85	North West	3510 5040	SW1/4,NW1/4,SW1/4,NW1/4 Lat= 38.98091 Long = 94.66676
MW-23	rim top pipe	1054.70 1054.37	North West	3564 4851	SW1/4,NW1/4,SW1/4,NW1/4 Lat= 38.98106 Long = 94.66610
MW-24	rim top pipe	1067.44 1067.08	North West	3414 5252	SW1/4,NW1/4,SW1/4,NW1/4 Lat= 38.98064 Long = 94.66751

Elevation derived from existing project.

Lat & Long derived from Lenexa 7.5 Quad Map

If you have any guestions, please feel free to call me. Thank you for the opportunity to be