KOLAR DOC ID \_\_\_\_\_ WELL ID\_

## **WATER WELL RECORD** (WWC-5)

From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

OCATION OF WATER W	VELL .				0	riginal Reco	rd Co	rrection	Chang	e in Wel	l Use
Latitude	Longitude		S	ection	Township	Range	E W	Fraction	1/4	1/4	1/4
Datum	Elevation		C	County	-		VV				
WATER WELL OWNER				ATER USE			NEAREST S	OURCE OF I	POTENTIAL C	ONTAMIN	IATION
Name											
			COMPLETION				Source:  Distance Direction from well:				
Business							from well:		_ from wel	ll:	
Address				Depth of completed well:ft.  Depth(s) groundwater encountered:			Source	_			
			1 -	-			descriptio				
Well location			(1) ft.; (2) ft.; (3) ft.; (4) dry well								
Well location							Distance from well:	i	Direction from wel	n ll:	
at owner's			Static water level in well: ft.				Source				
address			measured below land surface on (mm/dd/yy):				descriptio	n:			
CONSTRUCTION					ve land surface				e of contami	nation	
Borehole interval: Borehole diameter:			on (mm/dd/yy):				within 100 feet.				
fromto ft.				Estimated yield: gpm				PERMIT & ID NUMBERS (AS REQUIRED)			
fromtoft.		in.				hours	DWR App	plication No.	:		
Casing height above land			Water level was:ft. afterhoursgpm				KDHE / EPA Project Code:				
If casing height is less			Pump installed? Yes No				Site Name:				
has a variance been a		s No	Tump instance. Its 140			KDHE UIC Class V Form Completed: Yes No					
*variance not required for monitoring			Water well disinfected? Yes No			County Permit: Yes No Permit ID:					
or environmental remediation wells			Date disinfected (mm/dd/yy):			Lease Name & Well #:					
Casing type:Blank casing interval:	ft to		Aquife	r, if known:			# of boreh	oles:	# of dewater	ring wells:	
Blank casing diameter:		11.		OGIC LOG							
Casing joints:			FROM		LITHOLOGY INT	TEDWALC					
Weight:			FROM	10	LITHOLOGI INI	ENVALS					
Wall thickness or gau	_										
Blank casing interval:											
Blank casing diameter:											
Casing joints:											
Weight:											
Wall thickness or gau	ige no.:										
Grout interval:f Grout material:f											
Grout interval:ft. toft.  Grout material:			COMMENTS								
Grout material.											
Screen / perforation mate	erial:										
Screen / perforation oper			CONTRA	ACTOR'S C	R LANDOWNERS C	ERTIFICATION					
Screen / perforation inter			This w	ater well v	was constructed	reconstru	icted r	oursuant to	the stated w	ater well	
Fromft. to					nse and was compl		•				
Slot size u					nowledge and belie			-			-
From ft. to				-	ess name of			=			
Slot size ui	nit										
Gravel pack intervals:					Vell Contractor's Li				· ·	_	
Gravel pack not used: Gravel size in			person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the								
From ft. to ft.					on at its submittal:			·			
Gravel pack not used	. Cassal sins	.	Send one	e copy to W	ATER WELL OWNE	ER and retain on	e for your rec	ords. Fee of \$	5.00 for each	constructe	d well

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record
Doc ID	1718611
Well Owner	Jerrod Baxa
Contractor	Flint Hills Drilling #914

## Grout

From	То	Grout Material
0	40	Bentonite
40	70	Neat Cement
70	200	Bentonite

Form	WWC5.2 - Water Well Record
Doc ID	1718611
Well Owner	Jerrod Baxa
Contractor	Flint Hills Drilling #914

## Lithology

From	То	Lithology Intervals
0	10	clay
10	14	clay,gravelly
14	37	clay
37	68	shale,unweathered,gray
68	80	sandstone,unweathered
80	103	shale,unweathered,gray
103	140	sandstone,unweathered
140	170	shale,unweathered,gray,with sandstone layers
170	200	shale,unweathered,gray,with red shale layers