
WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

## **WATER WELL RECORD** (WWC-5)

OCATION OF WATER WELL						Original Reco	ord Co	rrection	Chang	je in Wel	l Use	
Latitude	Longitude			Section	Township	Range	E		1/4	1/4	1/4	
Datum	Elevation			County								
WATER WELL OWNER			WELL	WELL WATER USE				NEAREST SOURCE OF POTENTIAL CONTAMINATION				
Name												
			COMP	LETION								
Business				LETION			from well	l:	Directio from we	·II:		
Address			Depth of completed well:ft.				Source					
			Depth(s) groundwater encountered:				description	on:				
******					(2) ft.;		Source:					
Well location			(3)	ft.; (	(4) dry well		Distance	ı.	Directio from we	n 11.		
at owner's			Static	water level	in well:	ft.	Source	l÷	110111 we	11;		
address			m	measured below land surface				on:				
CONCEDUCTION			on	(mm/dd/y	y):		No no	tantial source	a of contami	ination		
CONSTRUCTION	D 1 1 1			measured above land surface			No potential source of contamination within 100 feet.					
	Forehole interval: Borehole diameter:		on (mm/dd/yy):				PERMIT & ID NUMBERS (AS REQUIRED)					
fromtoft.		in.	Estim	ated yield: _	gpm							
fromto ft.		in.	Water	level was:	ft. after	hours	1 -	-	:			
Casing height above land surf	face:	in.			pumping	gpm	KDHE / EPA Project Code:					
If casing height is less that	Pump	installed?	Yes No		Site Name:							
has a variance been appro	T17.					KDHE UIC Class V Form Completed: Yes N						
*variance not required for environmental remed	Water well disinfected? Yes No  Date disinfected (mm/dd/yy):				County Permit: Yes No Permit ID:							
Casing type:	lation wens		Date	disinfected (	mm/dd/yy):		I					
Blank casing interval:	ft. to	ft.	Aquif	er, if known	:		# of borel	noles:	# of dewate	ring wells:		
Blank casing diameter:			LITHO	LOGIC LOG	i							
Casing joints:			FROI	м то	LITHOLOGY	NTERVALS						
Weight: lbs/												
Wall thickness or gauge n												
Blank casing interval:												
Blank casing diameter:												
Casing joints:												
Weight: lbs/	ft.											
Wall thickness or gauge n	10.:											
Court interval 6 to												
Grout interval: ft. to_												
Grout material: ft. to												
			COMM	IENTS								
Grout material:												
Screen / perforation material:												
Screen / perforation material:			CONT	RACTOR'S	OR LANDOWNER	S CERTIFICATION	N					
Screen / perforation openings								numouset t-	the stated -	vatar 11		
From ft. to					was constructe			•	the stated v			
					ense and was con	=		-				
Slot size unit _ From ft. to					knowledge and b							
					ness name of							
Slot size unit _			Kans	as Water V	Vell Contractor's	License No	u	nder the au	thority of th	ne designa	ated	
Gravel pack intervals:	Cmarcel et		perso	on as defin	ed in K.A.R. 28-	30-2(j) and sign	ed and certi	fied by the e	electronic si	gnature o	f the	
Gravel pack not used:		in	^		on at its submitt	,						
From ft. to	_					<u> </u>	ne for your red	ords. Fee of 9	5 00 for each	constructe	d well	
Gravel pack not used:		in	Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.  KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT									
From ft. to	_ tt.			Bureau	of Water, Geology					2-1367		



1311 E 25th St., Suite B Lawrence, KS 66046 (785) 841-8707 office (785) 865-4282 fax 0 100 ft

## **DENNIS L HANDKE**

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jess Chapman Larsen & Assoc. 1311 E. 25<sup>th</sup> St., Suite B Lawrence, Kansas 66046

ALIANNO SURV

May 18, 2023

RE: Monitor Well Elevation Survey 1109 6<sup>th</sup> St., Osawatomie, Kansas

Proj. 23-00S Weaver Oil Co. KDHE ID U4-061-11059

Bench Mark: Square cut on NW corner of brick sign base & flower planter.

Elev: 856	5.94	North 265.49	) West	3611.8	7	(from SE Cor. Sec. 11-18-22E)
MW-1R	rim top pipe	855.11 854.60	North West 35	114.77 574.88	NE1/4,SW1/4,SE Lat = 38.49216	C1/4,SW1/4 Long = 94.94944
MW-2R	rim top pipe	855.13 854.75	North West 35	151.75 588.09	NE1/4,SW1/4,SE Lat = 38.49227	11/4,SE1/4 Long = 94.94949
MW-7	rim top pipe	855.28 854.77	North 3	521.03 574.51	NE1/4,SW1/4,SE Lat = 38.49246	E1/4,SW1/4 Long = 94.94944
MW-8	rim top pipe	856.87 856.42	North 2 West 36	289.23 580.77	SW1/4,SW1/4,SI Lat = 38.49182	E1/4,SW1/4 Long = 94.94981

Elevation derived from existing project. NAVD 88. Brick flower planter has been altered changing the elevation.

Lat & Long derived from Osawatomie 7.5 Quad Map WGS84

If you have any questions, please feel free to call me. Thank you for the opportunity to be of service to you.