KOLAR Document ID: 1717521

For KCC Use:
Effective Date:
District #
SGA? Yes No

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CB-1 Oct 2016 Form must be Typed Form must be Signed All blanks must be Filled

### CATHODIC PROTECTION BOREHOLE INTENT

Must be approved by the KCC sixty (60) days prior to commencing well.

	Surface Owner Notification Act, MUST be submitted with this form.
Expected Spud Date:	Spot Description:
monar day your	Sec Twp S. R E W
OPERATOR: License#	feet from N / S Line of Section
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Check directions from nearest outside corner boundries)
City: State: Zip: +	
Contact Person:	County:
Phone:	Facility Name:
	Borehole Number:
CONTRACTOR: License#	Ground Surface Elevation: MSL
Name:	Cathodic Borehole Total Depth:
Type Drilling Equipment:	Depth to Bedrock: feet
Air Rotary Other	Water Information
Construction Features	Aquifer Penetration: None Single Multiple
Length of Cathodic Surface (Non-Metallic) Casing	Depth to bottom of fresh water:
Planned to be set: feet	Depth to bottom of usable water:
Length of Conductor pipe (if any): feet	Water well within one-quarter mile: Yes No
Surface casing borehole size: inches	Public water supply well within one mile:Yes No
Cathodic surface casing size: inches	Water Source for Drilling Operations:
Cathodic surface casing centralizers set at depths of:;;	☐ Well ☐ Farm Pond ☐ Stream ☐ Other
;;;;;	Water Well Location:
Cathodic surface casing will terminate at:	DWR Permit #
Above surface Surface Vault Below Surface Vault	Standard Dimension Ratio (SDR) is =
Pitless casing adaptor will be used:  Yes  No Depthfeet	(Cathodic surface csg. O.D. in inches / MWT in inches = SDR)
Anode installation depths are:;; ;; ;;	Annular space between borehole and casing will be grouted with:
7. 1000 Installation depths are	☐ Concrete ☐ Neat Cement ☐ Bentonite Cement ☐ Bentonite Clay
;;;;;;	Anode vent pipe will be set at: feet above surface
	Anode conductor (backfill) material TYPE:
	Depth of BASE of Backfill installation material:
AFFIDAVIT	Depth of TOP of Backfill installation material:
he undersigned hereby affirms that the drilling, completion and eventual plugging	Borehole will be Pre-Plugged? Yes No
f this well will comply with K.S.A. 55-101 et. seq.	
is agreed that the following minimum requirements will be met:	
is agreed that the following minimum requirements will be met.	
. Notify the appropriate District office prior to spudding and again before plugging the	
and placement is necessary prior to plugging. In all cases, notify District Office prior	or to any grouting.
Notify appropriate District Office 48 hours prior to workover or re-entry.	
A copy of the approved notice of intent to drill shall be posted on each drilling rig.	
<ol> <li>The minimum amount of cathodic surface casing as specified below shall be set by</li> </ol>	grouting to the top when the cathodic surface casing is set.
	(form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp d. Submit plugging report (CP-4) within 60 days after final plugging is completed.	etion Form (ACO-1) witnin 60 days from spud date.
	• • • • • • •
Submitted Electronically	
Submitted Electronically	
For KCC Use ONLY	
API # 15	If this permit has expired or will not be drilled, check a box below, sign, date and return
	to the address below.
Conductor pipe requiredfeet	
Minimum Cathodic Surface Casing Required:feet	Permit Expired Well Not Drilled
Approved by:	
This authorization expires:	
(11) authorization void it drilling not started within 12 months of approval date.)	
Could date:	Date Signature of Operator or Agent
Spud date: Agent:	

Cide	Tue	

For KCC Use ONLY	
API # 15	

#### IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

Operator:							_ Loc	Location of Well: County:						
Facility Name:										from	N /	S Line	of Section	
Borehole	Number: _									feet	from [	E / [	W Line	of Section
							Sec	i	Twp	S.	R		E	W
							Is Section: Regular or Irregular							
						If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW						dary.		
		ads, tank ba			d electrica	tage to the I lines, as i	required by		t boundary line as Surface Ow red.					
60 ft.	-6	:	<u> </u>	:			<u> </u>							
			:	: :		•					LEG	END		
	••••	 : :	· · · · · · · · · · · · · · · · · · ·		••••					0	Tank	-	Location	
	•••••	:	:	:	•••••	:	:	:			- Elect	ine Loca ric Line l e Road L	_ocation	
	•••••	· :	· :	·  :	*******	·	:	:						
		:	•	:		•		:						
				3					EXA	MPLE :		:		
				3						MPLE : 				
				3						MPLE				
										MPLE	0			1980' FSL

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;

SEWARD CO. 3390' FEL

- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

#### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 July 2014 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:				
Operator Address:						
Contact Person:		Phone Number:				
Lease Name & Well No.:		Pit Location (QQQQ):				
Type of Pit:	Pit is:					
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R			
Settling Pit Drilling Pit	If Existing, date co	nstructed:	Feet from North / South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / West Line of Section			
(If WP Supply API No. or Year Drilled)	- Capacity.	(bbls)	County			
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet) N/A: Steel Pits			
Depth fro	om ground level to dee	epest point:	(feet) No Pit			
material, thickness and installation procedure.		inter integrity, ii	cluding any special monitoring.			
Distance to nearest water well within one-mile	of pit:	Depth to shallowest fresh water feet. Source of information:				
feet Depth of water well	feet	measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of material utilized in drilling/workover:				
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment procedure:				
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.				
Submitted Electronically						
	КСС	OFFICE USE O	NLY  Liner Steel Pit RFAC RFAS			
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No			

KOLAR Document ID: 1717521

#### Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2021
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)				
OPERATOR: License #	Well Location:				
Name:	SecTwpS. R				
Address 1:	County:				
Address 2:	Lease Name: Well #:				
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of				
Contact Person:	the lease below:				
Phone: ( ) Fax: ( )					
Email Address:					
Surface Owner Information:					
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional				
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the				
Address 2:	county, and in the real estate property toy records of the county trace was				
City: State: Zip:+					
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.				
Select one of the following:					
provided the following to the surface owner(s) of the land up Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing C-1 or Form CB-1, the plat(s) required by this form; and 3) my one of the surface owner(s).	Act (see Chapter 55 of the Kansas Statutes Annotated), I have son which the subject well is or will be located: 1) a copy of the g in connection with this form; 2) if the form being filed is a Form operator name, address, phone number, fax, and email address.  acknowledge that, because I have not provided this information, e owner(s). To mitigate the additional cost of the KCC performing				
this task, I acknowledge that I must provide the name and add and that I am being charged a \$30.00 handling fee, payable to	ress of the surface owner by filling out the top section of this form the KCC, which is enclosed with this form.				
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.				
Submitted Electronically					

Form	CB1CDP1 - Cathodic Protection Borehole Intent
Operator	Natural Gas Pipeline Company of America LLC
Well Name	AMA 355 1
Doc ID	1717521

# Anode Installation Depths

Depth Company of the	
25	
15	
05	
95	
85	
75	
65	
55	
45	
35	
25	
15	
05	
95	
85	
75	
65	
55	
45	
35	
25	
15	
05	

For KCC Use ONLY	
API # 15	_

#### IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

Operator: _							_ Loc	ation of We	ell: County:					
Facility Name:								feet from N / S Line of Section E / W Line of Section						
							Sec	Sec Twp S. R						
							Is S	Section:	Regular or Irregular					
								If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW						
					d electrica	l lines, as	required b	y the Kans	it boundary line. Show the predicted locations of as Surface Owner Notice Act (House Bill 2032).					
	Ottowa	<b>Co.</b> 60'FW	/L		You m	ay attach a	a separate	plat if desi	red.					
180' FNL	ю	:	: :	: : :		: :	:	:	I FOEND					
		:	:	:		:	:	:	LEGEND					
,			:		•••••		:		<ul><li>Well Location</li></ul>					
		•	:	:		:	:	:	Tank Battery Location					
		:	:	:		:	:	:	Pipeline Location					
		:	:	:		:	:	:	Electric Line Location					
		:	:	:		:	:	:	Lease Road Location					
		:	:	:		:	:	:	20000 11000 20000011					
		:	:	:		:	:	:						
		:	:	:		:	:	:						
		:	:	:			:		EXAMPLE					
		:	:	:		:	:	:						
		:	:	:	ı	:								
		:	:	:		:	:	:						
		:		:		:		:						
		:	:	:				:	······································					
		:		:	••••				1980' FSL					
		: : :	: :	:  :		:  :	:	:  :						
		:	:	: :		• • •			SEWARD CO. 3390' FEL					

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.

NOTE: In all cases locate the spot of the proposed drilling locaton.

3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Susan K. Duffy, Chair Dwight D. Keen, Commissioner Andrew J. French, Commissioner

According to the drilling pit application, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1, Application for Surface Pit, This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.