WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

## **WATER WELL RECORD** (WWC-5)

OCATION OF WATER W	/ELL					Original Re	ecord	d Co	rrection	Chang	e in We	ll Use
Latitude	Longitude		9	Section	Township	Rar	nge	E	Fraction	1/4	1/4	1/4
Datum	Elevation			County				VV				
WATER WELL OWNER				/ATER USI				NEARESTS	OURCE OF	POTENTIAL C	ONTAMIN	OITAL
Name												.,
			COMPI	FTION				Dictance		Direction	n	
Business			COMPL	EHON			$\neg$	from well:		from wel	il:	
Address					ed well:			Source				
			1 -		water encountered			descriptio				
747 11 1					(2) ft.;			Source:				
Well location			(3)	ft.;	(4) dry well			Distance from well-		Direction from wel	n II.	
at owner's			Static	vater level	in well:	t.		Source				
address			measured below land surface					descriptio	n:			
CONSTRUCTION				(mm/dd/y			-	No pot	tential sour	ce of contami	nation	
Borehole interval:	Borehole dia	meter:		asured abo (mm/dd/y	ve land surface y):				100 feet.			
fromtoft.					<u> </u>		=	PERMIT &	ID NUMBE	RS (AS REQUI	RED)	
		in.			gpm ft after	1		DW/R Ass	nlication No	.:		
fromtoft.	·		vvater		ft. after			1		.: Code:		
Casing height above land		in.	D.,		pumping Yes No	gpm						
If casing height is less has a variance been a		s No	Fullip	ilistalieu:	ies No					orm Complet		N
*variance not require			Water	well disinfo	ected? Yes N	0				No Permi		
or environmental remediation wells			Date disinfected (mm/dd/yy):			_	Lease Name & Well #:					
Casing type:			A :C	.01			$\dashv$			# of dewater		
Blank casing interval:		ft.		r, if known								
Blank casing diameter:				OGIC LOG								
Casing joints:			FROM	і то	LITHOLOGY	NTERVALS						
Weight:												
Wall thickness or gat												
Blank casing interval:		п.										
Blank casing diameter:												
Casing joints: Weight:												
Wall thickness or gau	_											
Grout interval: f												
Grout material:												
Grout interval:f			СОММ	ENTS	1							
Grout material:												
S / / / /	1											
Screen / perforation mate			CONTO	ACTORIC:	OD I ANDOMNES	C CEDTIFIC **	1011					
Screen / perforation open Screen / perforation inter					OR LANDOWNER			. 1		41	11	
-					was constructe			•		the stated w		
Fromft. to					ense and was con	•			•			
Slot size un From ft. to				-	knowledge and b				_			
Slot size u					ness name of							
Gravel pack intervals:	·····		Kansa	s Water V	Vell Contractor's	License No.		uı	nder the au	thority of th	e designa	ated
Gravel pack mervais:	· Gravel cize		perso	n as defin	ed in K.A.R. 28-	30-2(j) and si	igned	l and certif	ied by the	electronic się	gnature o	f th
From ft. to		in	design	nated pers	on at its submitt	al:						
Gravel pack not used:		in	Send on	e copy to V	VATER WELL OW	NER and retai	n one	for your rec	ords. Fee of	\$5.00 for each	constructo	ed we
From ft. to _		m		17	KANSAS D	EPARTMENT (	OF HE	EALTH AND	ENVIRON	MENT		
11011111.10 _	11.			Bureau	of Water, Geology	Section, 1000	SW Ja	ackson St., S	uite 420, Toj	peka KS 66612	2-1367	

Form	WWC5.2 - Water Well Record
Doc ID	1718141
Well Owner	Equus Beds Groundwater Management District No. 2
Contractor	Environmental Works, Inc.

## Grout

From	То	Grout Material
3	109	Neat Cement
109	119	Bentonite
136.5	147	Bentonite

0-3.5	Silty sand, brown, fine	EB-66C
3.5-6	Clayey/sandy silt, dark brown to grayish brown	
6-12	Sand, tan, fine to med	GW-9.2'
12-17	Sand, tan, med to coarse w/ gravel	
17-18	Sand, tan, fine to med	
18-20	Sand, tan, med to very coarse w/ large gravel	
20-28.5	Sand, tan, med to very coarse w/ gravel	
28.5-33.5	Sand w/ dk gray clay stringers, med to very coarse w/gravel	
33.5-38.5	Sandy clay, dark gray	
38.5-44.5	Sand, gray, fine to med	
44.5-46.5	Sand, tan, med to very coarse	
46.5-47	Silty sand, gray, fine to med	
47-64.5	Sand, tan, med to coarse, scattered gravel	
64.5-67	Sand, tan, med to very coarse w/ gravel	
67-69.5	Silty sand, olive, med to very coarse w/ gravel	
69.5-76	Silty clay, olive tan mottled, high plasticity	
76-84	Silty clay, tan, high plasticity	
84-109	Sand, tan, med to coarse w/ gravel	
109-116	Sandy silt, ochre, very fine sand	
116-120	Sand, tan fine to med	
120-134.2	Silty sand, tan, med to very coarse, scattered gravel	
134.2-140	Silty clay, reddish brown	
140-143.5	Shale, olive w/ iron staining, weathered	
143.5-146	Shale, grayish blue/olive	
146-147	Siltstone, reddish brown	