

**WATER WELL RECORD (WWC-5)**

KOLAR DOC ID \_\_\_\_\_ WELL ID \_\_\_\_\_  
 Original Record      Correction      Change in Well Use

**LOCATION OF WATER WELL**

Latitude		Longitude		Section		Township		Range		E W	Fraction	¼	¼	¼
Datum		Elevation		County										

**WATER WELL OWNER**

Name	
Business	
Address	
Well location	
at owner's address	

**WELL WATER USE**

--

**COMPLETION**

Depth of completed well: _____ ft.
Depth(s) groundwater encountered:
(1) _____ ft.; (2) _____ ft.;
(3) _____ ft.; (4) dry well
Static water level in well: _____ ft.
measured below land surface
on (mm/dd/yy): _____
measured above land surface
on (mm/dd/yy): _____
Estimated yield: _____ gpm
Water level was: _____ ft. after _____ hours
pumping _____ gpm
Pump installed?    Yes    No
Water well disinfected?    Yes    No
Date disinfected (mm/dd/yy): _____
Aquifer, if known:

**NEAREST SOURCE OF POTENTIAL CONTAMINATION**

Source: _____
Distance from well: _____      Direction from well: _____
Source description: _____
Source: _____
Distance from well: _____      Direction from well: _____
Source description: _____
No potential source of contamination within 100 feet.

**CONSTRUCTION**

Borehole interval:	Borehole diameter:
from _____ to _____ ft.	_____ in.
from _____ to _____ ft.	_____ in.
Casing height above land surface: _____ in.	
If casing height is less than 12 in. has a variance been approved?*	
Yes    No	
*variance not required for monitoring or environmental remediation wells	
Casing type: _____	
Blank casing interval: _____ ft. to _____ ft.	
Blank casing diameter: _____ in.	
Casing joints: _____	
Weight: _____ lbs/ft.	
Wall thickness or gauge no.: _____	
Blank casing interval: _____ ft. to _____ ft.	
Blank casing diameter: _____ in.	
Casing joints: _____	
Weight: _____ lbs/ft.	
Wall thickness or gauge no.: _____	
Grout interval: _____ ft. to _____ ft.	
Grout material: _____	
Grout interval: _____ ft. to _____ ft.	
Grout material: _____	
Screen / perforation material: _____	
Screen / perforation openings: _____	
Screen / perforation intervals:	
From _____ ft. to _____ ft.	
Slot size _____ unit _____	
From _____ ft. to _____ ft.	
Slot size _____ unit _____	
Gravel pack intervals:	
Gravel pack not used:    Gravel size _____ in	
From _____ ft. to _____ ft.	
Gravel pack not used:    Gravel size _____ in	
From _____ ft. to _____ ft.	

**PERMIT & ID NUMBERS (AS REQUIRED)**

DWR Application No.: _____
KDHE / EPA Project Code: _____
Site Name: _____
KDHE UIC Class V Form Completed:    Yes    No
County Permit:    Yes    No    Permit ID: _____
Lease Name & Well #: _____
# of boreholes: _____    # of dewatering wells: _____

**LITHOLOGIC LOG**

FROM	TO	LITHOLOGY INTERVALS

**COMMENTS**

--

**CONTRACTOR'S OR LANDOWNERS CERTIFICATION**

This water well was    constructed    reconstructed    pursuant to the stated water well contractor's license and was completed on _____. I certify that this record is true to the best of my knowledge and belief. This water well record was completed on _____ under the business name of _____, Kansas Water Well Contractor's License No. _____ under the authority of the designated person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the designated person at its submittal: _____.
---

Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.

Form	WWC5.2 - Water Well Record
Doc ID	1715316
Well Owner	Equus Beds Groundwater Management District No. 2
Contractor	Environmental Works, Inc.

Grout

From	To	Grout Material
184	227.5	Bentonite
167	170	Bentonite
0	167	Neat Cement

0-8	Sandy/silty clay, grayish brown to tan
8-9.5	Sand, tan, fine to coarse, some silt and clay
9.5-25	Sand, orange to tan, fine to very coarse, scattered gravel
25-32.5	Sand, tan, fine to med, some coarse grain
32.5-37.5	Sand, tan, med to very coarse w/ small gravel
37.5-53	Silty/clayey sand, greenish gray to tan, fine sand
53-58	Sandy clay, olive to bluish gray
58-60	Clayey sand, tan to bluish gray, fine
60-67	Sandy clay, olive to bluish gray
67-70	Sand, tan, fine to med
70-97.5	Sand, tan, med to very coarse w/ random gravel
97.5-102	Clayey/sandy silt, olive to bluish gray to tan, fine to med sand
102-105.5	Silty sand, greenish gray, fine to med
105.5-126	Sand, greenish gray to tan, med to very coarse, scattered gravel
126-140.5	Sand, greenish gray/tan, fine to med
140.5-141	Clayey silt, olive
141-162	Sand, tan, med to very coarse w/ gravel
162-165	Silty/sandy clay, olive to dark gray, fine sand
165-170	Sandy silt, grayish tan, fine sand
170-175	Silty sand, olive, fine
175-181	Sand, greenish gray, med to very coarse
181-212	Silty/sandy clay, olive gray to grayish brown to tan
212-215	Clayey sand, brown, fine
215-227.5	Marl, brown

EB-8C

GW-14.9'