WELL ID

KOLAR DOC ID

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

## **WATER WELL RECORD** (WWC-5)

From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

LOCATION OF WATER V	WELL					•	Origina	l Recor	d Correction	Chang	e in Wel	ll Use
Latitude	Longitude		S	ection		Township		Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		C	ounty					VV			
WATER WELL OWNER		<u> </u>		ATER US	E				NEAREST SOURCE OF F	POTENTIAL C	ONTAMIN	IATION
Name									Source:			
Business			COMPLI	TION								
Dustriess					. 1	11			from well:	_ from wel	l:	
Address			_	-		ell:encountered:		ft.	Source description:			
			(1)	ft.;	(2)	ft.;			Source:			
Well location						dry well			Distance from well:		n ll:	
at owner's address			mea		low lar	ll: ft nd surface	t.		Source description:			
CONSTRUCTION			mea	sured ab	ove lar	nd surface			No potential sourc within 100 feet.	e of contami	nation	
Borehole interval:	Borehole dia	meter:	on (	mm/dd/y	/y):				PERMIT & ID NUMBER	S (AS REQUI	RED)	
fromto ft		in.	Estimat	ed yield:		gpm						
fromto ft		in.	Water l	evel was:		ft. after			DWR Application No.			
Casing height above lan	d surface:	in.				pumping	gp1	m	KDHE / EPA Project Code:			
If casing height is les has a variance been		s No	Pump i	nstalled?	Ye	s No			Site Name: KDHE UIC Class V Form Completed: Yes No			
*variance not requir	• •	5 110	Water v	vell disini	fected?	? Yes No	)		County Permit: Yes No Permit ID:			
or environmental re			Date disinfected (mm/dd/yy):					Lease Name & Well #:				
Casing type:			A:6	:61					# of boreholes:			
Blank casing interval:			-	, if know								
Blank casing diameter:				OGIC LO								
Casing joints: Weight:			FROM	то	<u>_</u>	ITHOLOGY IN	NIEKVAI	LS				
Wall thickness or ga												
Blank casing interval:												
Blank casing diameter:												
Casing joints:												
Weight:												
Wall thickness or ga					$\perp$							
Grout interval:												
Grout material:												
Grout interval:												
Grout material:		) (	COMME	NTS								
Cancar I monformation most	out al.											
Screen / perforation mat Screen / perforation ope			CONTR	ACTOP'S	OD 1 4	ANDOWNERS	CEDTIE	CATION				
Screen / perforation inte									atad nursuant to	the stated w	ratan rurall	
Fromft. to						constructed		econstru	1			
Slot size u							_		I certify the			to
From ft. to				-		-			vell record was comple			—
Slot size u												
Gravel pack intervals:	· · · · · · · · · · · · · · · · · · ·		Kansa	Water	Well (	Contractor's l	License l	No	under the aut	thority of th	e designa	ated
Gravel pack not used	l: Gravel size	in	persor	as defir	ned in	K.A.R. 28-3	0-2(j) ar	nd signed	d and certified by the e	lectronic sig	gnature o	f the
From ft. to _			design	ated per	son a	t its submitta	ıl:		·			
Gravel pack not used		in	Send one	copy to	WATE	R WELL OWN	NER and 1	retain one	for your records. Fee of \$	5.00 for each	constructe	ed well.
Enom. G. t.	<u> </u>					KANSAS DE	PARTME	NT OF H	EALTH AND ENVIRONM	ENT		

Form	WWC5.2 - Water Well Record
Doc ID	1714216
Well Owner	Equus Beds Groundwater Management District No. 2
Contractor	Environmental Works, Inc.

## Grout

From	То	Grout Material
3	70	Neat Cement
70	80	Bentonite
97	102	Bentonite

0-1	Clayey silt, dk brown	EB-61C
1-3.5	Silty clay, grayish brown	
3.5-7	Silty sand, tan, fine	
7-14	Sand, tan, fine to very coarse w/gravel	GW-10.6'
14-29	Sand, orange to tan, med to very coarse w/ gravel	
29-35	Sandy silt, gray, fine sand	
35-35.5	Sandy silt, gray, some coarse/very coarse sand	
35.5-36.5	Sandy silty clay, greenish gray	
36.5-40	Sand, gray, very fine to fine	
40-44	Sand, gray, med to very coarse	
44-47	Sand, greenish gray, med to very coarse	
47-57	Sand and gravel, gray, med to very coarse	
57-60.5	Sand, grayish tan, med to very coarse	
60.5-61.5	Silty sand, greenish gray, fine	
61.5-63.5	Sandy clay, greenish gray	
63.5-70	Clayey/silty sand, greenish gray, fine	
70-88	Sand, greenish tan, med to very coarse, scattered gravel	
88-89	Sandy clay, olive, med to coarse sand	
89-95	Sand, tan, med to very coarse, some gravel	
95-97	Weathered shale, olive green	
97-102	Shale, bluish green	