_ WELL ID_

KOLAR DOC ID _

WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

LOCATION OF WATER W	/ELL				C	Original Recor	d Cor	rrection	Chang	e in Wel	l Use
Latitude	Longitude		5	Section	Township	Range	E W	Fraction	1/4	1/4	1/4
Datum	Elevation			County	-		VV				
WATER WELL OWNER				VATER USE			NEAREST S	OURCE OF P	OTENTIAL C	ONTAMIN	ATION
Name											
Business			COMPL	ETION			Distance		Direction	n	
Dusiness							from well:	:	_ from wel	1:	
Address					ted well:	ft.	Source				
			-	-	water encountered:		description				
Well location					(2) ft.; (4) dry well		I				
			-				Distance from well:	·	Direction from wel	n l:	
at owner's					in well: ft.		Source				
address			I	asured belo (mm/dd/y	ow land surface v):		description	n: 			
CONSTRUCTION					ve land surface			ential source	e of contami	nation	
Borehole interval:	Borehole interval: Borehole diameter:			on (mm/dd/yy):			within 100 feet.				
fromto ft.		in.	Estima	ted yield:	gpm		PERMIT & I	ID NUMBER	S (AS REQUI	RED)	
fromto ft.		in.	Water level was: ft. after hours				DWR Application No.:				
Casing height above land			pumping gpm				KDHE / EPA Project Code:				
If casing height is less			Pump	installed?	Yes No		Site Name	2:			
has a variance been a		s No					KDHE UI	C Class V Fo	rm Complete	ed: Yes	No
*variance not require or environmental rea					ected? Yes No		1	ermit: Yes			
Casing type:	mediation wens		Date d	isinfected ((mm/dd/yy):		1	ne & Well #: _			
Blank casing interval:	ft. to	ft.	Aquife	r, if known	::		# of boreh	oles:	# of dewater	ring wells:	
Blank casing diameter:			LITHOL	OGIC LOG	i						
Casing joints:			FROM	1 то	LITHOLOGY IN	TERVALS					
Weight:	_lbs/ft.										
Wall thickness or gau	ige no.:										
Blank casing interval:	ft. to	ft.									
Blank casing diameter:	in.										
Casing joints:											
Weight:	_										
Wall thickness or gau	ige no.:										
Grout interval: f	t. toft.										
Grout material:											
Grout interval:f	t. toft.										
Grout material:			COMMI	ENTS							
Screen / perforation mate											
Screen / perforation oper	nings:		CONTR	ACTOR'S	OR LANDOWNERS	CERTIFICATION					
Screen / perforation inter-	vals:		This v	vater well	was constructed	reconstru	cted p	oursuant to 1	the stated w	ater well	
Fromft. to			contra	actor's lice	ense and was comp	leted on	•	I certify tha	t this record	d is true t	0
Slot size ur			the be	est of my l	knowledge and bel	ief. This water v	well record v	was complet	ted on		
From ft. to			under	the busir	ness name of						,
Slot size ur	nit		Kansa	s Water V	Vell Contractor's L	icense No	ur	nder the aut	hority of th	e designa	ted
Gravel pack intervals:					ed in K.A.R. 28-30				-	_	
Gravel pack not used:		in	-		son at its submittal			,		,	
From ft. to					VATER WELL OWN		for your == -	orde Esc of the	5 00 for a al-	constant of	d 227211
Gravel pack not used:	Gravel size	in	sena on	e copy to v	VALER WELL OWN	EX and retain one	tion your reco	лиз. гее 01 \$3	5.00 for each	constructe	u well

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT
Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367
(785) 296-3565 | K.S.A. 82a-1212 | v2022c

0-3.5	Silty sand, brown, fine	EB-66A
3.5-6	Clayey/sandy silt, dark brown to grayish brown	
6-12	Sand, tan, fine to med	GW-9.3'
12-17	Sand, tan, med to coarse w/ gravel	
17-18	Sand, tan, fine to med	
18-20	Sand, tan, med to very coarse w/ large gravel	
20-28.5	Sand, tan, med to very coarse w/ gravel	
28.5-33.5	Sand w/ dk gray clay stringers, med to very coarse w/gravel	
33.5-38.5	Sandy clay, dark gray	
38.5-44.5	Sand, gray, fine to med	
44.5-46.5	Sand, tan, med to very coarse	
46.5-47	Silty sand, gray, fine to med	
47-64.5	Sand, tan, med to coarse, scattered gravel	
64.5-67	Sand, tan, med to very coarse w/ gravel	
67-69.5	Silty sand, olive, med to very coarse w/ gravel	
69.5-76	Silty clay, olive tan mottled, high plasticity	