For KCC Use:			
Effective	Date:		
District #			
SGA?	Yes No		

## Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1
March 2010
Form must be Typed
Form must be Signed
All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	
DPERATOR: License#	feet from N / S Line of Section
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate Well on the Section Flat on levelse side)
City: State: Zip: +	County.
Contact Person:	Lease Name: Well #:
hone:	Field Name:
ONTRACTOR: License#	is this at Totaloa, opassa Fisia.
ame:	rarget romation(s).
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ;# of Holes Other	Depth to bottom of fresh water:
Other:	_ Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate:
	Length of Conductor Pipe (if any):
Operator:	Projected Total Depth:
Well Name: Original Total Depth:	
Original Completion Date.	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	
f Yes, true vertical depth:	
	DVIX I GIIIII #.
Bottom Hole Location:	− ( <b>Note:</b> Apply for Permit with DWR)
	− ( <b>Note:</b> Apply for Permit with DWR)
Sottom Hole Location:  KCC DKT #:	( <b>Note:</b> Apply for Permit with DWR )
CCC DKT #:	<ul><li>(Note: Apply for Permit with DWR □ )</li><li>Will Cores be taken? □ Yes □ I</li></ul>
CCC DKT #:AF	- (Note: Apply for Permit with DWR ) - Will Cores be taken? Yes If Yes, proposed zone:
AF  The undersigned hereby affirms that the drilling, completion and eventual p	- (Note: Apply for Permit with DWR ) - Will Cores be taken? Yes New Ye
AF  The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:	- (Note: Apply for Permit with DWR ) - Will Cores be taken? Yes New Ye
AF The undersigned hereby affirms that the drilling, completion and eventual p	- (Note: Apply for Permit with DWR ) - Will Cores be taken? Yes If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.
AF The undersigned hereby affirms that the drilling, completion and eventual process is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be see</i>	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If Yes proposed zone:  St by circulating cement to the top; in all cases surface pipe shall be set
AF  The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If yes proposed zone:  St by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
AF The undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the di	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Strict office on plug length and placement is necessary prior to plugging;
AF The undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plus	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in;
AF The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t  4. If the well is dry hole, an agreement between the operator and the di  5. The appropriate district office will be notified before well is either plug  6. If an ALTERNATE II COMPLETION, production pipe shall be cement	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If yes proposed zone:  Ch drilling rig;  If yes proposed zone:  Ch drilling rig;  If yes proposed zone:  Strict office on plug length and placement is necessary prior to plugging;
AF The undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order #	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.
AF The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of th	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
AF The undersigned hereby affirms that the drilling, completion and eventual process agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the second of the provided materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the second	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Sugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
AF The undersigned hereby affirms that the drilling, completion and eventual parties agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is eithe	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Sugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
AF The undersigned hereby affirms that the drilling, completion and eventual process agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into to the district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be submitted Electronically	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
AF The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be  Libmitted Electronically  For KCC Use ONLY	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Sugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If yet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
AF The undersigned hereby affirms that the drilling, completion and eventual process agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging the most of the spuddate of the well is either pluging the most of the spuddate of the well shall be composed in the spuddate of the well shall be completed within 30 days of the spuddate or the well shall be spuddate.	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Jugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Strict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
AF The undersigned hereby affirms that the drilling, completion and eventual process is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the intention of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the intention of the intention	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Sugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If yet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  If yes
AF the undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the second and the district office will be notified before well is either plugible. The appropriate district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be about the district office will be notified before well is either plugible.  Ibmitted Electronically  For KCC Use ONLY  API # 15	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Sugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual prices agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an agreement to drill shall be posted on each an agreement between the operator and the district office will be notified before well is either plugible. The appropriate district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be appropriated.  **Jubmitted Electronically**  **For KCC Use ONLY**  API # 15	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Strict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;
AF The undersigned hereby affirms that the drilling, completion and eventual process is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the second and the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order and the district of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed.  **Jubmitted Electronically**  **For KCC Use ONLY**  API # 15 -  **Conductor pipe required**  **Minimum surface pipe required**  **Jeet per ALT.**  I I II Approved by:  **Jeet per ALT.**  I I III  **Approved by:**  **Jeet per ALT.**  I III  **Jeet per ALT.**  III  **Jeet per ALT.*  III  **Jeet	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Sugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;
AFT he undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an accordance of the prior to spudding of well;  3. The minimum amount of surface pipe as specified below <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the display of the appropriate district office will be notified before well is either pluging.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order at must be completed within 30 days of the spud date or the well shall be completed.  Idamitted Electronically  For KCC Use ONLY  API # 15	Will Cores be taken?  If Yes, proposed zone:  PFIDAVIT  Sugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  At by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Strict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
AF The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ead.  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging.  5. The appropriate district office will be notified before well is either pluging.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order at must be completed within 30 days of the spud date or the well shall be completed.  Conductor pipe required	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Diugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  At by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);

Signature of Operator or Agent:

Side Two

For KCC Use ONLY
API # 15

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



## 1565 ft.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit Proposed		Existing	SecTwpR East West	
Settling Pit Drilling Pit	If Existing, date cor	nstructed:	Feet from North / South Line of Section	
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Pit capacity:		(bbls)	Feet from East / West Line of Section County	
Is the pit located in a Sensitive Ground Water Area? Yes		No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?  Yes No Artificial Liner?  Yes No		lo	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth fro	m ground level to dee	pest point:	(feet) No Pit	
		• ,	cluding any special monitoring.	
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. nation:	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	l utilized in drilling/workover:	
Number of producing wells on lease:		Number of worl	king pits to be utilized:	
Barrels of fluid produced daily:		Abandonment p	procedure:	
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must b	e closed within 365 days of spud date.	
	-			
Submitted Electronically				
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS				
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection:	

## Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2021
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R East _ West		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip: +	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: ( ) Fax: ( )			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface		
Address 1:	owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City:			
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered on Select one of the following:	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  Act (see Chapter 55 of the Kansas Statutes Annotated), I have		
provided the following to the surface owner(s) of the land up Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing	on which the subject well is or will be located: 1) a copy of the g in connection with this form; 2) if the form being filed is a Form operator name, address, phone number, fax, and email address.		
the KCC will be required to send this information to the surface	acknowledge that, because I have not provided this information, e owner(s). To mitigate the additional cost of the KCC performing ress of the surface owner by filling out the top section of this form the KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling to form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.		
Submitted Electronically			


shown on this to be legally ndowner.

y not b ct land

and may contact department

Plagress plat is opened f

## RIM OIL COMPANY, INC. VALEDA LEASE SE. 1/4. SECTION 2. T175. R12W BARTON COUNTY, KANSAS



Contracting data is based upon the best maps and photographs avoilable to us and upon a regular section of land containing 640 acres.

July 12, 2023

Association of ignic controlling was determined using the normal standard of care of officed surveyor's social in the state of koncos. The section corners, which establish the precise section finds were not necessarily located, and the event location of the driftlish elaboring in the section is not quaranteed. Interpretary, the appropriate actions and occurring this service and occurring this play and all other parties relying themen appear to high Central Kandas (ifflet described, Inc. 18 officers and explayes harmless from all losses, costs and expended and sold entitles releaded from any fieldlifty from inclinately or considerations.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Susan K. Duffy, Chair Dwight D. Keen, Commissioner Andrew J. French, Commissioner

July 26, 2023

Chris Hoffman RJM Company PO BOX 256 CLAFLIN, KS 67525-0256

Re: Drilling Pit Application Valeda 1 SE/4 Sec.02-17S-12W Barton County, Kansas

#### Dear Chris Hoffman:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 261-6250 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (785) 261-6250.