KOLAR DOC ID \_\_\_\_\_ WELL ID\_

## **WATER WELL RECORD** (WWC-5)

From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

OCATION OF WATER W	VELL .				0	riginal Reco	rd Co	rrection	Chang	e in Wel	l Use
Latitude	Longitude		S	ection	Township	Range	E W	Fraction	1/4	1/4	1/4
Datum	Elevation		C	County	-		VV				
WATER WELL OWNER				ATER USE			NEAREST S	OURCE OF I	POTENTIAL C	ONTAMIN	IATION
Name											
Business			COMPLI	ETION			Dietance		Direction	n	
Dustriess			COMPLETION  Depth of completed well: ft.				from well: from well:				
Address					ed well:	Source	_				
			1 -	-	vater encountered:		descriptio				
Well location					2) ft.;						
Well location					4) dry well		Distance from well:	i	Direction from wel	n ll:	
at owner's					n well: ft.		Source				
address				isured belo (mm/dd/yy	w land surface	description:					
CONSTRUCTION					ve land surface				e of contami	nation	
Borehole interval:	Borehole dia	meter:		mm/dd/yy		within 100 feet.					
fromto ft.		in.	Estimat	ted vield:	gpm		PERMIT & ID NUMBERS (AS REQUIRED)				
fromtoft.		in.				DWR Application No.:					
Casing height above land			Water level was:ft. afterhoursgpm				KDHE / EPA Project Code:				
If casing height is less			Pump i		Yes No	Site Name:					
has a variance been a		s No				KDHE UIC Class V Form Completed: Yes No					
*variance not required for monitoring			Water v	well disinfe	cted? Yes No	County Permit: Yes No Permit ID:					
or environmental re		Date di	sinfected (1	mm/dd/yy):	Lease Name & Well #:						
Casing type:Blank casing interval:	ft to	<del></del>	Aquife	r, if known:			# of boreh	oles:	# of dewater	ring wells:	
Blank casing diameter:		11.		OGIC LOG							
Casing joints:			FROM		LITHOLOGY INT	TEDWALC					
Weight:			FROM	10	LITHOLOGI INI	ENVALS					
Wall thickness or gau	_										
Blank casing interval:											
Blank casing diameter:											
Casing joints:											
Weight:											
Wall thickness or gau	ige no.:										
Grout interval:f Grout material:f											
Grout interval:											
Grout material:			COMME	NTS							
Grout material.											
Screen / perforation mate	erial:										
Screen / perforation oper			CONTRA	ACTOR'S C	R LANDOWNERS C	ERTIFICATION					
Screen / perforation inter			This w	ater well v	was constructed	reconstru	icted r	oursuant to	the stated w	ater well	
Fromft. to					nse and was compl		•				
Slot size u					nowledge and belie			-			-
From ft. to				-	ess name of			=			
Slot size ui	nit										
Gravel pack intervals:		Kansas Water Well Contractor's License No under the authority of the designated									
Gravel pack not used: Gravel size in person as defined in K.A.R. 28-30-2(j) ar						d and certif	ied by the e	electronic sig	gnature o	t the	
From ft. to	ft.				on at its submittal:			·			
Gravel pack not used:	. Cassal sins	.	Send one	e copy to W	ATER WELL OWNE	ER and retain on	e for your rec	ords. Fee of \$	5.00 for each	constructe	d well

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record
Doc ID	1723463
Well Owner	Gus Irrigation
Contractor	Kansas Water Wells, Inc.

# Lithology

)	3	topooil
		topsoil
3	13	clay,sandy,brown
13	19	sand & gravel,coarse
19	147	clay,sandy,light,tannish
147	172	sand,fine to coarse,clayey,light,brownish
172	192	sand,fine to coarse
192	202	clay,fine to medium,gravelly
202	237	sand,fine to coarse
237	247	clay,gravelly
247	252	sand,medium,clayey,light,whit eish
252	257	sand,fine
257	277	clay,fine,sandy,light,yellowish
277	292	sand,fine to coarse,clayey,yellowish
292	296	sand,fine to coarse
296	304	clay,fine,sandy,light,yellowish
304	312	sand,fine to coarse,clayey,light,yellowish
312	319	sand & gravel,fine to coarse,gravelly,light,whiteish
319	329	clay,gravelly,light,whiteish
329	330	shale,unknown,dark,blackish



# Kansas Water Wells inc.

## Test#\_\_1\_.

Custome	er	Gustavo Sanchez			Date	7/2	7/25/23					
Adress 7655 Access Rd.			City/State		Holcomb, Kansas 67851				,			
County	Fir	nney	ney Quarter S'		SI	N	Sec.	36	Township	23	Range	34
GPS Format WGS-84			Lat.		N3	N38.004812		Long.	W101.0	02089		
Static Water Level 160'					Propo	sed V	Well Depth	320'		100000 00000		

From	Pay	То	Description of Strata			
0		3	Top soil			
3		13	Brown sandy clay			
13		19	Coarse sand/small-med gravel /small rock			
19		102	Tan & white sandy clay (layered) very sticky around 60'			
102		147	Brown sandy clay/fine-med sand streaks			
147		172	Fine-coarse sand w/ clay streaks (loose in spots)			
172	20	192	20% fine sand/80% med-coarse sand (very loose)			
192		202	Med sandy clay w/ gravel streaks			
202	35	237	Fine-coarse sand/small gravel			
237		247	Yellow clay/1/4" gravel (mixed)			
247		252	Med sand/soap stone (mixed)			
252		257	Fine sand			
257		277	Fine sandy yellow clay/couple sand streaks			
277		281	Fine-coarse sand/couple clay streaks			
281		292	Fine sandy yellow clay			
292	4	296	Fine-coarse sand (loose)			
296		304	Fine sandy yellow clay/couple sand streaks			
304	-	312	Fine-coarse sand/clay streaks			
312	7	319	Fine-coarse sand/broken brown & white rock (loose)			
319		329	Yellow & white clay/broken white rock (mixed)			
329		330	Black shale			
	66		Total pay			
290		320	.032 slotted screen (30')			
4		25	Bentonite top seal			
240		250	Bentonite seal			
Location F	rom Old F	lole N/A				
Bags Of H	igh Yield	10	Bags Of Hole Plug 25			

Signature	
Signature	