KOLAR Document ID: 1722736

Confiden	tiality Requested:
Yes	No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM

WELL HISTORY -	 DESCRIPTION OF WE 	LL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
Gas DH EOR	Elevation: Ground: Kelly Bushing:
	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to EOR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
Dual Completion Permit #: SWD Permit #:	
SWD Permit #: EOR Permit #:	Location of fluid disposal if hauled offsite:
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Reached TD Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received Drill Stem Tests Received						
Geologist Report / Mud Logs Received						
UIC Distribution						
ALT I II III Approved by: Date:						

KOLAR Document ID: 1722736

Operator Name:	Lease Name: Well #:
Sec TwpS. R East 🗌 West	County:

Page Two

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	acate)	Y	′es 🗌 No			og Formatio	n (Top), Depth a	and Datum	Sample
Samples Sent to Geolo			⁄es 🗌 No	1	Name	Э		Тор	Datum
Cores Taken Electric Log Run Geologist Report / Mud List All E. Logs Run:		□ Y □ Y	Yes ☐ No Yes ☐ No Yes ☐ No						
		Rep	CASING ort all strings set-c] Ne	w Used rmediate, productio	on. etc.		
Purpose of String	Size Hole Drilled	Siz	ze Casing et (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
[ADDITIONAL	CEMENTING /	SQU	EEZE RECORD			
Purpose: Depth Top Bottom		Туре	e of Cement	# Sacks Use	d		Type and	Percent Additives	
Protect Casing Plug Back TD Plug Off Zone									
 Did you perform a hydra Does the volume of the Was the hydraulic fracture 	total base fluid of the	hydraulic fr	acturing treatment		-	☐ Yes ns? ☐ Yes ☐ Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three	
Date of first Production/Inj Injection:	jection or Resumed Pr	oduction/	Producing Meth	iod:		Gas Lift 🗌 O	ther <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er Bb	ls.	Gas-Oil Ratio	Gravity
DISPOSITIO	N OF GAS:		Ν	IETHOD OF COM	MPLE	TION:		PRODUCTIC Top	DN INTERVAL: Bottom
Vented Sold Used on Lease Op (If vented, Submit ACO-18.)		Open Hole		-	·	nit ACO-4)	юр	Bollom	
	foration Perform Top Botto		Bridge Plug Type	Bridge Plug Set At		Acid,		ementing Squeezend of Material Used)	
TUBING RECORD:	Size:	Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	Owens Oil Company, LLC
Well Name	WHITEFORD S7
Doc ID	1722736

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set		Setting Depth	Type Of Cement		Type and Percent Additives
Surface	11	7	20	40	Portland	10	na
Production	5.875	2.875	6.5	1251	Portland	160	na

Superior Building Supply, Inc. 215 West Rutledge Yates Center, KS 66783

.

620-625-2447

.

invoice #	Page
252816	001
Invoice Da	ate
05-18-2023 13	:16:19

SOLD TO: Owens Bryson 1268 Native Rd Burlington, KS 66839

620-496-6804

Please Remit To: Superior Building Supply, Inc., 215 West Rutledge, Yates Center, KS 66783

vet 10th		Leis		252816	House	MED	O68040	LD
Ouaniily 7.000	UM EA	Item # MA1235	Portland Ceme				Price 23.3855	Exlended Pric 163.70
					•			
		÷ .,						
						-, -		
ET US E-	MAIL	YOUR INVOICES & S	STATEMENTS			Ta	axable: ax: on-Tax:	163.70 15.55 0.00
eceived b	ov:				·		otal:	179.25

	ammerse	1300 2200 Rd.	. 1	740 US-54		· .		
	Ready Mi	Goe KS 66740	Ft. So	cott, KS 66701 0-224-2800	n sanagar Na sanagar	• •		
LANT TIME	DATE	ACCOUNT		TRUCK	DRIVER		TICK	ET
01 18741°	1 M5/24/23	DUENSO	.1	× 72	ne	i Di	50	病点ス
CUSTOMER NAME				DELIVERY ADDRESS	3			· · · · ·
DWENS 011., 1 1274 202 ROG			· ·	WHITE	FORD SX	· ·		
VICHASE ORDER	SALES ORDER	(8 6678 фтах	CREDIT	l				SLUMP
je se	6,394.	unaper	561 mm					 為防 in
LOAD QTY. PP	RODUCT	DESCRIPTION	HMT FJEL		ORDERED	DELIVERED	UNIT PRICE	1 · · · · · · · · · · · · · · · · · · ·
É	•							алан (т. 1997) 1997 - Элер Алан (т. 1997) 1997 - Элер Алан (т. 1997)
16.010 ea	ARRIVE JOB SITE	HAUL & MIX	FINISH DISCH		1 6 . 1212) VE PEANT	1 G . 200 SUB TOTAL		· .
	12:15	12:15	1:0	20		DISCOUNT		,
	/				*	TAX TOTAL PREVIOUS TOTAL		
						GRAND TOTAL		I.
			· · ·		N ^A	•		
		crete is mixed with the proper tional water is desired, please	ADDITIONAL ADDED ON J		Gallons	Ву		
		· · · · ·			· ·	-		
				UNL		OWED 30 MINUTES PER FOR OVER 30 MINUTES		
wash exposed skin areas promptly w	mortar, grout or concrete may cau	se skin irritation. Avoid direct contact wi	nere possible and	RECEIVED IN GOOD		<u></u>	· · · ·	<u></u>
If any comentitious material gets into		peatedly with water and get prompt media F CHILDREN	cal attention.	BY X				

If not paid as agreed, this credit agreement provides for your payment of reasonable costs of collection, including, but not limited to, court costs, attorney fees and/or collection agency fees.

WoCo Drilling LLC 1135 30th Rd

1135 30th Rd Yates Center, Kansas 66783 Steve 620-330-6328 Nick 620-228-2320

Operator License # 35564	¥	API # 15-207-29930		
Operator: Owens Oil Com		Lease: Whiteford		
Address: 1274 202nd Rd, 1	ates Center, Ks 66783	Well # S7		
Phone: 620-496-6804		Spud Date: 5/22/2023 5/23/2023	Completed:	
Contractor License: 3390	0	Location: Sec: 36 TWP: 23s	R: 14e	
T.D. 1261	Bite Size: 5.875	2805' FNL		
Surface Pipe Size: 7"	Surface Depth: 40'	640' FEL		
Kind of Well: oil		County:		

Drilling Log

Strata	From	То	Strata	From	То
Soil	0	4	Shale	1037	1039
Clay	- 4	23	Lime	1039	1048
Shale	23	50	Shale	1048	1085
Lime	50	56	Lime	1085	1088
Shale	56	75	Shale	1088	1105
Lime	75	95	Lime	1105	1113
Shale	95	195	Shale	1113	1135
Lime	195	203	Lime	1135	1140
Shale	203	231	Shale	1140	1154
Lime	231	236	Lime	1154	1160
Shale	236	242	Shale	1160	1183
Lime	242	248	Lime	1183	1186
Shale	248	414	Shale	1186	1191
Lime	414	480	Oil Sand	1191	1200
Shale	480	486	Sandy Shale	1200	1204
Lime	486	509	Shale	1204	1261
Shale	509	515			
Lime	515	598	TD 1261'		
Shale	598	621			
Lime	621	632	Ran 1251'of 2-7/8" Pipe		
Shale	632	671	•		
Lime	671	691	Cemented Surface With		
Shale	691	735	10 Sacks		
Lime	735	806			
Black Shale	806	813			
Lime	813	876			·
Shale	876	1033			
Lime	1033	1037			