KOLAR Document ID: 1586139

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License # | API No.: | | | | |
|---|--|--|--|--|--|
| Name: | Spot Description: | | | | |
| Address 1: | SecTwpS. R East _ West | | | | |
| Address 2: | Feet from North / South Line of Section | | | | |
| City: State: Zip:+ | Feet from _ East / _ West Line of Section | | | | |
| Contact Person: | Footages Calculated from Nearest Outside Section Corner: | | | | |
| Phone: () | □NE □NW □SE □SW | | | | |
| CONTRACTOR: License # | GPS Location: Lat:, Long: | | | | |
| Name: | (e.g. xx.xxxxxx) (e.gxxx.xxxxxx) | | | | |
| Wellsite Geologist: | Datum: NAD27 NAD83 WGS84 | | | | |
| Purchaser: | County: | | | | |
| Designate Type of Completion: | Lease Name: Well #: | | | | |
| New Well Re-Entry Workover | Field Name: | | | | |
| □ Oil □ WSW □ SWD | Producing Formation: | | | | |
| Gas DH EOR | Elevation: Ground: Kelly Bushing: | | | | |
| □ OG □ GSW | Total Vertical Depth: Plug Back Total Depth: | | | | |
| CM (Coal Bed Methane) | Amount of Surface Pipe Set and Cemented at: F | | | | |
| Cathodic Other (Core, Expl., etc.): | Multiple Stage Cementing Collar Used? Yes No | | | | |
| If Workover/Re-entry: Old Well Info as follows: | If yes, show depth set: Feet | | | | |
| Operator: | If Alternate II completion, cement circulated from: | | | | |
| Well Name: | feet depth to:w/sx cmt. | | | | |
| Original Comp. Date: Original Total Depth: | | | | | |
| □ Deepening □ Re-perf. □ Conv. to EOR □ Conv. to SWD □ Plug Back □ Liner □ Conv. to GSW □ Conv. to Producer | Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) | | | | |
| Commingled Permit #: | Chloride content: ppm Fluid volume: bbls | | | | |
| Dual Completion Permit #: | Dewatering method used: | | | | |
| SWD Permit #: | Location of fluid disposal if hauled offsite: | | | | |
| EOR | | | | | |
| GSW Permit #: | Operator Name: | | | | |
| | Lease Name: License #: | | | | |
| Spud Date or Date Reached TD Completion Date or Recompletion Date | Quarter Sec. TwpS. R East West County: Permit #: | | | | |

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

| KCC Office Use ONLY |
|---|
| Confidentiality Requested |
| Date: |
| Confidential Release Date: |
| ☐ Wireline Log Received ☐ Drill Stem Tests Received |
| Geologist Report / Mud Logs Received |
| UIC Distribution |
| ALT I II Approved by: Date: |

KOLAR Document ID: 1586139

Page Two

| Operator Name: | | | | | Lease Nam | ne: | | | Well #: | |
|--|--|------------------------------|---------------------------------|--|--|------------------------------|------------------------------------|-------------------------------|--|--|
| Sec Tw | pS. F | R [| East | West | County: | | | | | |
| open and closed and flow rates if | , flowing and sh gas to surface t ty Log, Final Lo | nut-in pressurest, along wit | es, whe h final c ain Geo | ther shut-in pre hart(s). Attach physical Data a | essure reached extra sheet if r and Final Electr | station more : ric Loc | level, hydrosta space is needed | tic pressures, d. | bottom hole tempe | val tested, time tool erature, fluid recovery, Digital electronic log |
| Drill Stem Tests (Attach Addit | | | Ye | es No | | Lo | og Formatio | n (Top), Deptl | n and Datum | Sample |
| Samples Sent to | Geological Sur | vey | Ye | es 🗌 No | | Name |) | | Тор | Datum |
| Cores Taken Electric Log Run Geologist Repor List All E. Logs F | t / Mud Logs | | Y€ Y€ | es No | | | | | | |
| | | | | | | | | | | |
| | | | Repo | | RECORD [| Nev | w Used rmediate, producti | on. etc. | | |
| Purpose of St | | ze Hole Orilled | Siz | e Casing (In O.D.) | Weight Lbs. / Ft. | | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | ADDITIONAL | OF MENTING / | | | | | |
| Purpose: | [| Depth | Typo | of Cement | # Sacks Use | | EEZE RECORD | Typo a | ad Paraant Additivas | |
| Perforate Protect Ca Plug Back | Top | Bottom | туре | or cement | # Sacks Use | ,u | Type and Percent Additives | | | |
| Plug Off Z | | | | | | | | | | |
| Did you perform Does the volum Was the hydraul | e of the total base | fluid of the hyd | draulic fra | cturing treatmen | | • | Yes ns? Yes | No (If No | , skip questions 2 an , skip question 3) , fill out Page Three o | , |
| Date of first Produ | ction/Injection or | Resumed Produ | uction/ | Producing Meth | | | Coolift 0 | thor (Fundain) | | |
| Estimated Produc | otion | Oil Bb | le. | Flowing Gas | Pumping Mcf | Wate | | ther <i>(Explain)</i> bls. | Gas-Oil Ratio | Gravity |
| Per 24 Hours | | Oli Bb | 15. | Gas | IVICI | vvale | ı Di | JIS. | Gas-Oil Hallo | Gravity |
| DISPO | OSITION OF GAS | S: | | N | METHOD OF CO | MPLE. | TION: | | PRODUCTIO | N INTERVAL: |
| Vented | Sold Use | d on Lease | | Open Hole | | Dually | | nmingled | Тор | Bottom |
| (If vente | ed, Submit ACO-18 | .) | | | (5 | SUDITIIL I | ACO-5) (Subi | mit ACO-4) | | |
| Shots Per Foot | Perforation Top | Perforation Bottom | on | Bridge Plug Type | Bridge Plug Set At | | Acid, | | Cementing Squeeze Kind of Material Used) | Record |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| TUBING RECOR | D: Size: | | Set At: | | Packer At: | | | | | |

| Form | ACO1 - Well Completion |
|-----------|------------------------|
| Operator | RJM Company |
| Well Name | MILLER TRUST 1 |
| Doc ID | 1586139 |

Casing

| Purpose Of String | Size Hole Drilled | Size Casing Set | Weight | Setting Depth | Type Of Cement | Type and Percent Additives |
|----------------------|----------------------|-----------------------|--------|------------------|-------------------|----------------------------------|
| Surface | 12.25 | 8.625 | 20 | 391 | Common | 80/20 3% gel 2%cc |
| Production | 7.875 | 5.5 | 17 | 3400 | Common | 10% salt 5% gilsonite |
| | | | | | | |
| | | | | | | |



Inc

Lease: Miller Trust #1

Time On: 21:52 07/24

SEC: 12 TWN: 18S RNG: 12W

County: BARTON State: Kansas

Drilling Contractor: Southwind Drilling,

Inc - Rig 2

Elevation: 1843 GL Field Name: Tritsch Pool: Infield Job Number: 498 API#: 15-009-26310

Uploading recovery & pressures

Operation:

DATE July 24 2021

DST #1 Formation: Arbuckle Test Interval: 3366 -Total Depth: 3407' 3407'

Time Off: 04:34 07/25

Time On Bottom: 23:25 07/24 Time Off Bottom: 02:10 07/25

Electronic Volume Estimate: 164'

1st Open Minutes: 30 **Current Reading:** 10.25" at 30 min

Current Reading: 0" at 30 min

1st Close

Minutes: 30

2nd Open Minutes: 45 **Current Reading:** 8.5" at 45 min

Minutes: 60 **Current Reading:** 0" at 60 min

2nd Close


Max Reading: 10.25"

Max Reading: 0"

Max Reading: 8.5"

Max Reading: 0"

Inside Recorder





Inc

Lease: Miller Trust #1

SEC: 12 TWN: 18S RNG: 12W

County: BARTON State: Kansas

Drilling Contractor: Southwind Drilling,

Inc - Rig 2

Elevation: 1843 GL Field Name: Tritsch Pool: Infield Job Number: 498 API #: 15-009-26310

Operation:

Uploading recovery & pressures

DATEJuly **24**2021

DST #1 Formation: Arbuckle Test Interval: 3366 - Total Depth: 3407'

3407'

Time On: 21:52 07/24 Time Off: 04:34 07/25

Time On Bottom: 23:25 07/24 Time Off Bottom: 02:10 07/25

Recovered

| <u>Foot</u> | BBLS | Description of Fluid |
|-------------|---------|----------------------|
| 108 | 1.53684 | G |
| 175 | 2.49025 | 0 |
| 157 | 2.23411 | SLGCHMCO |

| <u>Gas %</u> | <u>Oil %</u> | Water % | Mud % |
|--------------|--------------|---------|-------|
| 100 | 0 | 0 | 0 |
| 0 | 100 | 0 | 0 |
| 15 | 50 | 0 | 35 |


Total Recovered: 440 ft

Total Barrels Recovered: 6.2612

| Reversed Out |
|--------------|
| NO |

| Initial Hydrostatic Pressure | 1613 | PSI |
|------------------------------|-----------|-----|
| Initial Flow | 21 to 76 | PSI |
| Initial Closed in Pressure | 912 | PSI |
| Final Flow Pressure | 82 to 133 | PSI |
| Final Closed in Pressure | 799 | PSI |
| Final Hydrostatic Pressure | 1610 | PSI |
| Temperature | 113 | °F |
| | | |
| Pressure Change Initial | 12.4 | % |
| Close / Final Close | | |

Recovery at a glance



GIP cubic foot volume: 10.5101



Uploading recovery &

pressures

Company: RJM Oil Company,

Inc

Lease: Miller Trust #1

SEC: 12 TWN: 18S RNG: 12W

County: BARTON State: Kansas

Drilling Contractor: Southwind Drilling,

Inc - Rig 2 Elevation: 1843 GL

Field Name: Tritsch Pool: Infield Job Number: 498 API #: 15-009-26310

DATE

July

24 2021

DST #1 Formation: Arbuckle Test Interval: 3366 - Total Depth: 3407'

3407'

Time On: 21:52 07/24 Time Off: 04:34 07/25

Time On Bottom: 23:25 07/24 Time Off Bottom: 02:10 07/25

BUCKET MEASUREMENT:

1st Open: !" Blow. Built to 10 1/4 inches in 30 mintues

1st Close: NOBB

2nd Open: 1/4" Blow. Built to 8 1/2 inches in 45 mintues

2nd Close: NOBB

REMARKS:

Tool Sample: 0% Gas 100% Oil 0% Water 0% Mud

Gravity: 39 @ 60 °F



Uploading recovery &

pressures

Company: RJM Oil Company,

Inc

Lease: Miller Trust #1

SEC: 12 TWN: 18S RNG: 12W

County: BARTON State: Kansas

Drilling Contractor: Southwind Drilling,

Inc - Rig 2 Elevation: 1843 GL

Field Name: Tritsch Pool: Infield Job Number: 498 API #: 15-009-26310

DATE

July **24**

2021

DST #1 Formation: Arbuckle Test Interval: 3366 - Total Depth: 3407'

3407'

Time On: 21:52 07/24 Time Off: 04:34 07/25

Time On Bottom: 23:25 07/24 Time Off Bottom: 02:10 07/25

Down Hole Makeup

Heads Up: 20.17 FT Packer 1: 3361 FT

Drill Pipe: 3361.01 FT **Packer 2:** 3366 FT

ID-3 1/2 Top Recorder: 3353 FT

Weight Pipe: FT Bottom Recorder: 3368 FT

ID-2 7/8

Collars: 0 FT Well Bore Size: 7 7/8

ID-2 1/4 Surface Choke: 1"

Test Tool: 26.16 FT **Bottom Choke:** 5/8"

ID-3 1/2-FH

Total Anchor: 41

Anchor Makeup

Packer Sub: 1 FT

Perforations: (top): FT

4 1/2-FH

Change Over: FT

Drill Pipe: (in anchor): FT

ID-3 1/2

Change Over: FT

Perforations: (below): 40 FT

4 1/2-FH



Uploading recovery &

pressures

Company: RJM Oil Company,

Inc

Lease: Miller Trust #1

SEC: 12 TWN: 18S RNG: 12W

County: BARTON State: Kansas

Drilling Contractor: Southwind Drilling,

Inc - Rig 2 Elevation: 1843 GL Field Name: Tritsch

Pool: Infield Job Number: 498 API #: 15-009-26310

DATE

July 24

2021

DST #1 Formation: Arbuckle Test Interval: 3366 -

Total Depth: 3407'

3407'

Time On: 21:52 07/24 Time Off: 04:34 07/25

Time On Bottom: 23:25 07/24 Time Off Bottom: 02:10 07/25

Mud Properties

Chlorides: 3500 ppm Mud Type: Chem Weight: 9 Viscosity: 52 Filtrate: 8.8



Uploading recovery &

pressures

Company: RJM Oil Company,

Inc

Lease: Miller Trust #1

SEC: 12 TWN: 18S RNG: 12W

County: BARTON State: Kansas

Drilling Contractor: Southwind Drilling,

Inc - Rig 2 Elevation: 1843 GL Field Name: Tritsch

Pool: Infield Job Number: 498 API #: 15-009-26310

Total Depth: 3407'

DATE

July **24** 2021 DST #1 Formation: Arbuckle Test Interval: 3366 -

3407'

Time On: 21:52 07/24 Time Off: 04:34 07/25

Time On Bottom: 23:25 07/24 Time Off Bottom: 02:10 07/25

Gas Volume Report

1st Open 2nd Open

| Time Orifice PSI MCF/D | Time | Orifice | PSI | MCF/D |
|------------------------|------|---------|-----|-------|
|------------------------|------|---------|-----|-------|



Formation: Arbuckle

Inc

Lease: Miller Trust #1

SEC: 12 TWN: 18S RNG: 12W

County: BARTON State: Kansas

Drilling Contractor: Southwind Drilling,

Inc - Rig 2

Elevation: 1843 GL Field Name: Tritsch Pool: Infield Job Number: 498 API#: 15-009-26310

Operation:

Uploading recovery & pressures

DATE July 25

DST #2

Test Interval: 3369 -3412'

Total Depth: 3412'

Time On: 09:39 07/25 Time Off: 16:32 07/25

Time On Bottom: 11:08 07/25 Time Off Bottom: 14:38 07/25

Electronic Volume Estimate: 161'

2021

1st Open Minutes: 45 **Current Reading:** 10.75" at 45 min

Max Reading: 10.75"

0" at 45 min Max Reading: 0"

1st Close

Minutes: 45

Current Reading:


2nd Open Minutes: 60 **Current Reading:**

7.2" at 60 min

2nd Close Minutes: 60 **Current Reading:** 0" at 60 min

Max Reading: 7.7" Max Reading: 0"

Inside Recorder





Uploading recovery &

pressures

Company: RJM Oil Company,

Inc

Lease: Miller Trust #1

SEC: 12 TWN: 18S RNG: 12W

County: BARTON State: Kansas

Drilling Contractor: Southwind Drilling,

Inc - Rig 2

Elevation: 1843 GL Field Name: Tritsch Pool: Infield Job Number: 498 API #: 15-009-26310

DATE July 25

2021

DST #2 Formation: Arbuckle Test Interval: 3369 - Total Depth: 3412'

3412'

Time On: 09:39 07/25 Time Off: 16:32 07/25

Time On Bottom: 11:08 07/25 Time Off Bottom: 14:38 07/25

Recovered

| <u>Foot</u> | <u>BBLS</u> | Description of Fluid | Gas % | <u>Oil %</u> | Water % | <u>Mud %</u> |
|-------------|-------------|----------------------|-------|--------------|---------|--------------|
| 51 | 0.72573 | G | 100 | 0 | 0 | 0 |
| 201 | 2.86023 | 0 | 0 | 100 | 0 | 0 |
| 63 | 0.89649 | SLGCHMCO | 10 | 60 | 0 | 30 |
| 126 | 1.79298 | GCHMCO | 25 | 40 | 0 | 35 |

Total Recovered: 441 ft


Total Barrels Recovered: 6.27543

| Reversed Out |
|--------------|
| NO |

| Initial Hydrostatic Pressure | 1593 | PSI |
|------------------------------|------------|-----|
| Initial Flow | 19 to 92 | PSI |
| Initial Closed in Pressure | 1025 | PSI |
| Final Flow Pressure | 102 to 152 | PSI |
| Final Closed in Pressure | 744 | PSI |
| Final Hydrostatic Pressure | 1595 | PSI |
| Temperature | 110 | °F |
| | | |
| Pressure Change Initial | 27.4 | % |
| Close / Final Close | | |

GIP cubic foot volume: 7.09462

Recovery at a glance





Uploading recovery &

pressures

Company: RJM Oil Company,

Inc

Lease: Miller Trust #1

SEC: 12 TWN: 18S RNG: 12W

County: BARTON State: Kansas

Drilling Contractor: Southwind Drilling,

Inc - Rig 2 Elevation: 1843 GL

Field Name: Tritsch Pool: Infield Job Number: 498 API #: 15-009-26310

DATE

July 25

2021

Formation: Arbuckle Test Interval: 3369 -Total Depth: 3412' 3412'

Time On: 09:39 07/25 Time Off: 16:32 07/25

Time On Bottom: 11:08 07/25 Time Off Bottom: 14:38 07/25

BUCKET MEASUREMENT:

1st Open: 1/4" Blow. Built to 10 3/4 inches in 45 minutes

DST #2

1st Close: NOBB

2nd Open: 1/4" Blow. Built to 7 3/4 inches in 60 minutes.

2nd Close: NOBB

REMARKS:

Tool Sample: 15% Gas 25% Oil 0% Water 60% Mud

Gravity: 39.5 @ 60 °F



Inc

Lease: Miller Trust #1

SEC: 12 TWN: 18S RNG: 12W

County: BARTON State: Kansas

Drilling Contractor: Southwind Drilling,

Inc - Rig 2 Elevation: 1843 GL

Field Name: Tritsch Pool: Infield Job Number: 498 API #: 15-009-26310

pressures

DATE

July

25

2021

Operation:

Uploading recovery &

DST #2 Formation: Arbuckle Test Interval: 3369 - Total Depth: 3412'

3412'

Time On: 09:39 07/25 Time Off: 16:32 07/25

Time On Bottom: 11:08 07/25 Time Off Bottom: 14:38 07/25

Down Hole Makeup

Heads Up: 16.08 FT **Packer 1:** 3364 FT

Drill Pipe: 3359.92 FT **Packer 2:** 3369 FT

ID-3 1/2 Top Recorder: 3356 FT

Weight Pipe: FT Bottom Recorder: 3371 FT

ID-2 7/8

Collars: 0 FT Well Bore Size: 7 7/8

ID-2 1/4 Surface Choke: 1"

Test Tool: 26.16 FT **Bottom Choke**: 5/8"

ID-3 1/2-FH

Total Anchor: 43

Anchor Makeup

Packer Sub: 1 FT

Perforations: (top): FT

4 1/2-FH

Change Over: FT

Drill Pipe: (in anchor): FT

ID-3 1/2

Change Over: FT

Perforations: (below): 42 FT

4 1/2-FH



Uploading recovery &

pressures

Company: RJM Oil Company,

Inc

DST #2

Lease: Miller Trust #1

SEC: 12 TWN: 18S RNG: 12W

County: BARTON State: Kansas

Drilling Contractor: Southwind Drilling,

Inc - Rig 2 Elevation: 1843 GL

Field Name: Tritsch Pool: Infield Job Number: 498 API #: 15-009-26310

DATE

July

2021

25

Formation: Arbuckle Test Interval: 3369 -Total Depth: 3412'

3412'

Time On: 09:39 07/25 Time Off: 16:32 07/25

Time On Bottom: 11:08 07/25 Time Off Bottom: 14:38 07/25

Mud Properties

Chlorides: 5000 ppm Mud Type: Chem Weight: 9.2 Viscosity: 45 Filtrate: 8.4



Uploading recovery &

pressures

Company: RJM Oil Company,

Formation: Arbuckle

Inc

DST #2

Lease: Miller Trust #1

SEC: 12 TWN: 18S RNG: 12W

County: BARTON State: Kansas

Drilling Contractor: Southwind Drilling,

Inc - Rig 2 Elevation: 1843 GL Field Name: Tritsch

Pool: Infield Job Number: 498 API #: 15-009-26310

DATE

July **25**

2021

Test Interval: 3369 -

Total Depth: 3412'

3412'


Time On: 09:39 07/25 Time Off: 16:32 07/25

Time On Bottom: 11:08 07/25 Time Off Bottom: 14:38 07/25

Gas Volume Report

1st Open 2nd Open

| Time | Orifice | PSI | MCF/D | Time | Orifice | PSI | MCF/D |
|------|---------|-----|-------|------|---------|-----|-------|
| _ | | _ | | _ | | _ | |



QUALITY OILWELL CEMENTING, INC. Federal Tax I.D.# 20-2886107

Phone 785-483-1071

Home Office P.O. Box 32 Russell, KS 67665

No. 2338

| Cell 785-324-1041 | 02.13)(6)(4) | | militare a utili dar | All Posts | TOTAL BUILDING | Market Market Cash III | ** | | |
|-------------------------------|----------------------|------------------|--|----------------------|-------------------------|-------------------------|-------------------------|--|--|
| and asserted a medical | Sec. | Twp. | Range | 10 | County | State | On Location | Finish | |
| Date 7-25-21 | 12 | 18 | 12 | BA | RTON | RD | L MAMOTETTO : | 2.30 | |
| | filesialn subamai | to each | numotem ani | Locat | ion Claff | in 3w/ | SWYS | o jer-lejidi lininmiste | |
| Lease Miller TRUST Well No. 1 | | | | | Owner | alian arti rewalini s | ermolet vilir ausmob | is ed la le lagrico | |
| Contractor Southwind | | | To Quality Oily | vell Cementing, Inc. | cementing equipmen | t and furnish | | | |
| Type Job PROD ESG | | | | | cementer and | helper to assist own | er or contractor to do | work as listed. | |
| Hole Size 73 | aint to e | T.D. | 3412 | | Charge R | IM | Total and Ingel and | YEMROTO | |
| Csg. 5-2 | | Depth | 1 19 1 19 1 19 1 19 1 19 1 19 1 19 1 1 | Sulm to be | Street | | | | |
| Tbg. Size | TATIO S | Depth | elubertoe (lari | a early to | City | IO" ni bigal salbi i. | State | AA sautily | |
| Tool | 66 | Depth | | 1 | The above was | done to satisfaction ar | nd supervision of owner | agent or contractor. | |
| Cement Left in Csg. 10, | | Shoe Joint 10.66 | | | Cement Amou | nt Ordered | 10% Solt | 5% 91/50W | |
| Meas Line | an pas Sanctic | Displac | е | ns or leg | 500 691 | ls Flush | Y TEIN, CIT, CRED BONE | | |
| JAUG goldesteinnuf tils | EQUIP | MENT | d ballgqua at | like trien | Common/8 | 0 | getta or hain line | Internation principal | |
| Pumptrk No. Ceme | | un and sign | Bill | | Poz. Mix | HAMU! | to ye pag bne of | Spinking line Y11 | |
| Bulktrk No. Drive | | es mu | icus ya suga | SHE ST | Gel. | LIAUO Vac Tiverial | AGPEROLLEGISTOR | rite to soluto stoil | |
| | No Driver | | | | Calcium | illiper - samo 25 | SHALLGES! Unles | UAFIGA IG | |
| | RVICES | & REMA | RKS | nikira wa | Hulls | AUD ; -83ITUIBA | LI CHA SMOCRANO | 130WABS - | |
| Remarks: | of assitut | u not rold i | ili eti Jon fia ik | EY JUAU | Salt 15 | 14 | and unknown conditions | herconu yran oż | |
| Rat Hole 30 | emisto ib | S DOG YOR | izniana bna | mon ze | Flowseal | | | | |
| Mouse Hole 15 | | | | | Kol-Seal 750 H | | | | |
| Centralizers | | | THE PERSON IN | | Mud CLR 48 500 gel | | | | |
| Baskets | nt galigit | i acentsi | yait loss, or I | ופל, וספע | CFL-117 or CD110 CAF 38 | | | | |
| D/V or Port Collar | | | | | Sand | | | | |
| pipe set | e 34 | 00 | Shoe | 10.66 | Handling 20 | 0/ | | Magazini (1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1 | |
| pump soosa | 1 Flo | Ish | Insert | 3389. | Mileage | LIBES DEST | 0.00,000 | | |
| cent w/ 1 | 35 | ٧, | | | FLOAT EQUIPMENT | | | | |
| pump plug up bbls of water | | | | | Guide Shoe | | | | |
| Land plus C | | | | | Centralizer 9 | | | | |
| Plogt did hold | | | | | Baskets - 2 | | | | |
| | | | | | AFU Inserts | | | | |
| | | | | | Float Shoe - / | | | | |
| | | | | | Latch Down | -/ | 0 321 7 4 300 162 | | |
| THE THE HALL MIN 201 | | Hort Rank | THE REPLET | ng agha | n an hereit es il | betovili Evratifolik | по тол вис визанера | in to there will still | |
| 1 | | | The last | | | | | and a second | |
| +hanks | 15.157 | | 7 1 1 2 1 | | Pumptrk Char | ge | TIN HERMORE | s graffor (A) girls | |
| | | | | Mileage 12 | | | of one was later | | |
| d iAbo ya ebamin k | abnemm | 008110 | 1000000110 | ayions a | 000 | 17 been selem | Tax | To to VIII AVELYS | |
| and a busy original and a | TELME | no no nos | negalipan secr | | Than | K3 | Discount | DATE OF BASING A | |
| X Signature Kul | Alon | 12. 10(563) | ino Indones | ibre ne e | 1100 | LIOS BWY FEIAUD | Total Charge | lotte US est to still | |
| J. G. Land | | | | | 1 | | 9 | TEM UTZUU BRI W | |

GENERAL TERMS AND CONDITIONS

-DEFINITIONS: In these terms and conditions, "Quality" shall mean Quality Oilwell Cementing, Inc., and "Customer" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract, "merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies used, sold, or furnished under the requirements of this contract.

- TERMS: Unless satisfactory credit has been established, "CUSTOMER" must tender full cash payment to "QUALITY" before the job is undertaken or merchandise is delivered. If satisfactory credit has been established, the terms of payment for the job and/or merchandise, including bulk cement, are net cash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, "CUSTOMER" agrees to pay interest on amounts invoiced at a rate of 18 percent per annum until paid. Notwithstanding the foregoing in no event shall this Contract provide for interest exceeding the maximum rate of interest that "CUSTOMER" may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owing from the "CUSTOMER" or at the option of "QUALITY," refunded directly to "CUSTOMER." For purposes of this paragraph, QUALITY and CUSTOMER agree that KANSAS law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.
- -ATTORNEY FEES: In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or in any way pertaining to the term of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limit to, a reasonable sum as and attorney's fees.
- PRICES AND TAXES: All merchandise listed in "QUALITY'S" current price shall schedule are F.O.B. QUALITY'S local station and are subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by QUALITY shall be added to the quoted prices charged to CUSTOMER.
- TOWING CHARGES: QUALITY will make a reasonable attempt to get to and from each job site using its own equipment. Should QUALITY be unable to do so because of poor or inadequate road conditions, and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor or pulling equipment will be supplied by CUSTOMER or, if furnished by QUALITY, will be charged to and paid by CUSTOMER.
- PREPARATION CHARGES: If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay QUALITY for the expenses incurred by QUALITY as a result of the cancellation.
- DEADHAUL, CHARGES: Unless otherwise specified on the front of this Contract, a deadhaul charges as set forth in QUALITY'S current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.
- SERVICE CONDITIONS AND LIABILITIES: 1. QUALITY carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond QUALITY'S control, QUALITY shall not be liable for injuries to property or persons or for loss or damage arising from the performance of the job or delivery of the merchandise. Customer shall be responsible for and indemnify, defend, and hold harmless QUALITY, its officers, agents and employees, from and against any and all claims or suits for:
- (A) Damage to property or for bodily injury, sickness, disease, or death, brought by any person, including CUSTOMER and/or the well owner; and:
- (B) Oil spills, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well showout arising out of or in connection with QUALITY'S performance of the job or furnishing of merchandise in accordance with this contract, unless such loss or damage is caused by the willful misconduct or gross negligence of QUALITY or its employees.
- 2. With respect to any of QUALITY'S tools, equipment, or instruments which are lost in the well or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUSTOMER and before return to QUALITY at the landing, CUSTOMER shall either recover the lost item without cost to QUALITY or reimburse QUALITY the current replacement cost of the item unless the loss or damage results from the sole negligence of QUALITY or its employees.
- 3. QUALITY does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements caused by contamination of water or other fluids.
- WARRANTIES: 1. QUALITY warrants all merchandise manufactured or furnished by it to be free from defects in material and workmanship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. QUALITY'S obligation under this warranty is expressly limited to repair replacement, or allowance for credit, at its option, for any merchandise which is determined by QUALITY to be defective. THIS IS THE SOLE WARRANTY OF QUALITY AND NO OTHER WARRANTY IS APPLICABLE, EITHER EXPRESS OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE, CUSTOMER'S sole and only remedy with regard to any defective merchandise shall be the repair or replacement thereof or allowance for credit as herein provided, and QUALITY shall not be liable for any consequential, special, incidental, or punitive damages resulting from or caused by defective materials, products or supplies.
 - 2. More specifically:
- (A) Nothing in this contract shall be constructed as a warranty by QUALITY of the success or the effectiveness of the result of any work done or merchandise used, sold, or furnished under this contract.
- (B) Nothing in this contract shall be construed as a warranty of the accuracy or correctness of any facts, information, or data furnished by QUALITY or any interpretation of test, meter readings, chart information, analysis or research, or recommendations made by QUALITY, unless the inaccuracy or incorrectness is caused by the willful misconduct or gross negligence of QUALITY or its employees in the preparation or furnishing of such facts, information or data. (C) Work done by QUALITY shall be under the direct supervision and control of the CUSTOMER or his agent and QUALITY will accomplish the job as an independent contractor and not as an employee or agent of the CUSTOMER.

QUALITY OILWELL CEMENTING, INC. Federal Tax I.D.# 20-2886107

Phone 785-483-1071 Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 1694

| Date 7/28/2/ Sec | c. Twp. | Range | Bartow | State | On Location | Finish 18/30 | | | |
|--|----------------|-----------------------------|---|--|--|--|--|--|--|
| | | TO ME IF S | Location 4 + 0 | din Rd (| EISWYS | I the state of the | | | |
| Lease Miller TV | ust | Well No. | Owner | | Line of the control of | phonon of party | | | |
| Contractor South Win | inge la, ii | | ilwell Cementing, Inc | | t and franish | | | | |
| Type Job Surface | BRIDE TO PL | cementer and | d helper to assist ow | cementing equipment oner or contractor to d | o work as listed. | | | | |
| Hole Size 1214 | T.D. | 391 | Charge / | JM | . 1 0 | 1 | | | |
| Csg. 81/4 | Depth | 300 | Street | BID | 1 2 2 2 2 2 2 | | | | |
| Tbg. Size | Depth | | City | | | | | | |
| Tool | Depth | limentos llanta s | The above wa | s done to satisfaction a | and supervision of owne | r agent or contractor | | | |
| Cement Left in Csg. 15 | Shoe J | oint | | ount Ordered /80 | 8920382 | Jun vo nabnad | | | |
| Meas Line | Displac | 17 / | | | | ALIMED T | | | |
| EQL | IPMENT | manager and a | Common / | 45 | | sop edit Falsus | | | |
| Pumptrk 6 No. Cementer Helper | MATE IN THE | Brett | Poz. Mix 2 | 20 | Time of Sp. 13 | ismoupe phi | | | |
| Bulktrk Driver | Albert Fred | Dave | Gel. 3 | 0 | | 130 | | | |
| Bulktrk 9 No. Driver Driver | - Several | Jason | | r di geritar Alas | 1 | Solution C | | | |
| JOB SERVIC | ES & REMA | RKS | Hulls | | The state of the s | Landing of Section | | | |
| Remarks: | (COSTUTE) | -quatur y | Salt | AGE FROST THAT | James Romano | HOWERS - | | | |
| Rat Hole | | Flowseal | | THE PROPERTY OF THE | | | | | |
| Mouse Hole | Kalenci yang | tvatsur þa | Kol-Seal | riga esta : | Thursday and the | one bracks) it | | | |
| Centralizers | | | Mud CLR 48 | | | | | | |
| Baskets | | | | CFL-117 or CD110 CAF 38 | | | | | |
| D/V or Port Collar | L. Comment | 10 | lew hat a value of | Sand | | | | | |
| Fet & Circ | what! | 8 W | Handling / | Handling 190 | | | | | |
| Est & Opro | dis | placed | Mileage | | | | | | |
| A STATE OF THE STA | 0 | | | FLOAT EQUIPMENT | | | | | |
| Cement Cir | epistle groß | e salara ji sala | Guide Shoe | | Carrier Control | NUO, EVIL / | | | |
| | | | Centralizer | | | | | | |
| | | | Baskets | 1 | | 1.5 | | | |
| | | | AFU Inserts | | | | | | |
| | | | | Float Shoe | | | | | |
| PLEASE MARKET AND THE | MATERIAL STATE | ANT AND SUB- | Latch Down | | | | | | |
| ed a sound nem and the | gi ci magai | rithis (d. 2 misrly | ng one e e Pinishi. | | T. 1-1 1 11 72 | 31853 | | | |
| ty the page to the tracking to | the second | British in | gertha e garring | Wa n n n | 175 | | | | |
| | P 4 | | Pumptrk Cha | rge Surfac | e | 1 - 1 1 1 1 1 | | | |
| | | | THE RESERVE OF THE PROPERTY OF THE PARTY OF | | | | | | |
| Value of Elican world a const | 7 | | Mileage 22 | | | CONTRACTOR OF THE PARTY OF THE | | | |
| TE 1 1 2 | edosl vos k | seantograco v | Mileage 22 | | Tax | 1 (190 H. A D.) | | | |
| Mayb J. Ro. Signature | nee | a correctness in the second | | anks | Tax Discount | opens Alles opens Alles | | | |

GENERAL TERMS AND CONDITIONS

DEFINITIONS: In these terms and conditions, "Quality" shall mean Quality Oilwell Cementing, Inc., and "Customer" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract, "merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies used, sold, or furnished under the requirements of this contract.

- TERMS: Unless satisfactory credit has been established, "CUSTOMER" must tender full cash payment to "QUALITY" before the job is undertaken or merchandise is delivered. If satisfactory credit has been established, the terms of payment for the job and/or merchandise, including bulk cement, are net cash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, "CUSTOMER" agrees to pay interest on amounts invoiced at a rate of 18 percent per annum until paid. Notwith-standing the foregoing in no event shall this Contract provide for interest exceeding the maximum rate of interest that "CUSTOMER" may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest to the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owing from the "CUSTOMER" or at the option of "QUALITY," refunded directly to "CUSTOMER." For purposes of this paragraph, QUALITY and CUSTOMER agree that KANSAS law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.
- -ATTORNEY FEES: In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or in any way pertaining to the term of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limit to, a reasonable sum as and attorney's fees.
- PRICES AND TAXES: All merchandise listed in "QUALITY'S" current price shall schedule are F.O.B. QUALITY'S local station and are subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by QUALITY shall be added to the quoted prices charged to CUSTOMER.
- TOWING CHARGES: QUALITY will make a reasonable attempt to get to and from each job site using its own equipment. Should QUALITY be unable to do so because of poor or inadequate road conditions, and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor or pulling equipment will be supplied by CUSTOMER or, if furnished by QUALITY, will be charged to and paid by CUSTOMER.
- PREPARATION CHARGES: If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay QUALITY for the expenses incurred by QUALITY as a result of the cancellation.
- DEADHAUL, CHARGES: Unless otherwise specified on the front of this Contract, a deadhaul charges as set forth in QUALITY'S current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.
- SERVICE CONDITIONS AND LIABILITIES: 1. QUALITY carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond QUALITY'S control, QUALITY shall not be liable for injuries to property or persons or for loss or damage arising from the performance of the job or delivery of the merchandise. Customer shall be responsible for and indemnify, defend, and hold harmless QUALITY, its officers, agents and employees, from and against any and all claims or suits for:
- (A) Damage to property or for bodily injury, sickness, disease, or death, brought by any person, including CUSTOMER and/or the well owner; and:
- (B) Oil spills, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well blowout arising out of or in connection with QUALITY'S performance of the job or furnishing of merchandise in accordance with this contract, unless such loss or damage is caused by the willful misconduct or gross negligence of QUALITY or its employees.
- 2. With respect to any of QUALITY'S tools, equipment, or instruments which are lost in the well or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUSTOMER and before return to QUALITY at the landing, CUSTOMER shall either recover the lost item without cost to QUALITY or reimburse QUALITY the current replacement cost of the item unless the loss or damage results from the sole negligence of QUALITY or its employees.
- 3. QUALITY does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements caused by contamination of water or other fluids.
- WARRANTIES: 1. QUALITY warrants all merchandise manufactured or furnished by it to be free from defects in material and workmanship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. QUALITY'S obligation under this warranty is expressly limited to repair replacement, or allowance for credit, at its option, for any merchandise which is determined by QUALITY to be defective. THIS IS THE SOLE WARRANTY OF QUALITY AND NO OTHER WARRANTY IS APPLICABLE, EITHER EXPRESS OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE, CUSTOMER'S sole and only remedy with regard to any defective merchandise shall be the repair or replacement thereof or allowance for credit as herein provided, and QUALITY shall not be liable for any consequential, special, incidental, or punitive damages resulting from or caused by defective materials, products or supplies.
 - 2. More specifically:
- (A) Nothing in this contract shall be constructed as a warranty by QUALITY of the success or the effectiveness of the result of any work done or merchandise used, sold, or furnished under this contract.
- (B) Nothing in this contract shall be construed as a warranty of the accuracy or correctness of any facts, information, or data furnished by QUALITY or any interpretation of test, meter readings, chart information, analysis or research, or recommendations made by QUALITY, unless the inaccuracy or incorrectness is caused by the willful misconduct or gross negligence of QUALITY or its employees in the preparation or furnishing of such facts, information or data. (C) Work done by QUALITY shall be under the direct supervision and control of the CUSTOMER or his agent and QUALITY will accomplish the job as an independent contractor and not as an employee or agent of the CUSTOMER.