KOLAR Document ID: 1588040

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip: +	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane)	·
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
Described	Chloride content: ppm Fluid volume: bbls
☐ Commingled Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	Location of fluid disposal if flauled offsite.
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY							
Confidentiality Requested							
Date:							
Confidential Release Date:							
Wireline Log Received Drill Stem Tests Received							
Geologist Report / Mud Logs Received							
UIC Distribution							
ALT I II Approved by: Date:							

KOLAR Document ID: 1588040

Page Two

Operator Name: _				Lease Name:			Well #:		
Sec Twp.	S. R.	Ea	ast West	County:					
	flowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,	
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	. Digital electronic log	
Drill Stem Tests Ta			Yes No		_	on (Top), Depth ar		Sample	
Samples Sent to Geological Survey Yes No								Datum	
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No						
		R			New Used	on, etc.			
Purpose of Strir		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
			ADDITIONAL	CEMENTING / S	QUEEZE RECORD	I			
Purpose:		epth Ty	pe of Cement	# Sacks Used		Type and Percent Additives			
Protect Casi									
Plug Off Zon									
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three (,	
Date of first Producti Injection:	ion/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other (Explain)			
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity	
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			N INTERVAL: Bottom	
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom	
,	, Submit ACO-18.)				· · · · · · · · · · · · · · · · · · ·				
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At					
TUBING RECORD:	Size:	Set /	At:	Packer At:					
. 5213 (1200) 10.	JIEG.			. 30.0.71					

Form	ACO1 - Well Completion
Operator	McGown Drilling, Inc.
Well Name	DIRTY HARRY 4
Doc ID	1588040

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set			Type Of Cement		Type and Percent Additives
Surface	9.875	7	17	22	А	6	n/a
Production	5.875	2.875	6.5	445	Econobon d	49	n/a



Mound City, KS 620.224.7406

Well#							Casing			
Dirty Harry #4								Surface		Longstring
	McGown Drilling, Inc.						Size:	7.0 "	Size:	2 7/8 "
							Tally:	22 '	Tally:	445 '
API #:		7-25350	S-T-R:	11-22-23E			Cement:	6 sx	Bit:	5.875 "
County:	Linn		Date:	6/15/2021			Bit:	9.875 "	Date:	6/16/2021
Тор	Base	Form	ation		L	Тор	Base	Formation	1	
0	2	Soil								
2	10	Clay								
10	15	Lime								
15	78	Shale								
78	93	Lime								
93	106	Shale								
106	110	Lime								
110	113	Shale								
113	119	Sand								
119	152	Shale								
152	172	Lime								
172	174	Blk. Shale	غ غ							
174	179	Shale								
179	184	Lime								
184	216	Shale								
216	221	Sand								
221	223	Sandy Sh	ale							
223	279	Shale								
279	280	Lime								
280 336	336 338	Shale								
338	432	Lime Shale								
432	433	Coal								
433	438	Shale								
438	455	Sand						Sand / Core	n Dotail	
455	456	Coal				Core #1:		Core		
456	730	Shale			•	216	221	Sand - fair show		
458		TD						Sarra Tan Sirot		
		1.=				438	455	Grey sand, som	ne odor	
								,,		
								Alum. Cement	Baffle at 253	1
				Total Depth:	45	8				



CEMENT TREATMENT REPORT											
Cust	omer:	McGowr	n Drillin	g	Well:		Dirty H	arry 4	EP2074		
City,	State:	Mound City, KS County:				LN, KS Date:			6/16/2021		
Field	d Rep:	Chris Me	Gown							longstring	
Dow	nhole l	nformatio	on		Calculated S	Slurry - Lea	d		Cal	culated Slurry - Tail	
Hole	Size:	5 7/8	in		Blend:	Econ	obond		Blend:		
Hole I	Depth:	456	ft		Weight:	ht: 13.52 ppg			Weight:	ppg	
Casing	Size:	2 7/8	in		Water / Sx:	7.12	gal / sx		Water / Sx:	gal / sx	
Casing I	Depth:	253	ft		Yield:	1.56	ft³/sx		Yield:	ft³/sx	
Tubing /	Liner:		in		Annular Bbls / Ft.:		bbs / ft. Annu		Annular Bbls / Ft.:	bbs / ft.	
	Depth:	445	ft		Depth:		ft		Depth:	ft	
Tool / Pa	acker:	baf	fle		Annular Volume:	0.0	bbls		Annular Volume:	0 bbls	
	Depth:	253	ft	-	Excess:				Excess:		
Displace	ment:	1.46	bbls		Total Slurry:	13.61	bbls		Total Slurry:	0.0 bbls	
			STAGE		Total Sacks:	49	sx		Total Sacks:	0 sx	
TIME	RATE	PSI	BBLs	BBLs	REMARKS	1000			William College State		
2:30 PM			-	-	on location, held safet	y meeting					
				-							
	4.0			-	established circulation						
	4.0				mixed and pumped 100						
	4.0				mixed and pumped 49	sks Econob	ond cement, ce	ement to sur	face		
	4.0				flushed pump clean						
	1.0		_		pumped 2 7/8" rubber	plug to baffle	e at 253' with 1	.46 bbls fres	sh water		
	1.0				pressured to 500 PSI						
				-	shut in casing						
	4.0				washed up equipment						
				-							

		CREW			UNIT				SUMMAR	Y	
Cen	nenter:		y Kenned	dy	89		Average	e Rate	Average Pressure	Total Fluid	
Pump Op	erator:		ett Scott		239		3.1 b		- psi	- bbls	
	Bulk:		Foltz		247						
	H2O:										

ftv: 15-2021/01/25 mplv: 181-2021/06/11