_ WELL ID_

KOLAR DOC ID

WATER WELL RECORD (WWC-5)

OCATION OF WATER WELL						Original I	Recor	d Co	rrection	Chang	e in We	l Use	
Latitude	Longitude			Section	Township	R	lange	E W	Fraction	1/4	1/4	1/4	
Datum	Elevation			County	<u> </u>								
WATER WELL OWNER		l	WELL	NATER US	 			NEAREST S	OURCE OF	POTENTIAL C	ONTAMIN	IATION	
Name								Source:					
Business			COMP	LETION				Distance		Direction	n		
Dustriess					. 1 . 11			from well:		from we	ll:		
Address			Depth of completed well:ft. Depth(s) groundwater encountered:				ft.	Source descriptio	n.				
			1 -	•	(2) ft.;	•							
Well location					(2) it.; (4) dry well								
								from well:		Direction from we	n ll:		
at owner's address			Static water level in well: ft. measured below land surface					Source description:					
CONSTRUCTION				(mm/dd/y				No not	ential cour	ce of contami	nation		
CONSTRUCTION			measured above land surface					No potential source of contamination within 100 feet.					
Borehole interval: Borehole diameter:			on (mm/dd/yy):				=	PERMIT & ID NUMBERS (AS REQUIRED)					
fromtoft.		in.			gpm			DIATE 4	ali anti e - NT				
fromto ft.			Water		ft. after		•	1).: Code:			
Casing height above land sur		in.	D		pumping	gpm		KDHE / EPA Project Code: Site Name:					
If casing height is less than 12 in. has a variance been approved?* Yes No			Pump installed? Yes No					KDHE UIC Class V Form Completed: Yes No					
*variance not required for monitoring			Water well disinfected? Yes No							s No Perm			
or environmental remediation wells			Date disinfected (mm/dd/yy):				_	Lease Name & Well #:					
Casing type:			A au : 6	er, if knowr						# of dewater			
Blank casing interval:		ft.											
Blank casing diameter:				LOGIC LOG		NITED\/A.I.C							
Casing joints:lbs			FROI	и то	LITHOLOGY	NIERVALS	'						
Wall thickness or gauge r													
Blank casing interval:													
Blank casing diameter:													
Casing joints:													
Weight:lbs													
Wall thickness or gauge r	10.:												
Grout interval:ft. to	ft												
Grout material:													
Grout interval: ft. to													
Grout material:			сомм	ENTS									
Screen / perforation material:													
Screen / perforation opening			CONTE	RACTOR'S	OR LANDOWNER	S CERTIFIC	ATION						
Screen / perforation intervals			This	water well	was constructe	d reco	onstru	cted p	oursuant to	the stated w	ater well		
Fromft. to			contr	actor's lice	ense and was con	npleted on		·	I certify th	nat this recor	d is true	to	
Slot size unit _			the b	est of my l	knowledge and b	elief. This v	vater v	well record	was compl	eted on			
From ft. to			unde	r the busii	ness name of							,	
Slot size unit _			Kans	as Water V	Vell Contractor's	License No	o	uı	nder the au	thority of th	e designa	ited	
Gravel pack intervals:	Cmar1 - '				ed in K.A.R. 28-3					•	_		
Gravel pack not used:		in	-		son at its submitt	•	٥				-		
From ft. to Gravel pack not used:					VATER WELL OW		ain one	e for vour rec	ords. Fee of	\$5.00 for each	constructe	d well	
From ft. to		in						EALTH AND					
710m n. to	11.			Bureau	of Water, Geology (7			Jackson St., S A. 82a-1212		peka KS 66612	2-1367		

DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jessica Chapman Larsen & Associates 1311 E. 25th Street, Suite B Lawrence, Kansas, 66046 August 9, 2023

RE: Monitor Well Elevation Survey 1121 Main St., Winfield, Kansas Proj. 23-00A Wiebe Tire U2-018-01326

Bench Mark: Chisled X on top SE bolt of East leg on concrete sign base at Southeast corner of property. Elev: 1127.58 North 2677.70 West 2973.90 (from SE Cor. Sec. 28-32-4E)

MW-1R	rim	1127.73	North	2728.16	SE1/4,SE1/4,SE1/4,NW1/4
	top pipe	1127.33	West	2983.11	Lat= 37.23745 Long = 96.99741
MW-2R	rim	1127.83	North	2694.11	SW1/4,SE1/4,SE1/4,NW1/4
	top pipe	1127.61	West	3041.66	Lat= 37.23735 Long = 96.99761
MW-11	rim	1127.97	North	2680.61	SW1/4,SE1/4,SE1/4,NW1/4
	top pipe	1127.55	West	3193.43	Lat= 37.23731 Long = 96.99813
MW-12	rim	1127.98	North	2244.10	SE1/4,NW1/4,NE1/4,SW1/4
	top pipe	1127.48	West	3513.78	Lat= 37.23601 Long = 96.99921
MW-13	rim	1126.73	North	2139.10	SE1/4,NW1/4,NE1/4,SW1/4
	top pipe	1126.36	West	3330.01	Lat= 37.23582 Long = 96.99857
MW-14	rim	1127.37	North	2310.62	SW1/4,NE1/4,NE1/4,SW1/4
	top pipe	1126.79	West	3221.81	Lat= 37.23629 Long = 96.99821
MW-16R	rim	1127.33	North	2673.58	SW1/4,SE1/4,SE1/4,NW1/4
	top pipe	1126.96	West	3087.49	Lat= 37.23730 Long = 96.99776
MW-17R	rim	1127.93	North	2686.87	SW1/4,SE1/4,SE1/4,NW1/4
	top pipe	1126.97	West	2982.01	Lat= 37.23734 Long = 96.99740

Lat & Long derived from Winfield 7.5' quad map. WGS 84.

Elevation established from existing project.

If you have any questions, please feel free to call me. Thank you for the opportunity to be

Dennis L Handke RLS

arcgus 1860, 202

ANSAS




FIGURE 2.2 - 800 FT RADIUS AREA BASE MAP



1311 E 25th St., Suite B Lawrence, KS 66046

785-841-8707 office 785-865-4282 fax

PROJECT:

Wiebe Tire 1121 Main Winfield, KS

KDHE ID: U2-018-01326

Date: 7/27-28/23

) 120 ft

LEGEND

Approximate Location of Former UST Basins & Pump Islands

Building with Basement

Approximate Location of Property Line

- Monitoring Well
- O Plugged Well
- New Monitoring Well (Installed 7/25-27/23)
 Soil Boring

Soil Boring (Malada 7/26) (Drilled 2/5-6/20; 2/10/20; 2/28/20)

- F Fire Hydrant
- s Sewer Inlet

Electric Lines (2 - 6 ft bgs)
Gas Lines (1.5 - 3 ft bgs)
Overhead Lines (25'-40' high)
Telephone Lines (2 - 6 ft bgs)

— Water Lines (2 - 6 ft bgs)

NOTE: Utility depths, heights and locations are approximate.