_ WELL ID_

KOLAR DOC ID _

WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

LOCATION OF WATER W	/ELL				C	Original Recor	d Cor	rrection	Chang	e in Wel	l Use
Latitude	Longitude		5	Section	Township	Range	E W	Fraction	1/4	1/4	1/4
Datum	Elevation			County	-		VV				
WATER WELL OWNER			WELL WATER USE				NEAREST SOURCE OF POTENTIAL CONTAMINATION				
Name											
Business			COMPL	ETION			Distance		Direction	n	
Business			COMPLETION				from well: from well:				
Address			Depth of completed well:ft.			Source					
			Depth(s) groundwater encountered:				description:				
Well location			(1) ft.; (2) ft.; (3) ft.; (4) dry well				Source: Distance Direction				
							from well:	·	_ from wel	n l:	
at owner's			Static water level in well: ft.				Source				
address			measured below land surface on (mm/dd/yy):				description	n: 			
CONSTRUCTION					ve land surface			ential source	e of contami	nation	
Borehole interval:	Borehole dia	meter:	on	(mm/dd/y	y):			100 feet.			
fromto ft.		in.	Estima	ted yield:	gpm		PERMIT & I	ID NUMBER	S (AS REQUI	RED)	
fromto ft.		in.	Water level was: ft. after hours				DWR Application No.:				
Casing height above land			pumping gpm				KDHE / EPA Project Code:				
If casing height is less			Pump installed? Yes No				Site Name:				
has a variance been approved?* Yes No							KDHE UIC Class V Form Completed: Yes No				
*variance not required for monitoring or environmental remediation wells			Water well disinfected? Yes No				County Permit: Yes No Permit ID:				
Casing type:	mediation wens		Date d	isinfected ((mm/dd/yy):		1	ne & Well #: _			
Blank casing interval:	ft. to	ft.	Aquife	r, if known	::		# of boreh	oles:	# of dewater	ring wells:	
Blank casing diameter:			LITHOL	OGIC LOG	i						
Casing joints:			FROM	1 то	LITHOLOGY IN	TERVALS					
Weight:	_lbs/ft.										
Wall thickness or gau	ige no.:										
Blank casing interval:	ft. to	ft.									
Blank casing diameter:	in.										
Casing joints:											
Weight:	_										
Wall thickness or gau	ige no.:										
Grout interval: f	t. toft.										
Grout material:											
Grout interval:f	t. toft.										
Grout material:			COMMI	ENTS							
Screen / perforation mate											
Screen / perforation oper	nings:		CONTR	ACTOR'S	OR LANDOWNERS	CERTIFICATION					
Screen / perforation inter-	vals:		This v	vater well	was constructed	reconstru	cted p	oursuant to 1	the stated w	ater well	
Fromft. to			contra	actor's lice	ense and was comp	leted on	•	I certify tha	t this record	d is true t	0
Slot size ur			the be	est of my l	knowledge and bel	ief. This water v	well record v	was complet	ted on		
From ft. to			under	the busir	ness name of						,
Slot size ur	nit		Kansa	s Water V	Vell Contractor's L	icense No	ur	nder the aut	hority of th	e designa	ted
Gravel pack intervals:					ed in K.A.R. 28-30				-	_	
Gravel pack not used:		in	-		son at its submittal			,		,	
From ft. to					VATER WELL OWN		for your == -	orde Esc of the	5 00 for a al-	constant of	d 227211
Gravel pack not used:	Gravel size	in	sena on	e copy to v	VALER WELL OWN	EX and retain one	tion your reco	лиз. гее 01 \$3	5.00 for each	constructe	u well

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT
Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367
(785) 296-3565 | K.S.A. 82a-1212 | v2022c




FIGURE 2.2 - 800 FT RADIUS AREA BASE MAP



1311 E 25th St., Suite B Lawrence, KS 66046

785-841-8707 office 785-865-4282 fax

PROJECT:

Wiebe Tire 1121 Main Winfield, KS

KDHE ID: U2-018-01326

Date: 7/27-28/23

) 120 ft

LEGEND

Approximate Location of Former UST Basins & Pump Islands

Building with Basement

Approximate Location of Property Line

- Monitoring Well
- O Plugged Well
- New Monitoring Well (Installed 7/25-27/23)
 Soil Boring

Soil Boring (Drilled 2/5-6/20; 2/10/20; 2/28/20)

- F Fire Hydrant
- s Sewer Inlet

Electric Lines (2 - 6 ft bgs)
Gas Lines (1.5 - 3 ft bgs)
Overhead Lines (25'-40' high)
Telephone Lines (2 - 6 ft bgs)

— Water Lines (2 - 6 ft bgs)

NOTE: Utility depths, heights and locations are approximate.

DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jessica Chapman Larsen & Associates 1311 E. 25th Street, Suite B Lawrence, Kansas, 66046 August 9, 2023

RE: Monitor Well Elevation Survey 1121 Main St., Winfield, Kansas Proj. 23-00A Wiebe Tire U2-018-01326

Bench Mark: Chisled X on top SE bolt of East leg on concrete sign base at Southeast corner of property. Elev: 1127.58 North 2677.70 West 2973.90 (from SE Cor. Sec. 28-32-4E)

MW-1R	rim	1127.73	North	2728.16	SE1/4,SE1/4,SE1/4,NW1/4
	top pipe	1127.33	West	2983.11	Lat= 37.23745 Long = 96.99741
MW-2R	rim	1127.83	North	2694.11	SW1/4,SE1/4,SE1/4,NW1/4
	top pipe	1127.61	West	3041.66	Lat= 37.23735 Long = 96.99761
MW-11	rim	1127.97	North	2680.61	SW1/4,SE1/4,SE1/4,NW1/4
	top pipe	1127.55	West	3193.43	Lat= 37.23731 Long = 96.99813
MW-12	rim	1127.98	North	2244.10	SE1/4,NW1/4,NE1/4,SW1/4
	top pipe	1127.48	West	3513.78	Lat= 37.23601 Long = 96.99921
MW-13	rim	1126.73	North	2139.10	SE1/4,NW1/4,NE1/4,SW1/4
	top pipe	1126.36	West	3330.01	Lat= 37.23582 Long = 96.99857
MW-14	rim	1127.37	North	2310.62	SW1/4,NE1/4,NE1/4,SW1/4
	top pipe	1126.79	West	3221.81	Lat= 37.23629 Long = 96.99821
MW-16R	rim	1127.33	North	2673.58	SW1/4,SE1/4,SE1/4,NW1/4
	top pipe	1126.96	West	3087.49	Lat= 37.23730 Long = 96.99776
MW-17R	rim	1127.93	North	2686.87	SW1/4,SE1/4,SE1/4,NW1/4
	top pipe	1126.97	West	2982.01	Lat= 37.23734 Long = 96.99740

Lat & Long derived from Winfield 7.5' quad map. WGS 84.

Elevation established from existing project.

If you have any questions, please feel free to call me. Thank you for the opportunity to be

Dennis L Handke RLS

arcgus 1860, 202

ANSAS