KOLAR Document ID: 1717609

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip:	_+ Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	NE NW SE SW
CONTRACTOR: License #	
Name:	
Wellsite Geologist:	
Purchaser:	
Designate Type of Completion:	Lease Name: Well #:
☐ New Well ☐ Re-Entry ☐ Workove	Field Name:er
☐ Oil ☐ WSW ☐ SWD	Producing Formation:
Gas DH EOR	Elevation: Ground: Kelly Bushing:
	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth: _	
	onv. to SWD Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Commission of the Commission o	Chloride content: ppm Fluid volume: bbls
☐ Commingled Permit #: ☐ Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	
EOR Permit #:	25541511 51 11414 41505541 11 1144154 51 51 51
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion	Quarter Sec TwpS. R East West
Recompletion Date Recomplet	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
☐ Wireline Log Received ☐ Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II Approved by: Date:

KOLAR Document ID: 1717609

Page Two

Operator Name:					Lease Nam	ne:			Well #:	
Sec Tw	pS. F	R [East	West	County:					
open and closed and flow rates if	, flowing and sh gas to surface t ty Log, Final Lo	nut-in pressurest, along wit	es, whe h final c ain Geo	ther shut-in pre hart(s). Attach physical Data a	essure reached extra sheet if r and Final Electr	station more : ric Loc	level, hydrosta space is needed	tic pressures, d.	bottom hole tempe	val tested, time tool rature, fluid recovery, Digital electronic log
Drill Stem Tests (Attach Addit			Ye	es No		Lo	og Formatio	n (Top), Deptl	n and Datum	Sample
Samples Sent to	Geological Sur	vey	Ye	es 🗌 No		Name)		Тор	Datum
Cores Taken Electric Log Run Geologist Repor List All E. Logs F	t / Mud Logs		Y€ Y€	es No						
			Repo		RECORD [Nev	w Used rmediate, producti	on. etc.		
Purpose of St		ze Hole Orilled	Siz	e Casing (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
				ADDITIONAL	OF MENTING /					
Purpose:	[Depth	Typo				EEZE RECORD	Typo a	ad Paraant Additivas	
Perforate Protect Ca Plug Back	Top	Bottom	Type of Cement		# Sacks Used		Type and Percent Additives			
Plug Off Z										
Did you perform Does the volum Was the hydraul	e of the total base	fluid of the hyd	draulic fra	cturing treatmen		•	Yes ns? Yes	No (If No	, skip questions 2 an , skip question 3) , fill out Page Three o	,
Date of first Produ	ction/Injection or	Resumed Produ	uction/	Producing Meth			Coolift 0	thor (Fundain)		
Estimated Produc	otion	Oil Bb	le.	Flowing Gas	Pumping Mcf	Wate		ther <i>(Explain)</i> bls.	Gas-Oil Ratio	Gravity
Per 24 Hours		Oli Bb	15.	Gas	IVICI	vvale	ı Di	JIS.	Gas-Oil Hallo	Gravity
DISPO	OSITION OF GAS	S:		N	METHOD OF CO	MPLE.	TION:		PRODUCTIO	N INTERVAL:
Vented	Sold Use	d on Lease		Open Hole				nmingled	Тор	Bottom
(If vente	ed, Submit ACO-18	.)			(5	SUDITIIL I	ACO-5) (Subi	mit ACO-4)		
Shots Per Foot	Perforation Top	Perforation Bottom	on	Bridge Plug Type	Bridge Plug Set At		Acid,		Cementing Squeeze Kind of Material Used)	Record
TUBING RECOR	D: Size:		Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	Castle Resources, Inc.
Well Name	HUND 2
Doc ID	1717609

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set			Type Of Cement		Type and Percent Additives
Surface	12.25	8.625	24	310	common	200	3%CC
Production	7.88	5.5	17	3053	common	450	60/40



TREATMENT REPORT

Acid Stage No.

Date /	/3/2023 c	Netsiet GB	50.	- 660000		Amt.		Sand Size	Pou	nds of Sand
	CASTLE RESO		F.O. N	10. <u>C60800</u>	Bkdown	_	-			
	& No. HUND #				┨	Bbl./Gal.				
	2-:		Field			Bbl./Gal				
	WABAUNSEE					Bbl./Gal.			-	
County	VADAONSEL		State KS		Flush					
_	- 0.5/6		2 000		Treated from			ft.	No. ft	0
Casing:				-					No. ft	
Formation:	-		Perf	to	from		ft. to	ft.	No. ft	0
Formation:			Perf	to	Actual Volume of O	il / Water to Load Ho	ole:			Bbl./Gal.
Formation:			Perf	to						
Liner: Siz	eType 8	k Wt.	Top at ft.	Bottom at	ft. Pump Trucks. N	lo. Used: Std.	365 Sp.		Twin	
C	emented: Yes	Perforated for	rom	ft. to	ft. Auxiliary Equipmen	t		327	Manager Manager	
Tubing:	Size & Wt.		5wung at		ft. Personnel GREG	CLARENCE				
	Perforated f	rom	ft. to		ft. Auxiliary Tools					
					Plugging or Sealing	Materials: Type	C	OMMON CEN	MENT 3%	CC
Open Hole	Size	T.D.	ft. P.	B. to	ft.			Gals		lb.
	- Control of the Cont									
participal de la constitución de	Representative	July 1	JERRY GR	EEN	Treater		G	REG C.		
a.m./p.m.	Tubing	Casing	Total Fluid Pumped			REMAR	RKS			
2:30	rubing	Casing		ONLIGGATION						
2.30		 	 	ON LOCATION						
		 	-	DUN 210 OF 0	E /OIL CLIDEAC	E DIDE				
		 	ļ	RUN 310' OF 8	5/8 SURFAC	E PIPE.				
				1411/ 200 0//0 0						
		 		MIX 200 SKS C	OMMON 3%	CC				
		ļ				ATTACH TO THE PARTY OF THE PART			resource seems	
			ļ	DISPLACE WITI	17 BBLS H20	0				
6:45	- VIAGO BORRESSON			CEMENT CIRCL	JLATED TO SU	JRFACE. PLU	G DOWN			
7:00		-		JOB COMPLETE	:					
		<u> </u>	 	THANK YOU!!!				· · · · · · · · · · · · · · · · · · ·		
		1	 	THANK YOU!!!						
		 	 	***************************************	·		-			
			-			7-3 yr - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -				

			-							
-					***********************					
							THE PERSON NAMED IN COLUMN			

FRANKS Oilfield Service

♦ 815 Main Street Victoria, KS 67671 ◆ 24 Hour Phone (785) 639-7269

♦ Office Phone (785) 639-3949

♦ Email: franksoilfield@yahoo.com

TICKET NUMBER_	0914
LOCATION VILLENZ	
FOREMAN Tom WI	Hams

FIELD TICKET & TREATMENT REPORT CEMENT

11 - 0	CUSTOMER #	I WE	LL NAME & NUM	BER	SECTION	TOWNSHIP	DAN	VOE.	1 000
4-7-23		Hund		#2	2			NGE	COUNTY
CUSTOMER	14ka Para		4			113	11	E	Whounspe
MAILING ADDRI	54/4 R0500	11085	LINC	-	TRUCK #	DRIVER	TRU	CK#	DRIVER
					103	PHStn b			
CITY		STATE	ZIP CODE	-	4/301	Tayler			
			Zii CODE			Chais K			
JOB TYPE 75.4	to boltom	HOLE OIZE]		Yam W			
CASING DEPTH	3058'	DDILL DIDE		HOLE DEPTH	3100'	CASING SIZE &	WEIGHT	5/24	19
SLURRY WEIGH	T	STUDDY VO					OTHER _		
DISPLACEMENT			NT PSI				CASING _		
REMARKS: Ra	2 Flact	DISPLACEIVIE	NI PSI	MIX PSI		RATE			
Mex 250	n Float	Tallows	1 6 7	OKAN	of hond	+ man: top	d C1	rede	in then
	230 dam	70110107	9 14 20	-09K 0	WC. Was	strup +1.	glac	110	9115
	3,11	HOF		elesse pr	rssu M		<i>V</i>		
	LAMA	0 to 68	-culcuid			-			
			· Lungar						
			· · · · · · · · · · · · · · · · · · ·						
100							-0.22		-
-					J	rapks 8	om +	Core	51
ACCOUNT CODE	QUANTITY (or UNITS	DE	SCRIPTION of	SERVICES or PRO	ADLIGT	Γ		
22004			+			DOC1	UNIT PI	RICE	TOTAL
6007			PUMP CHARGE	Top	EO BOK	on	\$2500°		\$2500°0
man	170								
MOOI	170		MILEAGE				\$450	-	\$1105.00
1002	23	tens	Ton Mile	age Pi	oliveny		\$5845	500	\$1105°00 \$5,845°0
1002 18030	23	tens 00	Ton M:/2	Jego 690 1	please 1090	50/x 5# Ka	\$5,845 6,/\$29	5 E	\$1105°00 \$5,845°0
1002 18030 18021	23 250 250	tens 00	TOA M:/2 4655 A 2 60/40	1000 690 Blo GH	1614 1090 X 4 510	SACI	\$5,865 \$179 \$179	5 (S	\$1105°0 \$5,845°0 \$5910°°
1002 1803 0 1802 18033	23 25 1	tens 00	TON M:/2 465 5 A 2 60/40 A Ful Cu	100 690 690 691	1614 1091 14 5/0	SACI	\$5,845 6,/\$29	5 (S	\$1105°00 \$5,845°0
1002 1803 0 1802 18033 1804	23 25 25 1	tens 00	TON M:/- 4655 A 2 60/40 AFU CO 51/2" Tu	Bio gri	1614 1091 14 5/0	SACI	\$5,865 \$179 \$179 \$600	5 60 5 5 5 0	\$1105°0 \$5,865°0 \$5910°0 \$4448750
#1002 #803 0 #802 #60033 #14 FE022	23 250 250 4 3	tens 00	TON M:/2 4655 A 2 60/40 A Ful Co 51/2" Ful 572" Bo:	Bio gri	1614 1091 14 5/0	SACI	\$5865 \$179 \$179 \$400° \$108°	55 5 5 0	\$1105°0 \$5,865°0 \$5910°0 \$448750 \$400°0
1002 18030 18021 18033 18014 18022	23 25 25 1	tens 00	TON M:/- 4655 A 2 60/40 AFU CO 51/2" Tu	Bio gri	1614 1091 14 5/0	SACI	\$5865 \$179 \$179 \$600 \$108° \$385	55 5 5 0 0	\$1105°0 \$5,865°0 \$5910°0 \$44875°0 \$400°0 \$432°0
#1002 #8030 #8021 #6033 #4 14 FE022 FE022	23 250 250 4 3	tens 00	TON M:/2 4655 A 2 60/40 A Ful Co 51/2" Ful 572" Bo:	Bio gri	1614 1091 14 5/0	SACI	\$5845 \$17 9 \$108° \$108° \$385° 4385°	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	\$1105°00 \$5,865°0 \$5910°0 \$44875°0 \$400°0 \$432°0 \$1155°0
#1002 #8030 #8021 #6033 #014 FE022 FE022 FE051 FE03	23 250 1 4 3 3 1	tons 00 05X	TON M:/2 4655 A 2 60/40 A Ful Co 51/2" Ful 572" Bo:	Bio gri	1614 1091 14 5/0	SACI	\$5865 \$17 9 \$17 9 \$108° \$108° \$385 \$35° \$455°	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	\$1105°0 \$5,865°0 \$5910°0 \$44875°0 \$400°0 \$432°0 \$1155°0 \$105°0 \$4,95°0
#1002 #8030 #8021 #6033 #4 14 FE022 FE022	23 250 1 4 3 3 1	tens 00	TON M:/2 4655 A 2 60/40 A Ful Co 51/2" Ful 572" Bo:	Bio gri	1614 1091 14 5/0	4565	\$5845 \$17 9 \$108° \$108° \$385° 4385°	S S S S S S S S S S S S S S S S S S S	\$1105°00 \$5,865°00 \$5910°00 \$4498750 \$400°00 \$4135°00 \$1155°00 \$105°05 \$200°00
#1002 #8030 #8021 #6033 #014 FE022 FE022 FE051 FE03	23 250 1 4 3 3 1	tons 00 05X	TON M:/2 CO140 AFU CU 5/2" FUI 5/2" BOS 5/2" SY 1/2 MAY	Bio gri	of star	4565	\$5845 \$17 9 \$108° \$108° \$385 \$35° \$455° \$200°	S S S S S S S S S S S S S S S S S S S	\$1105°0 \$5,865°0 \$5910°0 \$44875°0 \$400°0 \$432°0 \$1155°0 \$105°0 \$4,95°0
#1002 #8030 #8021 #6033 #014 FE022 FE022 FE051 FE03	23 250 1 4 3 3 1	tons 00 05X	TON M:/2 CO140 AFU CU 5/2" FUI 5/2" BOS 5/2" SY 1/2 MAY	Bio gri	of star	4565	\$5845 \$17 9 \$108° \$108° \$385 \$35° \$455° \$200°	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	\$1105°00 \$5,865°00 \$5910°00 \$4498750 \$400°00 \$4135°00 \$1155°00 \$105°05 \$200°00
#1002 #8030 #8021 #6033 #014 FE022 FE022 FE051 FE03	23 250 1 4 3 3 1	tons 00 05X	TON M:/2 CO140 AFU CU 5/2" FUI 5/2" BOS 5/2" SY 1/2 MAY	Bio gri	of star	4 S 5 5 5	\$5865 \$17 9 \$108° \$108° \$385 \$35° \$405° \$200° \$1 50	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	\$1105°00 \$5,865°00 \$449875°0 \$449875°0 \$43200 \$1155°0 \$105°05 \$255°00 \$255°00
#1002 #8030 #8021 #6033 #014 FE022 FE022 FE051 FE03	23 250 1 4 3 3 1	tons 00 05X	TON M:/2 CO140 AFU CU 5/2" FUI 5/2" BOS 5/2" SY 1/2 MAY	Bio gri	of star	4 S 5 5 5	\$5865 \$17 9 \$108° \$108° \$385 \$385 \$200° \$1 50° \$1 50°	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	\$1105°00 \$5,865°00 \$5910°00 \$448750 \$443200 \$1155°00 \$105°05 \$255°00 \$255°00 \$255°00
#1002 #8030 #8021 #6033 #014 FE022 FE022 FE051 FE03	23 250 1 4 3 3 1	tons 00 05X	TON M:/2 CO140 AFU CU 5/2" FUI 5/2" BOS 5/2" SY 1/2 MAY	Bio gri	of star	4 S 5 5 5	\$5865 \$17 9 \$108° \$108° \$385 \$35° \$200° \$1 50° \$1 60° \$1 60°	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	\$1105°00 \$5,865°00 \$449875°0 \$449875°0 \$43200 \$1155°0 \$105°05 \$255°00 \$255°00
#1002 #8030 #8021 #6033 #014 FE022 FE022 FE051 FE03	23 250 1 4 3 3 1	tons 00 05X	TON M:/2 CO140 AFU CU 5/2" FUI 5/2" BOS 5/2" SY 1/2 MAY	Bio gri	of star	4 S 5 5 5	\$5865 \$17 9 \$108° \$108° \$385 \$35° \$200° \$1 50° \$1 60° \$1 60°	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	\$1105°00 \$5,865°00 \$5910°00 \$448750 \$443200 \$1155°00 \$105°05 \$255°00 \$255°00 \$255°00
#1002 #8030 #8021 #6033 #014 FE022 FE022 FE051 FE03	23 250 1 4 3 3 1	tons 00 05X	TON M:/2 CO140 AFU CU 5/2" FUI 5/2" BOS 5/2" SY 1/2 MAY	Bio gri	of star	4 S 5 5 5	\$5865 \$17 9 \$108° \$108° \$385 \$385 \$200° \$1 50 \$200° \$1 50 \$200° \$1 50 \$200° \$1 50 \$200° \$1 50 \$200° \$2	5 6 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	\$1105°00 \$5,865°00 \$5910°00 \$448750 \$448750 \$443200 \$1155°00 \$105°05 \$255°00 \$255°00 \$255°00 \$255°00 \$255°00 \$255°00 \$255°00 \$255°00 \$255°00 \$255°00
#1002 #8030 #8021 #6033 #014 FE022 FE022 FE051 FE03	23 250 1 4 3 3 1	tons 00 05X	TON M:/2 CO140 AFU CU 5/2" FUI 5/2" BOS 5/2" SY 1/2 MAY	Bio gri	of star	4 S 5 5 5	\$5865 \$17 9 \$108° \$108° \$385 \$200° \$150° \$	TAX	\$1105°00 \$5,865°00 \$5910°00 \$448750 \$443200 \$1155°00 \$105°05 \$255°00 \$255°00 \$255°00

