CANCELED - 7/31/2024 djk per Todd Bryant

District # _

Approved in error with incorrect API.
For KCC Use: Kansas Corporation Commission Oil & Gas Conservation Division Effective Date:

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

KOLAR Document ID: 1726116

NOTICE OF INTENT TO DRILL SGA? Yes No

Expected Spud Date:	Spot Description:
month day year	Sec Twp S. R E V
PERATOR: License#	(0/0/0/Q) feet from N / S Line of Section
ame:	feet from E / W Line of Section
ddress 1:	s SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
ity:	- County:
ontact Person:	Lease Name: Well #:
hone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
	Ground Surface Elevation:feet MS
Oil Enh Rec Infield Mud Rotary Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: II II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No	
f Yes, true vertical depth:	DWK Femilit #.
Sottom Flore Education.	(Note: Apply for Permit with DWR)
CC DKT #·	
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order.	Will Cores be taken? If Yes, proposed zone: FFIDAVIT Solugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In this will correct to the set the underlying formation. In this will correct to the set the underlying formation. In this will correct to the set the underlying formation.
All The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into a second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluse. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing orders.	If Yes, proposed zone: FFIDAVIT Solugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; Et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Sistrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing

Signature of Operator or Agent:

For KCC Use ONLY
API # 15

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R 🗌 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

2310 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KOLAR Document ID: 1726116

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:		
Operator Address:				
Contact Person:		Phone Number:		
Lease Name & Well No.:		Pit Location (QQQQ):		
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed Existing		SecTwp R	
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / West Line of Section	
Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth fro	m ground level to dee	pest point:	(feet) No Pit	
		• ,	cluding any special monitoring.	
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. nation:	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:	
Producing Formation: Type of ma		Type of materia	f material utilized in drilling/workover:	
Number of producing wells on lease: Number of wo		Number of worl	king pits to be utilized:	
Barrels of fluid produced daily: Abandonn		Abandonment p	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		Drill pits must b	e closed within 365 days of spud date.	
Submitted Electronically				
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection:	

KOLAR Document ID: 1726116

Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2021
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Calculation)	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)	
OPERATOR: License #	Well Location:	
Name:	SecTwpS. R 🔲 East 🗌 West	
Address 1:	County:	
Address 2:	Lease Name: Well #:	
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:	
Contact Person:		
Phone: () Fax: ()		
Email Address:		
Surface Owner Information:		
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the	
Address 2:	county, and in the real estate property tax records of the county treasurer.	
City:		
provided the following to the surface owner(s) of the land upon Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing C-1 or Form CB-1, the plat(s) required by this form; and 3) my out I have not provided this information to the surface owner(s). I the KCC will be required to send this information to the surface	batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Act (see Chapter 55 of the Kansas Statutes Annotated), I have on which the subject well is or will be located: 1) a copy of the gin connection with this form; 2) if the form being filed is a Form operator name, address, phone number, fax, and email address. acknowledge that, because I have not provided this information, owner(s). To mitigate the additional cost of the KCC performing ess of the surface owner by filling out the top section of this form	
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.	
Submitted Electronically		



BOX 8604 - PRATT, KS 67124 (620) 672-6491

727232 INVOICE NO.

OIL FIELD SURVEYORS VAL ENERGY INC
OPERATOR 1-30 OWWO C NE NE SW COWLEY CO KS LOCATION COUNTY 1254' GR ELEVATION: . VAL ENERGY INC 125 N. Market Ste 1110 WICHITA, KS 67202 Todd Allam AUTHORIZED BY: SCALE: 1" = 1000' Techinical services to assist in locating old bore hole. Set 5' T-post & 3' wood stake at point of highest meter reading. GPS Coordinates: 37.14889 96.81644 NAD83 OLD BORE HOLE

DATE STAKED: __7/27/23

125 N. Market, Suite 1110 Wichita, Kansas 67202

Office: (316) 263-6688 Fax: (316) 262-2512

August 18, 2023

Kansas Corporation Commission 266 N. Main St. Ste #220 Wichita, KS 67202-1513 James Lorton 1

Now being named Green 1-30 OWWO

C NE NE SW Sec 30-33S-6E

Cowley County, Kansas

To Whom it may concern,

VAL Energy Inc. requests an Exemption to the Surface Pipe, Table 1 requirement of 300ft., for the above captioned well. This well was originally drilled by The Texas Co who set 10-3/4" casing at 75 ft. We would like to deepen this well and run 5-1/2" casing to TD and will 2 stage this well and circulate the cement from 350' to surface.

Sincerely,

Dustin Wyer

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Susan K. Duffy, Chair Dwight D. Keen, Commissioner Andrew J. French, Commissioner

August 29, 2023

Val Energy, Inc. 125 N Market St., Ste 1110 Wichita, KS 67202-1728

RE: Surface Casing Exception Green 1-30 OWWO, Sec. 30-T33S-R6E API #: 15-035-73760-00-01 Cowley County, Kansas

Dear Mr. Wyer:

The Kansas Corporation Commission (KCC) has received your request for an exception to the Table 1 minimum surface pipe requirement of 300 feet for the proposed washdown of this well. From your request, the KCC understands that Val Energy, Inc. is requesting to utilize the existing 75 feet of surface casing, and cement in 5.5 inch casing from a depth of at least 350 feet to surface.

After review of this matter by technical staff it was determined that:

- Bedrock at this location is the Permian Chase Group and is located at approximately 20 feet below surface.
- The depth to water of the nearest water well of record within one mile of the proposed location is 60 feet.

Based on this information, an exception is granted for the Table 1 Minimum Surface Casing Requirements with the following stipulations:

- 1. The KCC District #2 office must be notified prior to spudding the well.
- 2. Upon reaching total depth of the well, the production or long string casing nearest the formation wall shall be immediately cemented from a depth of at least 350 feet back to surface.
- The KCC District #2 office must be notified one day before cementing the production casing so staff can be onsite to witness the cementing <u>from at least 350' to surface</u>. Cementing must be witnessed during business hours of 8am to 5pm, Monday through Friday.
- 4. In the event the well is dry, plugging will be performed according to KCC rules and KCC District #2 requirements.

Ryan A. Hoffman Director

Sincerel

cc: Todd Bryant, Prod. Dept. Supervisor ✓ (via e-mail 8/28/2023) Jeff Klock – Dist. #2 Supervisor ✓ (via e-mail 8/29/2023) Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Susan K. Duffy, Chair Dwight D. Keen, Commissioner Andrew J. French, Commissioner

August 31, 2023

Dustin Wyer Val Energy, Inc. 125 N MARKET ST STE 1110 WICHITA, KS 67202-1728

Re: Drilling Pit Application Green 1-30 OWWO SW/4 Sec.30-33S-06E Cowley County, Kansas

Dear Dustin Wyer:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 337-7400 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (316) 337-7400.