WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

OCATION OF WATER WELL						Original Reco	ord Co	rrection	Chang	ge in Wel	l Use
Latitude	Longitude			Section	Township	Range	E		1/4	1/4	1/4
Datum	Elevation			County	l l						
WATER WELL OWNER		l	WELL	WATER USE			NEAREST	SOURCE OF	POTENTIAL C	ONTAMIN	IATION
Name											
			COMP	LETION							
Business				LETION			from well	l:	Directio from we	ili:	
Address					ed well:		Source				
] -	-	water encountered	:	description	on:			
******					(2) ft.;		Source:				
Well location			(3)	ft.; ((4) dry well		Distance	1.	Directio from we	n Ji.	
at owner's			Static	water level	in well:	ft.	Source	l;	110111 we	11	
address			m	measured below land surface				description:			
CONCEDUCTION			on	(mm/dd/y	y):		No no	tontial course	e of contami	ination	
CONSTRUCTION	D 1 2 3:			easured abo ı (mm/dd/y	ve land surface			n 100 feet.	e or comain	mation	
	Borehole dia	meter:	on	(IIIII/da/y	y)		PERMIT &	ID NUMBER	RS (AS REQU	IRED)	
fromtoft.		in.	Estim	ated yield: _	gpm						
fromto ft.		in.	Water	level was:	ft. after	hours	1 -	-	:		
Casing height above land surf	face:	in.			pumping	gpm	KDHE /	EPA Project (Code:		
If casing height is less that			Pump	installed?	Yes No						
has a variance been appro		s No	T17 .	11 11	. 10				orm Complet		
*variance not required for environmental remed					ected? Yes N		1		No Perm		
Casing type:	lation wens		Date	disinfected ((mm/dd/yy):						
Blank casing interval:	ft. to	ft.	Aquif	er, if known	:		# of borel	noles:	# of dewate	ring wells:	
Blank casing diameter:			LITHO	LOGIC LOG	i						
Casing joints:			FROI	м то	LITHOLOGY	NTERVALS					
Weight: lbs/											
Wall thickness or gauge n											
Blank casing interval:											
Blank casing diameter:											
Casing joints:											
Weight: lbs/	ft.										
Wall thickness or gauge n	10.:										
Court interval 6 to											
Grout interval: ft. to_											
Grout material: ft. to											
			COMM	IENTS							
Grout material:											
Screen / perforation material:											
Screen / perforation material:			CONT	RACTOR'S	OR LANDOWNER	S CERTIFICATION	N				
Screen / perforation openings								D118011224 + -	the stated -	vator11	
From ft. to					was constructe			•	the stated v		
					ense and was con	=		-			
Slot size unit _ From ft. to					knowledge and b						
Slot size unit _					ness name of						
			Kans	as Water V	Vell Contractor's	License No	u	nder the au	thority of th	ie designa	ated
Gravel pack intervals:	Cmarcel et		perso	on as defin	ed in K.A.R. 28-	30-2(j) and sign	ed and certi	fied by the e	electronic si	gnature o	f the
Gravel pack not used:		in	^		on at its submitt	,				-	
From ft. to	_				VATER WELL OW	<u> </u>	ne for your red	ords. Fee of 9	5 00 for each	constructe	d well
Gravel pack not used:		in	Jena O	copy to v		EPARTMENT OF	•			2311311 4010	a men
From ft. to	_ tt.			Bureau	of Water, Geology					2-1367	

Form	WWC5.2 - Water Well Record
Doc ID	1725161
Well Owner	SOUTHWEST FARMS LLC
Contractor	Downey Drilling, Inc. #748

Lithology

From	То	Lithology Intervals	
0	2	topsoil,brown,soft	
2	55	sand,fine,soft	
55	91	sand,fine to coarse,firm	
91	143	gravel,fine to coarse,hard	
143	208	sand & gravel,fine to coarse,stiff	
208	223	clay,sandy,tan,soft	
223	250	clay,sandy,tan	
250	257	clay,gray,soft	
257	288	clay,blue	
288	323	sand & gravel,fine to medium,firm	
323	328	clay,sandy,tan,soft	
328	351	sand,fine to coarse,firm	
351	355	clay,sandy,tan,soft	
355	371	clay,fine,white,firm	
371	380	clay,sandy,tan,soft	
380	400	sand,fine to medium,white,firm	
400	415	clay,brown	
415	420	sand,fine,soft	
420	430	clay,brown	
430	460	sand & gravel,fine to medium,white,firm	
460	\$60 473 sand,medium to coarse,brown,fire		

Form	WWC5.2 - Water Well Record			
Doc ID	1725161			
Well Owner	SOUTHWEST FARMS LLC			
Contractor	Downey Drilling, Inc. #748			

Lithology

From	То	Lithology Intervals
473	485	sandstone,unknown,brown,ha rd
485	495	sandstone,unknown,sandy,br own,hard
495	530	clay,fine to medium,gray,soft
530	541	clay,gray,soft
541	585	sandstone,unknown,clayey,gr ay,hard
585	590	sandstone,unknown,sandy,gr ay,hard
590	610	clay,gray,soft
610	635	sandstone,unknown,sandy,gr ay,hard
635	650	clay,gray,soft
650	660	shale,unknown,blue,soft

Form	WWC5.2 - Water Well Record			
Doc ID	1725161			
Well Owner	SOUTHWEST FARMS LLC			
Contractor	Downey Drilling, Inc. #748			

Screen and Gravel

From	То	Slot Size	Slot Size Units		Gravel Pack From	Gravel Pack To	Gravel Size
322	402	.08	inches	Yes	20	651	#1
402	442	.1	inches	No			
442	522	.08	inches	No			
522	602	.06	inches	No			
602	642	.05	inches	No			