WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

## **WATER WELL RECORD** (WWC-5)

OCATION OF WATER WELL						Original Reco	ord Co	rrection	Chang	je in Wel	l Use
Latitude	Longitude			Section	Township	Range	E		1/4	1/4	1/4
Datum	Elevation			County							
WATER WELL OWNER		l	WELL	WATER USE			NEAREST	SOURCE OF	POTENTIAL C	ONTAMIN	IATION
Name											
			COMP	LETION							
Business				LETION			from well	l:	Directio from we	·II:	
Address					ed well:		Source				
			]   -	-	water encountered	:	description	on:			
******					(2) ft.;		Source:				
Well location			(3)	ft.; (	(4) dry well		Distance	ı.	Directio from we	n 11.	
at owner's			Static	Static water level in well: ft.			Source	l÷	110111 we	11;	
address			measured below land surface			description	on:				
CONCEDUCTION			on	(mm/dd/y	y):		No no	tantial source	e of contami	ination	
CONSTRUCTION	D 1 1 1				ve land surface			itentiai sourc	c of contain	mation	
	Borehole dia	meter:	on	(mm/dd/y	y):		PERMIT &	ID NUMBER	RS (AS REQU	IRED)	
fromtoft.		in.	Estim	ated yield: _	gpm						
fromto ft.		in.	Water	level was:	ft. after	hours	1 -	-	:		
Casing height above land surf	face:	in.			pumping	gpm	KDHE /	EPA Project (	Code:		
If casing height is less that			Pump	installed?	Yes No						
has a variance been appro		s No	T17.	11 11	. 10				orm Complet		
*variance not required for monitoring or environmental remediation wells					ected? Yes N				No Perm		
Casing type:	lation wens		Date	disinfected (	(mm/dd/yy):		I				
Blank casing interval:	ft. to	ft.	Aquif	er, if known	:		# of borel	noles:	# of dewate	ring wells:	
Blank casing diameter:			LITHO	LOGIC LOG	i						
Casing joints:			FRO	м то	LITHOLOGY	NTERVALS					
Weight: lbs/											
Wall thickness or gauge n											
Blank casing interval:											
Blank casing diameter:											
Casing joints:											
Weight: lbs/	ft.										
Wall thickness or gauge n	10.:										
Court interval 6 to											
Grout interval: ft. to_											
Grout material: ft. to											
			COMM	IENTS							
Grout material:											
Screen / perforation material:											
Screen / perforation material:			CONT	RACTOR'S	OR LANDOWNER	S CERTIFICATION	N				
Screen / perforation openings								numouset t-	the stated -	vatar 11	
From ft. to					was constructe			•	the stated v		
					ense and was con	=		-			
Slot size unit _ From ft. to					knowledge and b						
					ness name of						
Slot size unit _			Kans	as Water V	Vell Contractor's	License No	u	nder the au	thority of th	ne designa	ated
Gravel pack intervals:	Cmarcel et		perso	on as defin	ed in K.A.R. 28-	30-2(j) and sign	ed and certi	fied by the e	electronic si	gnature o	f the
Gravel pack not used:		in	^		on at its submitt	,					
From ft. to	_				VATER WELL OW	<u> </u>	ne for your red	ords. Fee of 9	5 00 for each	constructe	d well
Gravel pack not used:		in	Jena O	copy to v		EPARTMENT OF	•			constituent	a men
From ft. to	_ tt.			Bureau	of Water, Geology					2-1367	

Form	WWC5.2 - Water Well Record
Doc ID	1724646
Well Owner	TRIPLE B LAND LLC
Contractor	Downey Drilling, Inc. #748

## Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	114	16	Glued	.616
334	374	16	Glued	.616
434	444	16	Glued	.616

Form	WWC5.2 - Water Well Record
Doc ID	1724646
Well Owner	TRIPLE B LAND LLC
Contractor	Downey Drilling, Inc. #748

## Lithology

From	То	Lithology Intervals
0	6	topsoil,medium to coarse,clayey,black,firm
6	41	sand,fine to coarse,gravelly,red,soft
41	70	sand,fine to coarse,gravelly,red,soft
70	91	clay,tan,firm
91	93	sand,fine to coarse,red,soft
93	114	sand,fine to coarse,red,soft
114	124	clay,gray,firm
124	144	sand,fine to coarse,red,soft
144	174	sand & gravel, fine to coarse, red, soft
174	200	sand,fine to coarse,red,soft
200	267	sand,fine to medium,red,soft
267	297	clay,fine to medium,gray,firm,SOAPSTO NE, FINE SAND, ROCK
297	317	shale,unknown,gray,hard
317	366	shale,unknown,gray,hard
366	379	sand,fine,red,soft,MED SAND
379	383	shale,unknown,gray,hard
383	431	sandstone,unknown,red,soft,F /M SAND
431	444	shale,unknown,gray,hard
	-	<u> </u>