KOLAR DOC ID _____ WELL ID_

WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

OCATION OF WATER WELL						Original Reco	rd Correction	Change	e in Wel	l Use
Latitude	Longitude			Section	Township	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation			County						
WATER WELL OWNER			WELL	WATER USI			NEAREST SOURCE OF	POTENTIAL CO	ONTAMIN	ATION
Name							Source:			
			COMP	LETION			Distance	Direction		
Business				LETION			from well:	from well	:	
Address			Depth of completed well:ft. Depth(s) groundwater encountered:				Source description:			
			-	-	(2) ft.;		-			
Well location		(3) ft.; (4) dry well				Source:	Direction			
			Static	water level	in well:	t.	from well:	from well	:	
at owner's address			measured below land surface				Source description:			
CONSTRUCTION			m		ve land surface		No potential source within 100 feet.	ce of contamir	nation	
Borehole interval: Borehole diameter:			on (mm/dd/yy):				PERMIT & ID NUMBERS (AS REQUIRED)			
fromto ft.		in.	Estim	ated yield:	gpm		FERMIT & ID NOMBE	NS (AS REQUI	NLD)	
fromto ft.		in.	Water level was: ft. after hours			hours	DWR Application No.:			
Casing height above land sur	face:	in.	pumpinggpm			gpm	KDHE / EPA Project Code:			
If casing height is less than 12 in.			Pump installed? Yes No				Site Name:			
has a variance been approved?* Yes No						KDHE UIC Class V Form Completed: Yes No			No	
*variance not required for monitoring			Water well disinfected? Yes No			County Permit: Yes No Permit ID:				
or environmental remediation wells			Date disinfected (mm/dd/yy):			Lease Name & Well #:				
Casing type:Blank casing interval:	ft to	ft	Aquif	er, if known	:		# of boreholes:	# of dewater	ing wells:	
Blank casing diameter:				LOGIC LOG						
Casing joints:			FRO		LITHOLOGY	NTERVALS				
Weight: lbs/			110	10	Limozodii	MILITALS				
Wall thickness or gauge n										
Blank casing interval:										
Blank casing diameter:										
Casing joints:										
Weight:lbs/										
Wall thickness or gauge n										
Grout interval: ft. to										
Grout material:										
Grout interval: ft. to			COMM	IFNTS						
Grout material:				ILIVI 3						
Screen / perforation material:										
Screen / perforation opening	s:		CONT	RACTOR'S	OR LANDOWNER	S CERTIFICATION	<u> </u>			
Screen / perforation intervals:			This	water well	was constructe	d reconstru	icted pursuant to	the stated wa	ater well	
Fromft. to			conti	ractor's lice	ense and was con	npleted on	I certify th	at this record	l is true t	ю
Slot size unit _			the b	est of my l	knowledge and b	elief. This water	well record was comple	eted on		
From ft. to	ft.			-	_		1			_
Slot size unit _							under the au			, ited
Gravel pack intervals:								· ·	_	
Gravel pack not used:	Gravel size _	in	-			-	ed and certified by the	eiectronic sig	nature o	tne
From ft. to	_ ft.				son at its submitt		·			
Gravel pack not used:	Gravel size	in	Send o	ne copy to V	VATER WELL OW	NER and retain on	e for your records. Fee of	\$5.00 for each o	constructe	d wel

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record	
Doc ID	1725861	
Well Owner	SANDYHILL ENTERPRISES LLC	
Contractor	Downey Drilling, Inc. #748	

Lithology

From	То	Lithology Intervals	
0	4	sand,fine,tan,soft	
4	8	clay,gray,soft	
8	39	sand,fine,soft	
39	75	gravel,fine to medium,firm	
75	133	gravel,fine to medium,stiff	
133	135	clay,gray,soft	
135	143	clay,sandy,tan,firm	
143	177	clay,brown,soft	
177	185	clay,green,soft	
185	227	clay,blue	
227	275	sand & gravel,fine to medium,gravelly,stiff	
275	288	gravel,fine to medium,firm	
288	314	gravel,fine to coarse,stiff	
314	319	clay,sandy,tan,soft	
319	339	sand,fine to coarse,firm	
339	354	clay,fine to coarse,sandy,tan,soft	
354	359	clay,sandy,tan,soft	
359	389	clay,sandy,white,soft	
389	404	clay,sandy,firm	
404	439	clay,brown	
439	451	sand,fine,soft	
451	456	sand & gravel,medium to coarse,brown,firm	

Form	WWC5.2 - Water Well Record	
Doc ID	1725861	
Well Owner	SANDYHILL ENTERPRISES LLC	
Contractor	Downey Drilling, Inc. #748	

Lithology

From	То	Lithology Intervals
456	462	clay,brown,soft
462	470	sand & gravel,fine to coarse,firm
470	478	sand & gravel,fine to medium,firm
478	504	clay,sandy,tan,soft
504	515	sandstone,unknown,brown,ve ry hard