For KCC	Use:
Effective	Date:
District #	
SGA?	Yes No

# Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

### NOTICE OF INTENT TO DRILL

OPERATOR: License#   Sec. Twp   S. R     Address 1:   Sec. Twp   S	Expected Spud Date:	month day yea	Spot Description:
Is SECTION: Regular Irregular?   Interest Inte	DPERATOR: License#	,	Sec Twp S. R   E     E     S. Line of Section   N /   S. Line of Section   N /   S. Line of Section   S. Line of Section   N /   S. Line of Section   S. Line of Section   N /   S. Line of Section   S. Line of Section   N /   S. Line of
County:   State   Zip:   +     County:     County:   Lease Name:   Well #:   Field Name:   Lease Name:   Well #:   Field Name:   Is this a Prorated / Spaced Field?   Yes Target Formation(s):   Name   Target Formati	lame:		
County:	Address 1:		Is SECTION: Regular Irregular?
County Ontact Person: hone:    County   County   County			(Note. Locate well on the Section Flat on reverse side)
Contractors: License#	•	·	County:
Section   Sect			Lease Name: vveil #: vveil #:
### Target Formation(s): ### Mearest Lease or unit boundary line (in footage): ### Ground Surface Elevation: ### Water Surface Plool Ext.   Air Rotary   Water well within one-quarter mile:   Yes   Yes   Other   Other: ### Other   Other: ### Other   Other: ### Other   Other: ### Surface Pipe Planned to be set:   Depth to bottom of tresh water:   Depth to bottom of usable water water.   Depth to bottom of to bottom of usable water water.   Depth to bottom of to bottom of usable water water.   Depth to bottom of to	none.		Field Name:
Well Drilled For:   Well Class:   Type Equipment:   Nearest Lease or unit boundary line (in footage):   Seismic :   Infield   Mud Rotary   Water well within one-quarter mile:   Yet   Yet   Seismic :   # of Holes   Other			Is this a Prorated / Spaced Field?
Oil   Enh Rec	ame:		Target Formation(s):
Gals   Storage   Pool Ext.   Air Yotary   Water well within one-quarter mile:   Yet   Yet   Gals   Gals   Storage   Pool Ext.   Air Yotary   Public water supply well within one mile:   Yet   Yet   Water well within one-quarter mile:   Yet   Yet   Gals   Wildcat   Gable   Pool Ext.   Air Yotary   Water well within one-quarter mile:   Yet   Yet   Water   Yet	Well Drilled For:	Well Class: Type Equipme	71G
Gas   Slorage   Pool Ext.   Air Rotary   Public water supply well within one mile:   Yes   Depth to bottom of fresh water:   Depth to bottom of susable water:   Depth to bottom of usable water to bottom of the poper to plugging;   Depth to bottom of t	Oil Enh Re	ec Infield Mud Rot	Ground Surface Elevation:feet M
Depth to bottom of fresh water:   Depth to bottom of fresh water:   Depth to bottom of usable water:   Depth service of the property of the period	Gas Storage		Water well within one-quarter mile:
Depth to bottom of usable water:   Depth to bottom of usable water:   Surface Pipe by Alternate:   I   I   I   Length of Surface Pipe by Alternate:   I   I   I   Length of Surface Pipe by Alternate:   I   I   I   Length of Surface Pipe Planned to be set:   Length of Conductor Pipe (if any):   Projected Total Depth:   Formation at Total Depth:   Water Source for Drilling Operations:   Well   Farm Pond   Other:   DWR Permit #:   DWR Permit #:   Will Cores be taken?   Notify the paper of the properties district office prior to spudding of well;   A copy of the approved notice of intent to drill shall be posted on each drilling rig;   A repropriate district office of intent to drill shall be posted on each drilling rig;   The appropriate district office will be notified before well is either plugged or production casing is cemented in;   A repropriate district office will be notified before well is either plugged or production casing is cemented in;   A repropriate district office will be notified before well is either plugged or production casing is cemented in;   A repropriate district office will be notified before well is either plugged or production casing is cemented in;   A repropriate district office will be notified before well is either plugged or production casing is cemented in;   A repropriate district office will be notified before well is either plugged or production casing is cemented in;   A repropriate district office will be notified before well is either plugged or production casing is cemented in;   A repropriate district office will be notified before well is either plugged or production casing is cemented in;   A repropriate district office will be notified before well is either plugged or production casing is cemented in;   A repropriate district office will be notified before well is either plugged or production casing is cemented in;   A repropriate district office will be noti	Dispos	al Wildcat Cable	
Surface Pipe by Alternate: I I I Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Projected Total Depth: Promet to the surface Pipe Planned to be set: Length of Conductor Pipe (if any): Projected Total Depth: Prometion at Total Depth: Prometion at Total Depth: Prometion at Total Depth: Water Source for Drilling Operations: Water Source of Drilling Operations: Water Source of Drilling Operations: Water Source Source Water Source Promote Source Water Sou	Seismic ; # of	Holes Other	Depth to bottom of fresh water:
Length of Surface Pipe Planned to be set:  Length of Conductor Pipe (if any):  Projected Total Depth:  Formation at Total Depth:  Solution Hole Location:  CC DKT #:  No Wes, true vertical depth:  Solution Hole Location:  CC DKT #:  No Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  No No Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  No No Will Cores be taken?  If Yes, proposed zone:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementir must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  **Remember to:*  - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill;  - File Completion For Acy of your date:  - File Completion For Acy of your days of spud date:  - File Completion For Acy of your days of spud date:  - File Completion For Acy of your days of spud date:  - File Completion For Acy of your days of spud date:	Other:		Depth to bottom of usable water:
Operator:  Well Name: Original Completion Date: Original Total Depth: Identitional, Deviated or Horizontal wellbore? Ves, true vertical depth: OCD EXT #:  Water Source for Drilling Operations: Water Source for Drilling Ope	It OWNO, ald wall in	oformation on follows:	
Well Name: Original Completion Date: Original Total Depth: Incettional, Deviated or Horizontal wellbore? Yes No Yes, true vertical depth: Interestional Depth: Interestional Deviated or Horizontal wellbore? Yes No Yes, true vertical depth: Interestical depth: Interes	If OvvvvO: old well in	normation as follows:	Length of Surface Pipe Planned to be set:
Original Completion Date:Original Total Depth:	Operator:		
Water Source for Drilling Operations:  Water Source for Drill operations:  Water Source for Drill operations:  Water Source for Drilling Operations:  Water Source for Drilling Operations:  Water Source for Drilling Operations:  Water Source for Date Form Accentually Operations:  Water Source for Drilling Operations:  (Note: Apply for Permit with DWR   )  Will Cares be taken?  Water Source for Drilling Operations:  (Note: Apply for Permit with DWR   )  Will Cares be taken?  Water Source for Drilling Operations:  (Note: Apply for Permit with DWR   )  Will Cares be taken?  If Yes, proposed zone:  Water Source for Drill   Operation Drill   D			
rectional, Deviated or Horizontal wellbore?  Yes, true vertical depth:  DWR Permit #:  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  Sagreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementir must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  **Remember to:*  - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date:  - File Completion Form ACO-1 within 120 days of spud date:	Original Completion Date	e: Original Total Depth: _	
DWR Permit #:    DWR Permit #:   DWR Permit #:   (Note: Apply for Permit with DWR   )   Will Cores be taken?     Yes     If Yes, proposed zone:           If Yes, proposed zone:           If Yes, proposed zone:           If Yes, proposed zone:           If Yes, proposed zone:           If Yes, proposed zone:           If Yes, proposed zone:             If Yes, proposed zone:             If Yes, proposed zone:             If Yes, proposed zone:             If Yes, proposed zone:             If Yes, proposed zone:               If Yes, proposed zone:                       If Yes, proposed zone:			
ottom Hole Location:  CC DKT #:  (Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  he undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementir must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  **Remember to:**  - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill;  - File Completion Form ACD-1 within 120 days of spud date:  - File Completion Form ACD-1 within 120 days of spud date:  - File Completion Form ACD-1 within 120 days of spud date:			
AFFIDAVIT  the undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Act (KSONA-1) with Intent to Drill;  File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date:			DWK Femili #
If Yes, proposed zone:  AFFIDAVIT  the undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  **Remember to:** - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date:			(Note: Apply for Fernit With DVIN
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  Is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  **Remember to: - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Cill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of soud date:			Will Cores be taken?
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  **Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill;  - File Certification (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date:			
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i>;</li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.</li> </ol>	he undersigned hereby a	ffirms that the drilling, completion and	eventual plugging of this well will comply with K.S.A. 55 et. seq.
<ul> <li>2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;</li> <li>3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;</li> <li>5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.</li> <li>District Office prior to any cementing.</li> <li>Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date:</li> </ul>	is agreed that the following	ng minimum requirements will be met	
Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date:	<ol> <li>A copy of the approvations.</li> <li>The minimum amounthrough all unconsol</li> <li>If the well is dry hole</li> <li>The appropriate dist</li> <li>If an ALTERNATE II</li> <li>Or pursuant to Appe</li> </ol>	wed notice of intent to drill <b>shall be</b> po nt of surface pipe as specified below a lidated materials plus a minimum of 20 e, an agreement between the operator crict office will be notified before well is COMPLETION, production pipe shall endix "B" - Eastern Kansas surface case	sted on each drilling rig;  shall be set by circulating cement to the top; in all cases surface pipe shall be set  feet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date.  sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
Inis authorization expires:	ıbmitted Electron	ically	Remember to:
(This authorization void if drilling not started within 12 months of approval date.)  - Obtain written approval before disposing or injecting salt water.	API # 15 Conductor pipe required Minimum surface pipe requ Approved by:	feetfeet per ALT.	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
	API # 15  Conductor pipe required  Minimum surface pipe requ  Approved by:  This authorization expires:	feet uiredfeet per ALT.	Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
Spud date: Agent: please check the box below and return to the address below.	API # 15  Conductor pipe required  Minimum surface pipe requ  Approved by:  This authorization expires:	feet uiredfeet per ALT.	Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

Side Two

For KCC Use ONLY	
API # 15	_

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:						_ Lo	cation of W	/ell: Coun	ity:				
ease:									feet	from	N /	S Line	of Section
Vell Number:									feet	from	E /	W Line	of Section
ield:						Se	C	Twp	S	. R		E	W
Number of Acres at						13	Section:	Regu	lar or	Irregular			
QTR/QTR/QTR/QTI	R of acreag	je:	- <del>-</del>			_							
								_	locate well				dary.
						Se	ction corne	er used:	NE	NW S	SE S	SW	
						PLAT							
S	Show location	on of the w	ell. Show	footage to	the neare		r unit bound	dary line.	Show the pr	edicted lo	cations o	of	
				_				-	e Owner No				
				You m	ay attach a	a separate	plat if desi 3 <b>ft.</b>	ired.					
			_	I		1976	) IL.	7					
	:	:	:		:		:						
	:	:	:		:		:			LEGE	ND		
		:		•••••		:			0	Well Lo	cation		
			:		:		:			Tank B	attery L	ocation	
		:			:	:				- Pipelin	e Locati	on	
	:	:	:		:	:	:			- Electric	Line Lo	ocation	
			:				:			Lease	Road Lo	ocation	
••••				••••		· 🕁		_ 1132	2 ft.				
	:		:		:	:	:	_					
	:		<u>:</u>	ı	:	:	:		EXAMPLE	:			
	:	:	5		<u>:</u>	:	:	1	:				
	:		: 3		:	:	:					· · · · · · · · · · · · · · · · · · ·	
		•	•			•	•						
	:		:		:	:	:		÷	:	;		
	:	:	:		:	:	:		:			:	
•••••	:		:	•••••	:		:			07			1980' FSL
						:			:		:	:	
	:	:	:		:	:	:		:				
	:	:	:		:	:	:		Г				
		•		I	1	•	1	1 1		Lalle			

SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:						
Operator Address:								
Contact Person:			Phone Number:					
Lease Name & Well No.:			Pit Location (QQQQ):					
Type of Pit:	Pit is:							
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R East West					
Settling Pit Drilling Pit	If Existing, date cor	nstructed:	Feet from North / South Line of Section					
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:	(111)	Feet from East / West Line of Sectio					
	-	(bbls)	County					
Is the pit located in a Sensitive Ground Water A	rea? Yes I	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)					
Is the bottom below ground level?  Yes No	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?					
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits					
Depth fro	om ground level to dee	pest point:	(feet) No Pit					
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ilei		dures for periodic maintenance and determining cluding any special monitoring.					
Distance to nearest water well within one-mile of	of pit:	Depth to shallowest fresh water feet. Source of information:						
feet Depth of water well	feet	measured	well owner electric log KDWR					
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:					
Producing Formation:		Type of material utilized in drilling/workover:						
Number of producing wells on lease:		Number of working pits to be utilized:						
Barrels of fluid produced daily:		Abandonment procedure:						
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.						
	-							
Submitted Electronically								
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS								
Date Received: Permit Number: Permit Date: Lease Inspection: Yes No								

## Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2021
Form Must Be Typed
Form must be Signed
All blanks must be Filled


# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R 🔲 East 🗌 West
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: ( ) Fax: ( )	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
provided the following to the surface owner(s) of the land upon Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing	batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  Act (see Chapter 55 of the Kansas Statutes Annotated), I have on which the subject well is or will be located: 1) a copy of the in connection with this form; 2) if the form being filed is a Form
the KCC will be required to send this information to the surface	acknowledge that, because I have not provided this information, owner(s). To mitigate the additional cost of the KCC performing
and that I am being charged a \$30.00 handling fee, payable to the	ess of the surface owner by filling out the top section of this form he KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	
Submitted Electronically	

SHELBY RESOURCES, LLC DYMOND LEASE NE. 1/4. SECTION 5. T29S. R14W PRATT COUNTY. KANSAS



Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.

September 8, 2023

<sup>\*</sup>Approximate section lines were determined using the normal standard of care of cilfield surveyors practicing in the state of Kansas. The section corners, which establish the precise section lines, were not necessarily located, and the exact location of the drillsite location in the section is not guaranteed. Therefore, the operator securing this service and accepting this plat and all other parties relying thereon agree to hold Central Kansas Bilfield Services. Inc., its officers and employees harmless from all losses, costs and expenses and said entities released from any liability from incidental or consequential damages.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Susan K. Duffy, Chair Dwight D. Keen, Commissioner Andrew J. French, Commissioner

September 14, 2023

Kelly P Branum Shelby Resources LLC 3700 QUEBEC ST STE 100 PMB 376 DENVER, CO 80207-1639

Re: Drilling Pit Application Dymond 1-5 NE/4 Sec.05-29S-14W Pratt County, Kansas

#### Dear Kelly P Branum:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite, constructed <u>without</u> <u>slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

KEEP PITS away from draw/drainage. KEEP PITS on North or Northeast side of stake.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 682-7933 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 682-7933.