Change in Well Use

WELL ID_

Correction


KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Original Record

WATER WELL RECORD (WWC-5)

OCATION OF WATER V	VELL												
Latitude	Longitude			Section		Township		Range	E W	Fraction	1/4	1/4	1/4
Datum	Elevation			County									
WATER WELL OWNER		l	WELL	WATER U	SE				NEAREST S	OURCE OF	POTENTIAL	CONTAMIN	IOITAI
Name									Source:				
Business			COME	PLETION					Distance		Directi	on	
Dusiness									from well:		from w	ell:	
Address						ll:encountered:		_ft.	Source descriptio	n:			
				ft.;					Source:				
Well location				ft.;					Distance		Directi	on ell:	
at owner's address				Static water level in well: ft. measured below land surface on (mm/dd/yy):					Source descriptio				
CONSTRUCTION				neasured al	• • •	d surface					ce of contan	nination	
Borehole interval:	Borehole dia	meter:	- 1	n (mm/dd					within	100 feet.			
fromto ft in.			Estin	nated yield	l:	gpm			PERMIT & ID NUMBERS (AS REQUIRED)				
fromtoft.						ft. after	hou	ırs	DWR Application No.:				
Casing height above land						pumping			KDHE / EPA Project Code:				
If casing height is les			Pump installed? Yes No						Site Name:				
has a variance been							KDHE UIC Class V Form Completed: Yes No						
*variance not require	O		Wate	r well disii	nfected?	Yes No			County Permit: Yes No Permit ID:				
or environmental re	emediation wells		Date	disinfecte	d (mm/c	ld/yy):			Lease Name & Well #:				
Casing type:				Aquifer, if known:					# of boreh	oles:	# of dewat	ering wells:	
Blank casing interval:		ft.											
Blank casing diameter:				LOGIC LO		TUO: 06V I		_					
Casing joints:			FRO	M TO) LI	THOLOGY IN	IIEKVAL	-5					
Weight:	_												
Wall thickness or gar													
Blank casing interval:		п.											
Blank casing diameter:													
Casing joints:													
Weight:	_												
Wall thickness or ga	uge no.:												
Grout interval:													
Grout material:													
Grout interval:			COM	MENTS									
Grout material:			COM	VILIVIS									
Savaan / naufamatiant	orial.												
Screen / perforation mate				DACTOR"	C OD ! 4	NDOWNERS	CENTIF	CATION					
Screen / perforation ope Screen / perforation inter			This water well was constructed reconstructed pursuant to the stated water well										
From ft. to									1				
						nd was comp	•			•			
Slot size u						ledge and be							
Fromft. to			under the business name of,										
Slot sizeu	nıt		Kan	sas Water	Well C	Contractor's I	License l	No	uı	nder the au	thority of t	he designa	ated
Gravel pack intervals:			pers	on as defi	ined in	K.A.R. 28-30	0-2(j) an	nd signe	d and certif	ied by the	electronic s	ignature o	f the
	pack not used: Gravel size in to in _												
From ft. to _											\$5.00 for ac =	h construct	nd ver
Gravel pack not used		Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT											
From ft. to _	ft.			Burea	au of Wa	ter, Geology S						12-1367	



DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jessica Chapman Larsen & Associates 1311 E. 25th Street, Suite B Lawrence, Kansas, 66046

August 30, 2023

RE: Monitor Well Elevation Survey 601 N. Main St., Americus, Kansas

Proj. 23-00BB **Short Stop** A3-056-40140

Bench Mark: Chisled Sq. on top Southwest corner of sidewalk at Southwest corner of building. Flev: 1157.03 North 5046 West 5326 (from SE Cor. Sec. 12-18-10E)

Elev: 1157.03		North 5046 West 5326			(from SE Cor. Sec. 12-18-10E)				
MW-7	rim	1158.99	North	4788	SE1/4,NE1/4,NE1/4,NE1/4 (Sec. 11-18-10E)				
	top pipe	1158.33	West	5441	Lat= 38.50531 Long = 96.26235				
MW-8	rim	1158.61	North	4603	NW1/4,SW1/4,NW1/4,NW1/4				
171 77 0	top pipe	1158.37	West	5178	Lat= 38.50478 Long = 96.26145				
MW-9	rim	1158.66	North	4891	SE1/4,NW1/4,NW1/4,NW1/4				
	top pipe	1158.19	West	4924	Lat= 38.50555 Long = 96.26053				
MW-10	rim	1159.38	North	4913	SW1/4,NW1/4,NW1/4,NW1/4				
101 10	top pipe	1159.05	West	5221	Lat= 38.50563 Long = 96.26157				
	1 1 1								
MW-11	rim	1159.25	North	4814	SW1/4,NW1/4,NW1/4,NW1/4				
	top pipe	1158.87	West	5250	Lat= 38.50537 Long = 96.26168				
MW-12	rim	1159.82	North	4894	SW1/4,NW1/4,NW1/4,NW1/4				
101 00 -12	top pipe	1159.38	West	5350	Lat= 38.50560 Long = 96.26202				
	1 1 1								
MW-13	rim	1156.63	North	5072	NW1/4,NW1/4,NW1/4,NW1/4				
	top pipe	1156.24	West	5334	Lat= 38.50608 Long = 96.26194				
MW-14	rim	1157.17	North	5066	NW1/4,NW1/4,NW1/4,NW1/4				
TAT AA - 1.4	top pipe	1156.70	West	5276	Lat= 38.50606 Long = 96.26174				
	L L-L								

Lat & Long derived from Americus 7.5' quad map. WGS 84.

Elevation established from existing project.

If you have any duestions, please feel free to call me. Thank you for the opportunity to be of service to you.

ALIAND SURVE