
WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

VATER WELL R	ECORD (W	WC-5)					OC ID	WELL ID_			
OCATION OF WATER W	/ELL				Ori	ginal Recor	d Correction	Chang	e in Wel	ll Use	
Latitude	Longitude		Se	ction	Township	Range	E W Fraction	1/4	1/4	1/4	
Datum	Elevation		Co	ounty			,,,				
ATER WELL OWNER			WELL WA	ATER USE			NEAREST SOURCE OF P	OTENTIAL C	ONTAMIN	NATIO	
ame							Source:				
usiness			COMPLE	TION			Distance	Direction	 n		
doniess							from well:	_ from we	d:		
ddress					ed well: vater encountered:	ft.	Source description:				
			(1)	ft.; (2) ft.;		Source:				
Vell location			(3)	ft.; (4) dry well		Distance from well:		n II·		
at owner's			Static wa	ater level i	n well: ft.		Source	_ nom we			
address			I	sured belo nm/dd/yy	w land surface		description:				
orehole interval:	measured above land surface on (mm/dd/yy):				No potential source of contamination within 100 feet.						
orenoie interval:	Borehole dia						PERMIT & ID NUMBER	S (AS REQU	RED)		
		in.			gpm	,	DWR Application No.:				
omto ft.			water le		ft. after		1				
asing height above land		in.	pumpinggpm				KDHE / EPA Project Code: Site Name:				
If casing height is less has a variance been a	Pump installed? Yes No				KDHE UIC Class V Form Completed: Yes N						
*variance not require	Water well disinfected? Yes No				County Permit: Yes No Permit ID:						
or environmental re	Date disinfected (mm/dd/yy):				Lease Name & Well #:						
asing type:							# of boreholes:				
lank casing interval:		ft.	Aquifer,	if known:			" of boreliotes.	# Of dewater	ing wens.		
lank casing diameter:	in.		LITHOLO	GIC LOG							
Casing joints:			FROM	то	LITHOLOGY INTE	RVALS					
Weight:	_lbs/ft.										
Wall thickness or gau											
lank casing interval:		ft.									
ank casing diameter:	in.										
Casing joints:											
Weight:	_lbs/ft.										
Wall thickness or gau	ige no.:	_									
rout interval: f	t. to ft.										
Grout material:											
rout interval:											
Grout material:			COMMEN	NTS							
creen / perforation mate	erial:										
creen / perforation oper	-		CONTRA	CTOR'S C	OR LANDOWNERS CE	RTIFICATION					
reen / perforation inter			This wa	iter well	was constructed	reconstru	cted nursuant to	the stated w	ater well		
Fromft. to			This water well was constructed reconstructed pursuant to the stated water well								
Slot size ui			contractor's license and was completed on I certify that this record is true to								
From ft. to			the best of my knowledge and belief. This water well record was completed on								
			under the business name of,								
Slot size ui	III		Kansas	Kansas Water Well Contractor's License No under the authority of the designated							
ravel pack intervals:	0 1.		person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the								
Gravel pack not used:		in	-		on at its submittal:		,		•		
From ft. to						and over	e for your records. Fee of \$	F 00 F 1		.d - '	
Gravel pack not used:	Gravel size	in	sena one	copy to W	ALEK WELL OWNER	and retain one	tor your records. Fee of \$	5.00 for each	constructe	cu we	

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT
Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367
(785) 296-3565 | K.S.A. 82a-1212 | v2022c



DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jessica Chapman Larsen & Associates 1311 E. 25th Street, Suite B Lawrence, Kansas, 66046

August 30, 2023

RE: Monitor Well Elevation Survey 601 N. Main St., Americus, Kansas

Proj. 23-00BB **Short Stop** A3-056-40140

Bench Mark: Chisled Sq. on top Southwest corner of sidewalk at Southwest corner of building. Flev: 1157.03 North 5046 West 5326 (from SE Cor. Sec. 12-18-10E)

Elev: 1157.03		North 5046 West 5326		t 5326	(from SE Cor. Sec. 12-18-10E)			
MW-7	rim	1158.99	North	4788	SE1/4,NE1/4,NE1/4,NE1/4 (Sec. 11-18-10E)			
	top pipe	1158.33	West	5441	Lat= 38.50531 Long = 96.26235			
MW-8	rim	1158.61	North	4603	NW1/4,SW1/4,NW1/4,NW1/4			
1,2,1, 0	top pipe	1158.37	West	5178	Lat= 38.50478 Long = 96.26145			
MW-9	rim	1158.66	North	4891	SE1/4,NW1/4,NW1/4,NW1/4			
	top pipe	1158.19	West	4924	Lat= 38.50555 Long = 96.26053			
MW-10	rim	1159.38	North	4913	SW1/4,NW1/4,NW1/4,NW1/4			
	top pipe	1159.05	West	5221	Lat= 38.50563 Long = 96.26157			
MW-11	rim	1159.25	North	4814	SW1/4,NW1/4,NW1/4,NW1/4			
	top pipe	1158.87	West	5250	Lat= 38.50537 Long = 96.26168			
MW-12	rim	1159.82	North	4894	SW1/4,NW1/4,NW1/4,NW1/4			
11111 12	top pipe	1159.38	West	5350	Lat= 38.50560 Long = 96.26202			
					<u> </u>			
MW-13	rim	1156.63	North	5072	NW1/4,NW1/4,NW1/4,NW1/4			
	top pipe	1156.24	West	5334	Lat= 38.50608 Long = 96.26194			
MW-14	rim	1157.17	North	5066	NW1/4,NW1/4,NW1/4,NW1/4			
	top pipe	1156.70	West	5276	Lat= 38.50606 Long = 96.26174			
	ook bibe	11200	550	52,0	201 30.3000 Dong 70.20171			

Lat & Long derived from Americus 7.5' quad map. WGS 84.

Elevation established from existing project.

If you have any duestions, please feel free to call me. Thank you for the opportunity to be of service to you.

ALIAND SURVE