
## **WATER WELL RECORD** (WWC-5)

From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

<b>WATER WELL R</b>	ECORD (W)	NC-5)				KOLAR D	OC ID	WELL ID			
OCATION OF WATER W	/ELL				Or	iginal Recor	d Correction	Change	in Wel	ll Use	
Latitude	Longitude		S	ection	Township	Range	E W Fraction	1/4	1/4	1/4	
Datum	Elevation		C	County	-		**				
WATER WELL OWNER			WELL W	ATER USE			NEAREST SOURCE OF P	OTENTIAL CO	NTAMIN	10ITAN	
Name							Source:				
Business			COMPLI	ETION							
Busiliess							from well:	_ from well	:		
Address					ed well: vater encountered:	ft.	Source description:				
			(1)	ft.; (	(2) ft.;		Source:				
Well location					4) dry well		Distance from well:				
at owner's address	Static water level in well: ft.  measured below land surface on (mm/dd/yy):				Source description:						
CONSTRUCTION  Borehole interval:	measured above land surface on (mm/dd/yy):				No potential source of contamination within 100 feet.						
	Borehole diar						PERMIT & ID NUMBERS	S (AS REQUIF	RED)		
fromtoft. fromtoft.		in. in.			gpm ft. after	hours	DWR Application No.:				
Casing height above land					pumping		KDHE / EPA Project C	ode:			
If casing height is les			Pump installed? Yes No				Site Name:				
has a variance been a		No					KDHE UIC Class V Fo	rm Complete	d: Yes	No	
*variance not require	Water well disinfected? Yes No				County Permit: Yes No Permit ID:						
or environmental re	Date di	sinfected (	mm/dd/yy):		Lease Name & Well #:						
Casing type:			Aquifer	; if known			# of boreholes:	# of dewateri	ing wells:		
Blank casing interval:		_ n.									
Blank casing diameter:			FROM	OGIC LOG	LITHOLOGY INT	FDVALC					
Casing joints: Weight:			FROM	10	LITHOLOGY IN I	ERVALS					
Wall thickness or gau											
Blank casing interval:											
Blank casing diameter:		r.									
Casing joints:											
Weight:	lbs/ft.										
Wall thickness or gau	_										
Grout interval:f											
Grout material:											
Grout interval:f			COMME	NTS							
Grout material:											
Screen / perforation mate											
Screen / perforation oper					OR LANDOWNERS CI	RTIFICATION					
Screen / perforation inter			This w	ater well	was constructed	reconstru	cted pursuant to t	he stated wa	ater well	Ĺ	
Fromft. to			contractor's license and was completed on I certify that this record is true to								
Slot size u			the best of my knowledge and belief. This water well record was completed on								
From ft. to			under	der the business name of,							
Slot size u	nit		Kansas	s Water V	Vell Contractor's Lic	ense No.	under the aut	hority of the	design:	ated	
Gravel pack intervals:				Kansas Water Well Contractor's License No under the authority of the designated person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the							
Gravel pack not used		in	-			Zy) und signed	a and certified by the el	cettonic sign	nature 0		
From ft. to _	ft.			-	on at its submittal:_						
Gravel pack not used	: Gravel size _	in	Send one	e copy to W	VATER WELL OWNE	R and retain one	e for your records. Fee of \$5	0.00 for each c	onstructe	ed well	

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c



## **DENNIS L HANDKE**

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jessica Chapman Larsen & Associates 1311 E. 25th Street, Suite B Lawrence, Kansas, 66046

August 30, 2023

RE: Monitor Well Elevation Survey 601 N. Main St., Americus, Kansas

Proj. 23-00BB **Short Stop** A3-056-40140

Bench Mark: Chisled Sq. on top Southwest corner of sidewalk at Southwest corner of building. Flev: 1157.03 North 5046 West 5326 (from SE Cor. Sec. 12-18-10E)

Elev: 1157.03		North 5046 West 5326		t 5326	(from SE Cor. Sec. 12-18-10E)		
MW-7	rim	1158.99	North	4788	SE1/4,NE1/4,NE1/4,NE1/4 (Sec. 11-18-10E)		
	top pipe	1158.33	West	5441	Lat= 38.50531 Long = 96.26235		
MW-8	rim	1158.61	North	4603	NW1/4,SW1/4,NW1/4,NW1/4		
171 77 0	top pipe	1158.37	West	5178	Lat= 38.50478 Long = 96.26145		
MW-9	rim	1158.66	North	4891	SE1/4,NW1/4,NW1/4,NW1/4		
	top pipe	1158.19	West	4924	Lat= 38.50555 Long = 96.26053		
MW-10	rim	1159.38	North	4913	SW1/4,NW1/4,NW1/4,NW1/4		
101 10	top pipe	1159.05	West	5221	Lat= 38.50563 Long = 96.26157		
	1 1 1						
MW-11	rim	1159.25	North	4814	SW1/4,NW1/4,NW1/4,NW1/4		
	top pipe	1158.87	West	5250	Lat= 38.50537 Long = 96.26168		
MW-12	rim	1159.82	North	4894	SW1/4,NW1/4,NW1/4,NW1/4		
101 00 -12	top pipe	1159.38	West	5350	Lat= 38.50560 Long = 96.26202		
	1 1 1						
MW-13	rim	1156.63	North	5072	NW1/4,NW1/4,NW1/4,NW1/4		
	top pipe	1156.24	West	5334	Lat= 38.50608 Long = 96.26194		
MW-14	rim	1157.17	North	5066	NW1/4,NW1/4,NW1/4,NW1/4		
TAT AA - 1.4	top pipe	1156.70	West	5276	Lat= 38.50606 Long = 96.26174		
	L L-L						

Lat & Long derived from Americus 7.5' quad map. WGS 84.

Elevation established from existing project.

If you have any duestions, please feel free to call me. Thank you for the opportunity to be of service to you.

ALIAND SURVE