WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

OCATION OF WATER WELL						Original Reco	ord Co	rrection	Chang	ge in Wel	l Use
Latitude	Longitude			Section	Township	Range	E		1/4	1/4	1/4
Datum	Elevation			County	l l						
WATER WELL OWNER		l	WELL	WATER USE			NEAREST	SOURCE OF	POTENTIAL C	ONTAMIN	IATION
Name											
			COMP	LETION							
Business				LETION			from well	l:	Directio from we	ili:	
Address					ed well:		Source				
] -	-	water encountered	:	description	on:			
******					(2) ft.;		Source:				
Well location			(3)	ft.; ((4) dry well		Distance	1.	Directio from we	n Ji.	
at owner's			Static	water level	in well:	ft.	Source	l;	110111 we	11	
address			m	measured below land surface				description:			
CONCEDUCTION			on	(mm/dd/y	y):		No no	tontial course	e of contami	ination	
CONSTRUCTION	D 1 2 3:			easured abo ı (mm/dd/y	ve land surface			n 100 feet.	e or comain	mation	
	Borehole dia	meter:	on	(IIIII/da/y	y)		PERMIT &	ID NUMBER	RS (AS REQU	IRED)	
fromtoft.		in.	Estim	ated yield: _	gpm						
fromto ft.		in.	Water	level was:	ft. after	hours	1 -	-	:		
Casing height above land surf	face:	in.			pumping	gpm	KDHE /	EPA Project (Code:		
If casing height is less that			Pump	installed?	Yes No						
has a variance been appro		s No	T17.	11 11	. 10				orm Complet		
*variance not required for environmental remed					ected? Yes N		1		No Perm		
Casing type:	lation wens		Date	disinfected ((mm/dd/yy):						
Blank casing interval:	ft. to	ft.	Aquif	er, if known	:		# of borel	noles:	# of dewate	ring wells:	
Blank casing diameter:			LITHO	LOGIC LOG	i						
Casing joints:			FROI	м то	LITHOLOGY	NTERVALS					
Weight: lbs/											
Wall thickness or gauge n											
Blank casing interval:											
Blank casing diameter:											
Casing joints:											
Weight: lbs/	ft.										
Wall thickness or gauge n	10.:										
Court interval 6 to											
Grout interval: ft. to_											
Grout material: ft. to											
			COMM	IENTS							
Grout material:											
Screen / perforation material:											
Screen / perforation material:			CONT	RACTOR'S	OR LANDOWNER	S CERTIFICATION	NI				
Screen / perforation openings								D118011224 + -	the stated -	vator11	
From ft. to					was constructe			•	the stated v		
					ense and was con	=		-			
Slot size unit _ From ft. to					knowledge and b						
Slot size unit _					ness name of						
			Kans	as Water V	Vell Contractor's	License No	u	nder the au	thority of th	ie designa	ated
Gravel pack intervals:	Cmarcel et		perso	on as defin	ed in K.A.R. 28-	30-2(j) and sign	ed and certi	fied by the e	electronic si	gnature o	f the
Gravel pack not used:		in	^		on at its submitt	,				-	
From ft. to	_				VATER WELL OW	<u> </u>	ne for your red	ords. Fee of 9	5 00 for each	constructe	d well
Gravel pack not used:		in	Jena O	copy to v		EPARTMENT OF	•			2311311 4010	a men
From ft. to	_ tt.			Bureau	of Water, Geology					2-1367	

Form	WWC5.2 - Water Well Record
Doc ID	1727255
Well Owner	DUANE & KATHLEEN KOSTER TRUSTS
Contractor	Downey Drilling, Inc. #748

Lithology

From	То	Lithology Intervals
0	9	sand,fine to medium,brown,soft
9	35	clay,silty,brown,soft
35	60	sand,fine to medium,clayey,white,soft
60	80	sand,fine to coarse,firm
80	103	sand & gravel,fine to medium,stiff
103	124	clay,sandy,tan,soft
124	142	clay,fine,sandy,tan,firm
142	151	clay,fine,sandy,tan,soft
151	159	clay,sandy,tan,soft
159	165	clay,sandy,white,firm
165	187	clay,sandy,tan,soft
187	235	clay,fine to medium,tan,soft
235	241	sand,fine to coarse,sandy,white,stiff
241	276	sand & gravel,fine to medium,firm
276	286	sand & gravel,fine to medium,firm
286	305	sand & gravel,fine to coarse,firm
305	312	sand,fine,clayey,tan,soft
312	324	sand,fine to coarse,stiff
324	333	clay,fine,sandy,tan,soft

Form	WWC5.2 - Water Well Record
Doc ID	1727255
Well Owner	DUANE & KATHLEEN KOSTER TRUSTS
Contractor	Downey Drilling, Inc. #748

Lithology

From	То	Lithology Intervals
333	352	sand,fine to coarse,firm
352	359	clay,fine,sandy,white,firm
359	380	clay,sandy,white,soft
380	404	sand,fine to medium,soft
404	420	sand,fine to medium,white,stiff
420	448	sand,fine to medium,soft
448	475	clay,fine,sandy,tan,soft
475	508	sandstone,unknown,brown,ha rd
508	526	sandstone,unknown,sandy,br own,hard
526	554	shale,unknown,gray,soft
554	566	sandstone,unknown,sandy,gr ay,hard
566	601	clay,gray,soft
601	623	sandstone,unknown,gray,hard
623	630	clay,gray,soft
630	647	shale,unknown,blue,soft

Form	WWC5.2 - Water Well Record			
Doc ID	1727255			
Well Owner	DUANE & KATHLEEN KOSTER TRUSTS			
Contractor	Downey Drilling, Inc. #748			

Screen and Gravel

From	То	Slot Size	Slot Size Units	Gravel Pack Used	Gravel Pack From	Gravel Pack To	Gravel Size
317	357	.08	inches	Yes	20	647	#1
357	397	.1	inches	No			
397	517	.08	inches	No			
517	567	.05	inches	No			
567	607	.06	inches	No			
607	637	.05	inches	No			