WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

## **WATER WELL RECORD** (WWC-5)

OCATION OF WATER W	/ELL					Original Re	ecor	d Co	rrection	Chang	e in We	ll Use
Latitude	Longitude		9	Section	Township	Rar	nge	E	Fraction	1/4	1/4	1/4
Datum	Elevation			County				VV				
WATER WELL OWNER				/ATER USI				NEARESTS	OURCE OF	POTENTIAL C	ONTAMIN	OITAL
Name												.,
			COMPI	FTION				Dictance		Direction	n	
Business			COMPL	EHON			$\neg$	from well:		from wel	il:	
Address					ed well:			Source				
			1 -		water encountered			descriptio				
747 11 1					(2) ft.;			Source:				
Well location			(3)	ft.;	(4) dry well			Distance from well-		Direction from wel	n II.	
at owner's			Static	vater level	in well:	t.		Source				
address			- 1		ow land surface			descriptio	n:			
CONSTRUCTION				(mm/dd/y			-	No pot	tential sour	ce of contami	nation	
Borehole interval:	Borehole dia	meter:		asured abo (mm/dd/y	ve land surface y):				100 feet.			
fromtoft.					<u> </u>		=	PERMIT &	ID NUMBE	RS (AS REQUI	RED)	
		in.			gpm ft after	1		DW/R Ass	nlication No	.:		
fromtoft.	·		vvater		ft. after			1				
Casing height above land		in.	pumpinggpm  Pump installed? Yes No				KDHE / EPA Project Code:Site Name:					
If casing height is less than 12 in. has a variance been approved?* Yes No			Fullip	ilistalieu:	ies No					orm Complet		N
*variance not required for monitoring			Water	well disinfo	ected? Yes N	0				No Permi		
or environmental remediation wells			Date disinfected (mm/dd/yy):			_	Lease Name & Well #:					
Casing type:			A :C	.01			$\dashv$			# of dewater		
Blank casing interval:		ft.		r, if known								
Blank casing diameter:				OGIC LOG								
Casing joints:			FROM	і то	LITHOLOGY	NTERVALS						
Weight:												
Wall thickness or gat												
Blank casing interval:		п.										
Blank casing diameter:												
Casing joints: Weight:												
Wall thickness or gau	_											
Grout interval: f												
Grout material:												
Grout interval:f			СОММ	ENTS	1							
Grout material:												
S / / / /	1											
Screen / perforation mate			CONTO	ACTORIC:	OD I ANDOMNES	C CEDTIFIC **	1011					
Screen / perforation open Screen / perforation inter					OR LANDOWNER			. 1		41	11	
-					was constructe			•		the stated w		
Fromft. to					ense and was con	•			•			
Slot size un From ft. to				-	knowledge and b				_			
Slot size u					ness name of							
Gravel pack intervals:	·····		Kansa	s Water V	Vell Contractor's	License No.		uı	nder the au	thority of th	e designa	ated
Gravel pack mervais:	· Gravel cize		perso	n as defin	ed in K.A.R. 28-	30-2(j) and si	igned	l and certif	ied by the	electronic się	gnature o	f th
From ft. to		in	design	nated pers	on at its submitt	al:						
Gravel pack not used:		in	Send on	e copy to V	VATER WELL OW	NER and retai	n one	for your rec	ords. Fee of	\$5.00 for each	constructo	ed we
From ft. to _		m		17	KANSAS D	EPARTMENT (	OF HE	EALTH AND	ENVIRON	MENT		
11011111.10 _	11.			Bureau	of Water, Geology	Section, 1000	SW Ja	ackson St., S	uite 420, Toj	peka KS 66612	2-1367	

Form	WWC5.2 - Water Well Record
Doc ID	1732339
Well Owner	Kalen Cromwell
Contractor	Flint Hills Drilling #914

## Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	60	6	Glued	SCH40
80	160	6	Glued	SCH40
180	220	6	Glued	SCH40

Form	WWC5.2 - Water Well Record
Doc ID	1732339
Well Owner	Kalen Cromwell
Contractor	Flint Hills Drilling #914

## Lithology

From	То	Lithology Intervals
0	2	clay
2	8	clay,gravelly,tan
8	18	clay,tan
18	30	clay,gray
30	52	sandstone,unweathered,tan
52	60	shale,completely weathered,gray
60	66	sandstone,unweathered,tan
66	83	shale,completely weathered,gray
83	96	sandstone,unweathered,gray
96	113	shale,completely weathered,gray
113	140	shale,completely weathered,tan
140	220	shale,completely weathered,gray,with red layers