

WATER WELL RECORD (WWC-5)

KOLAR DOC ID _____ WELL ID _____
 Original Record Correction Change in Well Use

LOCATION OF WATER WELL

Latitude		Longitude		Section		Township		Range		E W	Fraction	¼	¼	¼
Datum		Elevation		County										

WATER WELL OWNER

Name	
Business	
Address	
Well location at owner's address	

WELL WATER USE

--

COMPLETION

Depth of completed well: _____ ft.
Depth(s) groundwater encountered: (1) _____ ft.; (2) _____ ft.; (3) _____ ft.; (4) dry well
Static water level in well: _____ ft. measured below land surface on (mm/dd/yy): _____ measured above land surface on (mm/dd/yy): _____
Estimated yield: _____ gpm
Water level was: _____ ft. after _____ hours pumping _____ gpm
Pump installed? Yes No
Water well disinfected? Yes No
Date disinfected (mm/dd/yy): _____
Aquifer, if known:

NEAREST SOURCE OF POTENTIAL CONTAMINATION

Source: _____
Distance from well: _____ Direction from well: _____
Source description: _____
Source: _____
Distance from well: _____ Direction from well: _____
Source description: _____
No potential source of contamination within 100 feet.

CONSTRUCTION

Borehole interval: from _____ to _____ ft.	Borehole diameter: _____ in.
from _____ to _____ ft.	_____ in.
Casing height above land surface: _____ in.	
If casing height is less than 12 in. has a variance been approved?* Yes No	
*variance not required for monitoring or environmental remediation wells	
Casing type: _____	
Blank casing interval: _____ ft. to _____ ft.	
Blank casing diameter: _____ in.	
Casing joints: _____	
Weight: _____ lbs/ft.	
Wall thickness or gauge no.: _____	
Blank casing interval: _____ ft. to _____ ft.	
Blank casing diameter: _____ in.	
Casing joints: _____	
Weight: _____ lbs/ft.	
Wall thickness or gauge no.: _____	
Grout interval: _____ ft. to _____ ft.	
Grout material: _____	
Grout interval: _____ ft. to _____ ft.	
Grout material: _____	
Screen / perforation material: _____	
Screen / perforation openings: _____	
Screen / perforation intervals: From _____ ft. to _____ ft.	
Slot size _____ unit _____	
From _____ ft. to _____ ft.	
Slot size _____ unit _____	
Gravel pack intervals: Gravel pack not used: Gravel size _____ in	
From _____ ft. to _____ ft.	
Gravel pack not used: Gravel size _____ in	
From _____ ft. to _____ ft.	

PERMIT & ID NUMBERS (AS REQUIRED)

DWR Application No.: _____
KDHE / EPA Project Code: _____
Site Name: _____
KDHE UIC Class V Form Completed: Yes No
County Permit: Yes No Permit ID: _____
Lease Name & Well #: _____
of boreholes: _____ # of dewatering wells: _____

LITHOLOGIC LOG

FROM	TO	LITHOLOGY INTERVALS

COMMENTS

--

CONTRACTOR'S OR LANDOWNERS CERTIFICATION

This water well was constructed reconstructed pursuant to the stated water well contractor's license and was completed on _____. I certify that this record is true to the best of my knowledge and belief. This water well record was completed on _____ under the business name of _____, Kansas Water Well Contractor's License No. _____ under the authority of the designated person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the designated person at its submittal: _____.

Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.

HTRW DRILLING LOG		DISTRICT		HOLE NUMBER MC1R-MW06	
1. COMPANY NAME HydroGeologic, Inc		2. DRILL SUBCONTRACTOR Environmental Works, Inc		SHEET 1 OF 4 SHEETS	
3. PROJECT Midwest PFAS		4. LOCATION McCannell AFB			
5. NAME OF DRILLER Jeremy Nash		6. MANUFACTURER'S DESIGNATION OF DRILL LS-250			
7. SIZES AND TYPES OF DRILLING AND SAMPLING EQUIPMENT Sonic 4" core barrel 6" over size casing		8. HOLE LOCATION			
		9. SURFACE ELEVATION			
		10. DATE STARTED 12-4-22		11. DATE COMPLETED 12-6-22	
12. OVERBURDEN THICKNESS N/A		15. DEPTH GROUNDWATER ENCOUNTERED ~24' bgs			
13. DEPTH DRILLED INTO ROCK N/A		16. DEPTH TO WATER AND ELAPSED TIME AFTER DRILLING COMPLETED			
14. TOTAL DEPTH OF HOLE 30' bgs		17. OTHER WATER LEVEL MEASUREMENTS (SPECIFY) -			
18. GEOTECHNICAL SAMPLES		<input checked="" type="checkbox"/> DISTURBED		UNDISTURBED	
19. TOTAL NUMBER OF CORE BOXES		-			
20. SAMPLES FOR CHEMICAL ANALYSIS		VOC		METALS	
				OTHER (SPECIFY) PFAS	
21. TOTAL CORE RECOVERY %					
22. DISPOSITION OF HOLE		<input checked="" type="checkbox"/> BACKFILLED		<input checked="" type="checkbox"/> MONITORING WELL	
				OTHER (SPECIFY)	
		23. SIGNATURE OF INSPECTOR <i>[Signature]</i>			

LOCATION SKETCH/COMMENTS

SCALE

Large grid area for location sketch and comments.

PROJECT Midwest PFAS	HOLE NO. MC1R-MW06
--------------------------------	------------------------------

HTRW DRILLING LOG (CONTINUATION SHEET)

HOLE NUMBER

MCB-MW06

PROJECT Midwest PFAS

INSPECTOR Jeff Gust

SHEET 2 OF 4 SHEETS

ELEV. (a)	DEPTH (b)	DESCRIPTION OF MATERIALS (c)	FIELD SCREENING RESULTS (d)	GEOTECH SAMPLE OR CORE BOX NO. (e)	ANALYTICAL SAMPLE NO. (f)	BLOW COUNT (g)	REMARKS (h)
	0	Fill, concrete rubble, clay silt, sand, gravel interbedded					Hand augered to 2.5' bgs (refusal)
	1						
	2						
	3		103.4				
	4		26.3				
	5		1.6				
	6		3.4				
	7		5.7				
	8		5.2				
	9		4.8				
	10	7.5					

PROJECT Midwest PFAS - McCon

HOLE NO. MCB-MW10

HTRW DRILLING LOG (CONTINUATION SHEET)

HOLE NUMBER

MCR-mw06

PROJECT Midwest PFAP

INSPECTOR J. G. Galt

SHEET 3 OF 4 SHEETS

ELEV. (a)	DEPTH (b)	DESCRIPTION OF MATERIALS (c)	FIELD SCREENING RESULTS (d)	GEOTECH SAMPLE OR CORE BOX NO. (e)	ANALYTICAL SAMPLE NO. (f)	BLOW COUNT (g)	REMARKS (h)
	10	Fill concrete rubble	68.8				
	11		59.6				
	12		57.6				
	13		5.51				
	14		1.8				
	15	-----	4.4				
	16	Fill, silt/clay, trace gravel + sand, soft	4.2				
	17	17-20' bgs occasional wire fragments	5.2				
	18	18-20' bgs Very soft, wet	3.3				
	19		1.9				
	20						

PROJECT Midwest PFAS-McCon

HOLE NO. MCR-mw06

HTRW DRILLING LOG (CONTINUATION SHEET)

HOLE NUMBER
MCR-MW06

PROJECT
Midwest PFAS

INSPECTOR
Jeff Goad

SHEET
4 OF 4 SHEETS

ELEV. (a)	DEPTH (b)	DESCRIPTION OF MATERIALS (c)	FIELD SCREENING RESULTS (d)	GEOTECH SAMPLE OR CORE BOX NO. (e)	ANALYTICAL SAMPLE NO. (f)	BLOW COUNT (g)	REMARKS (h)
	20	clayey silt med. stiff	0.7				
		slight plasticity,					
	21	Some iron staining	0.5				
		trace med. sand					
		fn sand, dk grayish					
		brown (10YR4/2)					
	22		1.6				
	23		1.9				
	24	Becoming soft,	0.1				Core appears wet from 22 1/2' to 25'
		wet					
	25		0.1				
	26		0.0				
	27		0.0				
	28		0.0				
	29		0.8				
	30	Bo H = 30' bgs	0.1				

PROJECT
Midwest PFAS

HOLE NO.
MCR-MW06