WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

OCATION OF WATER WELI	L				Orio	ginal Recor	d Cor	rection	Change	e in Well	Use
Latitude	Longitude		Sec	ction	Township	Range	E	Fraction	1/4	1/4	1/2
Datum	Elevation		Co	unty	*		VV				
WATER WELL OWNER			WELL WA	,			NFAREST S	OURCE OF P	OTENTIAL CO	ONTAMIN	ATIO
Name											,,,,,
			COMPLE	TON			Distance		Direction	1	
Business			COMPLET	ION			from well:		_ from well	i:	
Address					d well:	ft.	Source				
			1 -	-	rater encountered:		description				
					2) ft.;		Source:				
Well location			(3)	_ ft.; (4	dry well				Direction from well	l I.	
at owner's			Static wa	ter level ir	n well: ft.		Source		_ Irom wen	.:	
address			1		w land surface		description	n:			
CONSTRUCTION				ım/dd/yy)			No pot	ential source	e of contamir	nation	
	D l - l - 4:		1	ared abov m/dd/yy)	e land surface		1	100 feet.	or containin	iation	
Borehole interval:	Borehole dia						PERMIT &	ID NUMBER	S (AS REQUI	RED)	
fromto ft.		in.			gpm		DIAM 4	1 37			
fromto ft.		in.			ft. after						
Casing height above land sur	rface:	in.			pumping	_ gpm	I		Code:		
If casing height is less that			Pump in	stalled?	Yes No		I				_
has a variance been appr		s No	Water we	ell disinfec	cted? Yes No				orm Complete		
*variance not required for environmental remed					nm/dd/yy):		1		No Permit		
Casing type:			Dute disi	- Incered (I							
Blank casing interval:	ft. to	ft.	Aquifer,	if known:			# of boren	oles:	# of dewater	ing wells: _	
Blank casing diameter:	in.		LITHOLO	GIC LOG							
Casing joints:			FROM	то	LITHOLOGY INTE	RVALS					
Weight:lbs	s/ft.										
Wall thickness or gauge i	no.:										
Blank casing interval:	ft. to	ft.									
Blank casing diameter:	in.										
Casing joints:											
Weight:lbs	s/ft.										
Wall thickness or gauge 1	no.:										
Grout interval: ft. to	ft.										
Grout material:											
Grout interval: ft. to											
Grout material:			COMMEN	ITS							
Screen / perforation material:	:										
Screen / perforation opening	gs:		CONTRAC	TOR'S O	R LANDOWNERS CEF	RTIFICATION					
Screen / perforation intervals	·		This wa	ter well v	vas constructed	reconstru	icted p	ursuant to	the stated wa	ater well	
Fromft. to	_ft.		contrac	or's licer	nse and was complet	ed on	•				
					nowledge and belief.			•			
Slot size unit _			the best	-	=			=			
Slot size unit _ From ft. to			اء سماميرو								٠,
	_ft.				ess name of						
Fromft. to	_ft.		Kansas	Water W	'ell Contractor's Lice	nse No	ur	nder the aut	hority of the	e designa	ted
Fromft. tounit _	_ft.	in	Kansas	Water W		nse No	ur	nder the aut	hority of the	e designa	ted
From ft. to unit Gravel pack intervals:	_ft. Gravel size _	in	Kansas person	Water W as define	'ell Contractor's Lice	nse No	ur	nder the aut	hority of the	e designa	ted
From ft. to unit _ Gravel pack intervals: Gravel pack not used:	_ft. Gravel sizeft.		Kansas person a designa	Water Was defined	ell Contractor's Lice d in K.A.R. 28-30-2(nse No(j) and signe	ur d and certifi	nder the aut	hority of the	e designa nature of	ted f the

Form	WWC5.2 - Water Well Record	
Doc ID	1708645	-
Well Owner US ARMY CORPS OF ENGINEERS KANSAS CITY DISTI		
Contractor	Contractor Environmental Works, Inc.	

Lithology

From	To	Lithology Intervals	
0	1	topsoil,very fine,loamy,dark,brownish,bro wn,dry,loose,not cemented	
1	2	clay,fine to coarse,sandy,pale,brownish,b rown,dry,loose,not cemented	
2	3.5	clay,fine,clayey,dark,brownish ,brown,dry,loose,not cemented	
3.5	4	limestone,fractured,light,yello wish,brown,hard,medium bedded	
4	5	shale,moderately weathered,very light,brownish,brown,soft,med ium bedded	
5	5.5	clay,fine,clayey,light,brownish, gray,dry,loose,not cemented	
5.5	6.5	shale,fractured,light,brownish, gray,soft,medium bedded	
6.5	7.5	shale,fractured,dark,grayish,br own,soft,medium bedded	
7.5	10	shale,fractured,pale,brownish, brown,hard,medium bedded	
10	12	limestone,fractured,pale,brow nish,brown,hard,medium bedded	
12	14	shale,fractured,light,yellowish, brown,soft,very thinly bedded	

Form	WWC5.2 - Water Well Record
Doc ID	1708645
Well Owner	US ARMY CORPS OF ENGINEERS KANSAS CITY DISTICT
Contractor Environmental Works, Inc.	

Lithology

Lithology				
From	To have have the	Lithology Intervals		
14	16	limestone,fractured,pale,brow nish,brown,hard,medium bedded		
16	17	shale,fractured,pale,brownish, brown,hard,medium bedded		
17	18	shale,fractured,very dark,grayish,gray,soft,medium bedded		
18	18.5	limestone,fractured,light,grayi sh,gray,hard,medium bedded		
18.5	19	shale,fractured,dark,grayish,gr ay,hard,medium bedded		
19	20	shale,fractured,very dark,grayish,gray,hard,mediu m bedded		
20	23	shale,fractured,very dark,grayish,gray,hard,mediu m bedded		
23	24	shale,fractured,light,grayish,gr ay,hard,medium bedded		
24 30		shale,fractured,very dark,grayish,gray,hard,mediu m bedded		