WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

OCATION OF WATER WELL						Original Reco	ord Co	rrection	Chang	je in Wel	l Use
Latitude	Longitude			Section	Township	Range	E		1/4	1/4	1/4
Datum	Elevation			County							
WATER WELL OWNER		l	WELL	WATER USE			NEAREST	SOURCE OF	POTENTIAL C	ONTAMIN	IATION
Name											
			COMP	LETION							
Business				LETION			from well	l:	Directio from we	·II:	
Address					ed well:		Source				
] -	-	water encountered	:	description	on:			
******					(2) ft.;		Source:				
Well location			(3)	ft.; ((4) dry well		Distance	ı.	Directio from we	n 11.	
at owner's			Static	water level	in well:	ft.	Source	l÷	110111 we	11;	
at owner's address			m	easured belo	ow land surface	description	on:				
CONCEDUCTION			on	(mm/dd/y	y):		No no	tantial source	e of contami	ination	
CONSTRUCTION	D 1 1 1				ve land surface			itentiai sourc	c of contain	mation	
	Borehole dia	meter:	on	(mm/dd/y	y):		PERMIT &	ID NUMBER	RS (AS REQU	IRED)	
fromtoft.		in.	Estim	ated yield: _	gpm						
fromto ft.		in.	Water	level was:	ft. after	hours	1 -	-	:		
Casing height above land surf	face:	in.	pumpinggpm				KDHE / EPA Project Code:				
If casing height is less that			Pump installed? Yes No				Site Name:				
has a variance been appro	T17 .	11 11	. 10				orm Complet				
*variance not required for environmental remed	Water well disinfected? Yes No Date disinfected (mm/dd/yy):						No Perm				
Casing type:	lation wens		Date	disinfected (mm/dd/yy):		I				
Blank casing interval:	ft. to	ft.	Aquif	er, if known	:		# of borel	noles:	# of dewate	ring wells:	
Blank casing diameter:			LITHO	LOGIC LOG	i						
Casing joints:			FROI	м то	LITHOLOGY	NTERVALS					
Weight: lbs/											
Wall thickness or gauge n											
Blank casing interval:											
Blank casing diameter:											
Casing joints:											
Weight: lbs/	ft.										
Wall thickness or gauge n	10.:										
Court interval 6 to											
Grout interval: ft. to_											
Grout material: ft. to											
			COMM	IENTS							
Grout material:											
Screen / perforation material:											
Screen / perforation material:			CONT	RACTOR'S	OR LANDOWNER	S CERTIFICATION	N				
Screen / perforation openings								numouset t-	the stated -	vatar 11	
From ft. to					was constructe			•	the stated v		
					ense and was con	=		-			
Slot size unit _ From ft. to					knowledge and b						
					ness name of						
Slot size unit _			Kans	as Water V	Vell Contractor's	License No	u	nder the au	thority of th	ne designa	ated
Gravel pack intervals:	Cmarcel et		perso	on as defin	ed in K.A.R. 28-	30-2(j) and sign	ed and certi	fied by the e	electronic si	gnature o	f the
Gravel pack not used:		in	^		on at its submitt	,					
From ft. to	_				VATER WELL OW	<u> </u>	ne for your red	ords. Fee of 9	5 00 for each	constructe	d well
Gravel pack not used:		in	Jena O	copy to v		EPARTMENT OF	•			constituent	a men
From ft. to	_ tt.			Bureau	of Water, Geology					2-1367	

Form	WWC5.2 - Water Well Record				
Doc ID	1735645				
Well Owner	Randy Hazelet				
Contractor	Kansas Water Wells, Inc.				

Lithology

From	То	Lithology Intervals
0	2	topsoil
2	11	clay,fine,sandy,brown
11	20	sand & gravel, fine to coarse
20	21	clay,fine,sandy,white
21	24	gravel,fine to medium
24	28	sandstone,unweathered,brow n
28	37	clay,sandy,black
37	52	sandstone,unweathered,brow n
52	56	sandstone,fractured,brown
56	59	sandstone,unweathered,gray, soft
59	114	sandstone,fractured,black
114	122	shale,unweathered,red,hard



Kansas Water Wells inc.

Test#_1___.

Customer	Randy Hazelet	Date	10,	10/23/23					
Adress 1112 Road T			City/State Lakin, Ks. 67860						,
County K	earny	Quarter	NW	Sec.	<u>15</u>	Township	25	Range	<u>37</u>
GPS Format WGS 84		Lat.	37.	37.88331		Long.	-101.373	303	
Static Water Level 13'				Propo	sed V	Vell Depth	120'		

From	Pay	То	Description of Strata					
0		2	Top soil					
2		11	Brown sandy clay					
11		18	Fine-coarse sand/small gravel					
18		20	Fine-coarse sand/small-med gravel ½"- ¾"					
20		21	White sandy clay					
21	3	24	¾" gravel					
24		28	Brown sandstone (hard)					
28		37	Black clay/couple soft sandstone streaks					
37		52	Brown sandstone/clay streaks (hard)					
52	2	56	Weathered Brown sandstone (2 fractures)					
56		59	Tan and grey soft sandstone					
59	6	114	Weathered black shale/sandstone (6 fractures)					
114		122	Red shale/sandstone streaks					
	3		Total pay from sand/gravel					
	8	-	Total fractures (estimate 3-4 GPM each)					
Location F	rom Old H	ole 60' to	the SW					
Bags Of H	Bags Of High Yield 16		Bags Of Hole Plug 16					

Signature Mil Shi