WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

OCATION OF WATER WELL						Original Reco	ord Co	rrection	Chang	je in Wel	l Use
Latitude	Longitude			Section	Township	Range	E		1/4	1/4	1/4
Datum	Elevation			County							
WATER WELL OWNER		l	WELL	WATER USE			NEAREST	SOURCE OF	POTENTIAL C	ONTAMIN	IATION
Name											
			COMP	LETION							
Business				LETION			from well	l:	Directio from we	·II:	
Address					ed well:		Source				
] -	-	water encountered	:	description	on:			
******					(2) ft.;		Source:				
Well location			(3)	ft.; ((4) dry well		Distance	ı.	Directio from we	n 11.	
at owner's			Static	water level	in well:	ft.	Source	l÷	110111 we	11;	
address			measured below land surface			description	on:				
CONCEDUCTION			on	(mm/dd/y	y):		No no	tantial source	e of contami	ination	
CONSTRUCTION	D 1 1 1				ve land surface			itentiai sourc	c of contain	mation	
Borehole interval: Borehole diameter:		on (mm/dd/yy):			PERMIT & ID NUMBERS (AS REQUIRED)						
fromtoft.		in.	Estim	ated yield: _	gpm						
fromto ft.		in.	Water	level was:	ft. after	hours	1 -	-	:		
Casing height above land surf	face:	in.			pumping	gpm	KDHE /	EPA Project (Code:		
If casing height is less than 12 in. has a variance been approved?* Yes No			Pump	installed?	Yes No						
			T17.	11 11	. 10				orm Complet		
*variance not required for monitoring or environmental remediation wells					ected? Yes N				No Perm		
Casing type:	lation wens		Date	disinfected ((mm/dd/yy):		I				
Blank casing interval:	ft. to	ft.	Aquif	er, if known	:		# of borel	noles:	# of dewate	ring wells:	
Blank casing diameter:			LITHO	LOGIC LOG	i						
Casing joints:			FROI	м то	LITHOLOGY	NTERVALS					
Weight: lbs/											
Wall thickness or gauge n											
Blank casing interval:											
Blank casing diameter:											
Casing joints:											
Weight: lbs/	ft.										
Wall thickness or gauge n	10.:										
Court interval 6 to											
Grout interval: ft. to_											
Grout material: ft. to											
			COMM	IENTS							
Grout material:											
Screen / perforation material:											
Screen / perforation material:			CONT	RACTOR'S	OR LANDOWNER	S CERTIFICATION	N				
Screen / perforation openings								numouset t-	the stated -	vatar 11	
From ft. to					was constructe			•	the stated v		
					ense and was con	=		-			
Slot size unit _ From ft. to					knowledge and b						
					ness name of						
Slot size unit _			Kans	as Water V	Vell Contractor's	License No	u	nder the au	thority of th	ne designa	ated
Gravel pack intervals:	Cmarcel et		perso	on as defin	ed in K.A.R. 28-	30-2(j) and sign	ed and certi	fied by the e	electronic si	gnature o	f the
Gravel pack not used:		in	^		on at its submitt	,					
From ft. to	_				VATER WELL OW	<u> </u>	ne for your rea	ords. Fee of 9	5 00 for each	constructe	d well
Gravel pack not used:		in	Jena O	copy to v		EPARTMENT OF	•			constituent	a men
From ft. to	_ tt.			Bureau	of Water, Geology					2-1367	

Form	WWC5.2 - Water Well Record		
Doc ID	1725317		
Well Owner	Matt Kimsey		
Contractor	Yoakum Well Drilling, LLC		

Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	20	5	Glued	PVC 40
40	140	5	Glued	PVC 40
180	205	5	Glued	PVC 40

Form	WWC5.2 - Water Well Record
Doc ID	1725317
Well Owner	Matt Kimsey
Contractor	Yoakum Well Drilling, LLC

Lithology

From	То	Lithology Intervals
0	3	topsoil
3	5	limestone,unweathered
5	22	shale,unweathered
22	23	other,unweathered,slate
23	70	limestone,unweathered
70	77	other,unweathered,slate
77	110	limestone,unweathered
110	205	shale,unweathered