WELL ID

KOLAR DOC ID

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

LOCATION OF WATER V	WELL					(Origina	l Recor	d Correction	Chang	e in Wel	ll Use	
Latitude	Longitude		S	ection		Township		Range	E W Fraction	1/4	1/4	1/4	
Datum	Elevation			County		1			VV				
WATER WELL OWNER		1		ATER US	E				NEAREST SOURCE OF P	OTENTIAL C	ONTAMIN	IATION	
Name									Source:				
Business			COMPL	FTION					I =				
Dustriess					. 1	11			from well:	_ from wel	l:		
Address			_	-		ell: encountered:		_ft.	Source description:				
			(1)	ft.;	(2)_	ft.;			Source:				
Well location						dry well			Distance from well:		n ll:		
at owner's address			Static water level in well: ft. measured below land surface on (mm/dd/yy):					Source description:					
CONSTRUCTION			mea	sured ab	ove la	nd surface			No potential source within 100 feet.	e of contami	nation		
Borehole interval:	Borehole dia	meter:	on (mm/dd/	yy):			_	PERMIT & ID NUMBER	S (AS REQUI	RED)		
fromto ft		in.	Estima	ted yield:		gpm							
fromto ft		in.	Water l	evel was:		ft. after			DWR Application No.:				
Casing height above lan	d surface:	in.				pumping	gpn	n	KDHE / EPA Project Code:				
If casing height is les has a variance been		s No	Pump i	nstalled?	Ye	es No			Site Name: KDHE UIC Class V Form Completed: Yes No				
*variance not requir	• •	S NO	Water	well disin	fected	? Yes No)		County Permit: Yes No Permit ID:				
or environmental re			Date disinfected (mm/dd/yy):					Lease Name & Well #:					
Casing type:			A: C	:61				$\overline{}$	# of boreholes:				
Blank casing interval:			_	r, if know									
Blank casing diameter:				OGIC LO									
Casing joints: Weight:			FROM	ТО		ITHOLOGY IN	NIEKVAL	.5					
Wall thickness or ga													
Blank casing interval:													
Blank casing diameter:													
Casing joints:													
Weight:													
Wall thickness or ga													
Grout interval:													
Grout material:													
Grout interval:													
Grout material:)	COMME	NTS									
Screen / noutoustion	arial:												
Screen / perforation mat Screen / perforation ope			CONTR	ΔϹΤΩΡΊ	ORI	ANDOWNERS	CERTIE	C ΔΤΙΩΝΙ					
Screen / perforation inte									atad nursuant to	the stated w	ratan rurall		
Fromft. to						constructed		constru	1				
Slot size u							=		I certify the			to	
From ft. to				-		-			vell record was comple			—	
Slot size u													
Gravel pack intervals:			Kansa	s Water	Well (Contractor's I	License N	No	under the aut	hority of th	e designa	ated	
Gravel pack not used	l: Gravel size	in	persor	as defir	ned in	K.A.R. 28-3	0-2(j) an	d signed	d and certified by the e	lectronic sig	gnature o	f the	
From ft. to _			design	ated per	son a	t its submitta	մ։		·				
Gravel pack not used		in	Send on	e copy to	WATE	ER WELL OWN	NER and r	etain one	for your records. Fee of \$	5.00 for each	constructe	ed well.	
Enom. A.	<u>.</u>					KANSAS DE	PARTME	NT OF H	EALTH AND ENVIRONM	ENT			

Form	WWC5.2 - Water Well Record
Doc ID	1730194
Well Owner	Patrick Janssen
Contractor	Rosencrantz-Bemis Ent., Inc.

Grout

From	То	Grout Material
0	20	Bentonite
55	60	Bentonite
90	94	Bentonite

Form	WWC5.2 - Water Well Record
Doc ID	1730194
Well Owner	Patrick Janssen
Contractor	Rosencrantz-Bemis Ent., Inc.

Lithology

From	То	Lithology Intervals
0	3	topsoil,sandy
3	35	clay,sandy,soft
35	55	sand & gravel,medium to coarse,small clean
55	60	clay,brown
60	90	sand & gravel,medium to coarse,small clean
90	94	clay,tannish,brown
94	114	sand & gravel,medium to coarse,small clean
114	115	clay,tan

Form	WWC5.2 - Water Well Record
Doc ID	1730194
Well Owner	Patrick Janssen
Contractor	Rosencrantz-Bemis Ent., Inc.

Screen and Gravel

From	То		Gravel Pack Used			Gravel Size
95	115		Yes	20	55	
			Yes	60	90	
			Yes	94	115	