\_ WELL ID\_

KOLAR DOC ID

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

## **WATER WELL RECORD** (WWC-5)

From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

LOCATION OF WATER WEI	LL				Original Reco	rd Correction	Change	in Wel	II Use
Latitude	Longitude		Section	Township	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		County			VV			
WATER WELL OWNER		WE	LL WATER US	 SE		NEAREST SOURCE OF PO	OTENTIAL CO	NTAMIN	NATION
Name						Source:			
Business		COI	MPLETION			Distance	Direction		
				eted well:	6	from well:	from well:		
Address				dwater encountered:		Source description:			
			-	(2) ft.;		Source:			
Well location			(3) ft.; (4) dry well				- ·		
				el in well:	t.	from well:	from well:		
at owner's address			measured below land surface			Source description:			
CONSTRUCTION			on (mm/dd/	yy): ove land surface		No potential source	of contamina	ation	
Borehole interval:	Borehole dia	meter:	on (mm/dd/			within 100 feet.			
fromto ft.				gpm		PERMIT & ID NUMBERS	(AS REQUIR	ED)	
fromto ft.		_     20	•	ft. after	hours	DWR Application No.:_			
Casing height above land su	-			pumping		KDHE / EPA Project Code:			
If casing height is less th			mp installed?	Yes No		Site Name:			
has a variance been app		s No				KDHE UIC Class V Form Completed: Yes No			No
*variance not required to or environmental reme			Water well disinfected? Yes No			County Permit: Yes No Permit ID:			
Casing type:	diation wens	Da	Date disinfected (mm/dd/yy):			Lease Name & Well #: _			
Blank casing interval:	ft. to	ft. Ac	uifer, if know	n:		# of boreholes:	# of dewatering	ng wells:	
Blank casing diameter:	in.	LITI	HOLOGIC LO	G					
Casing joints:		FF	ком то	LITHOLOGY II	NTERVALS				
Weight:lb	os/ft.								
Wall thickness or gauge									
Blank casing interval:		ft.							
Blank casing diameter:									
Casing joints:									
Weight:lb									
Wall thickness or gauge									
Grout interval: ft. t									
Grout material:									
Grout interval: ft. t		COI	MMENTS						
Grout material:									
Screen / perforation materia	ıl:								
Screen / perforation opening		COI	NTRACTOR'S	OR LANDOWNERS	CERTIFICATION				
Screen / perforation interval			is water wel	ll was constructed	d reconstru	icted pursuant to t	he stated wa	ter well	
Fromft. to	_ft.					. I certify that			
Slot size unit						<u> </u>			
From ft. to	_ft.		the best of my knowledge and belief. This water well record was completed on, under the business name of,					_	
Slot size unit			Kansas Water Well Contractor's License No under the authority of the designated				, ated		
Gravel pack intervals:			person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the						
Gravel pack not used:		in   -	designated person at its submittal:						
From ft. to						e for your records Fee of \$5	00 for each co	nstructe	ed well
Gravel pack not used: Gravel size in Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each construct KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT					Jion act	ca well.			

Form	WWC5.2 - Water Well Record
Doc ID	1730190
Well Owner	Marvin Burch
Contractor	Rosencrantz-Bemis Ent., Inc.

## Grout

From	То	Grout Material
0	20	Bentonite
80	85	Bentonite
95	100	Bentonite

Form	WWC5.2 - Water Well Record
Doc ID	1730190
Well Owner	Marvin Burch
Contractor	Rosencrantz-Bemis Ent., Inc.

## Lithology

From	То	Lithology Intervals
0	2	topsoil
2	74	clay,tan
74	81	sandstone,slightly weathered
81	89	clay,red
89	102	sandstone,slightly weathered
102	170	clay,red
170	200	sandstone,slightly weathered

Form	WWC5.2 - Water Well Record			
Doc ID	1730190			
Well Owner	Marvin Burch			
Contractor	Rosencrantz-Bemis Ent., Inc.			

## Screen and Gravel

From	То		Gravel Pack Used			Gravel Size
160	200		Yes	20	80	
			Yes	85	95	
			Yes	100	200	