KOLAR Document ID: 1736667

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:				
Name:	Spot Description:				
Address 1:	SecTwpS. R East _ West				
Address 2:	Feet from North / South Line of Section				
City:	Feet from East / West Line of Section				
Contact Person:	Footages Calculated from Nearest Outside Section Corner:				
Phone: ()	□NE □NW □SE □SW				
CONTRACTOR: License #	GPS Location: Lat:, Long:				
Name:	(e.g. xx.xxxxxx) (e.gxxx.xxxxxx)				
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84				
Purchaser:	County:				
Designate Type of Completion:	Lease Name: Well #:				
New Well Re-Entry Workover	Field Name:				
	Producing Formation: Kelly Bushing:				
☐ Oil ☐ WSW ☐ SWD					
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:				
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet				
	Multiple Stage Cementing Collar Used? Yes No				
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet				
,	If Alternate II completion, cement circulated from:				
Operator:	feet depth to:w/sx cmt.				
Well Name:	leet depth to w/ Sx chit.				
Original Comp. Date: Original Total Depth:					
Deepening Re-perf. Conv. to EOR Conv. to SWD	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)				
Plug Back Liner Conv. to GSW Conv. to Producer					
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls				
Dual Completion Permit #:	Dewatering method used:				
SWD Permit #:	Location of fluid disposal if hauled offsite:				
EOR Permit #:	Occupation Name				
GSW Permit #:	Operator Name:				
	Lease Name: License #:				
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West				
Recompletion Date Recompletion Date	County: Permit #:				

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received Drill Stem Tests Received					
Geologist Report / Mud Logs Received					
UIC Distribution					
ALT I II Approved by: Date:					

KOLAR Document ID: 1736667


Page Two

Operator Name:					Lease Nam	ne:			Well #:	
Sec Tw	pS. F	R [East	West	County:					
INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).										
Drill Stem Tests (Attach Addit			Ye	es No		Lo	og Formatio	n (Top), Deptl	n and Datum	Sample
Samples Sent to	Geological Sur	vey	Ye	es 🗌 No		Name)		Тор	Datum
Cores Taken Electric Log Run Geologist Repor List All E. Logs F	t / Mud Logs		Y€ Y€	es No						
			Repo		RECORD [Nev	w Used rmediate, producti	on. etc.		
Purpose of St		ze Hole Orilled	Size Casing Set (In O.D.)		Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
				ADDITIONAL	OF MENTING /					
Purpose:	[Depth	Typo		# Sacks Use		EEZE RECORD	Typo a	ad Paraant Additivas	
Perforate		Type of Cement		# Sacks Oseu		Type and Percent Additives				
Plug Off Z										
1. Did you perform a hydraulic fracturing treatment on this well? 2. Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? 3. Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? Yes No (If No, skip questions 2 and 3) No (If No, skip question 3) No (If No, fill out Page Three of the ACO-1)										
Date of first Produ	ction/Injection or	Resumed Produ	uction/	Producing Meth			Coolift 0	thor (Fundain)		
Estimated Production Oil Bbls.		Flowing Pumping Gas Mcf			Gas Lift Other (Explain) Water Bbls.		Gas-Oil Ratio	Gravity		
Per 24 Hours		Oli Bb	15.	Gas	IVICI	vvale	ı Di	JIS.	Gas-Oil Hallo	Gravity
DISPOSITION OF GAS: METHOD OF COMPLETION: PRODUCTION INTERVAL:							N INTERVAL:			
☐ Vented ☐ Sold ☐ Used on Lease ☐ Open Hole ☐ Perf.						nmingled	Тор	Bottom		
(If vented, Submit ACO-18.) (Submit ACO-5) (Submit ACO-4)										
Shots Per Foot	Perforation Top	Perforation Bottom	on	Bridge Plug Type				acture, Shot, Cementing Squeeze Record (Amount and Kind of Material Used)		
TUBING RECORD: Size: Set At: Packer At:										

Form	ACO1 - Well Completion
Operator	Zeta Energy, LLC
Well Name	SHOFNER DI-2
Doc ID	1736667

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.875	7	17	22	50/50 Poz	5	NA
Production	5.625	2.875	6.5	713	60/40 Poz		See Ticket on file



Oil & Gas Well Drilling Water Wells Geo-Loop Installation

> Phone: 913-557-9083 Fax: 913-557-9084

Paola, KS 66071

WELL LOG

Diamond Star Oil, Inc. Shofner #DI-2 API#15-121-31,111

October 29- October 30, 2015

4 soil & clay 4 17 lime 21 4 shale 25 11 lime 36 21 shale 57 18 lime 75 95 shale 170 20 lime 190 30 shale 220 3 lime 223 40 shale 263 15 lime 278 12 shale 290 15 lime 315 oil show 10 shale 325 11me 346 349 12 lime 344 13 shale 349 14 lime 363 base of the Kansas City 155 shale 518 12 broken sand 530 20% shale 80% bleeding sand 3 shale 539 1 lime 546 39 shale 585	Thickness of Strata	Formation	Total
17 lime 21 4 shale 25 11 lime 36 21 shale 57 18 lime 75 95 shale 170 20 lime 190 30 shale 220 3 lime 223 40 shale 263 15 lime 278 12 shale 290 15 lime 315 oil show 10 shale 325 21 lime 346 3 shale 349 14 lime 363 base of the Kansas City 155 shale 518 12 broken sand 530 20% shale 80% bleeding sand 9 shale 530 12 broken sand 530 20% shale 80% bleeding sand 15 shale 585 10 lime 595 8 shale		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
11 lime 36 21 shale 57 18 lime 75 95 shale 170 20 lime 190 30 shale 220 3 lime 223 40 shale 263 15 lime 278 12 shale 290 25 lime 315 oil show 10 shale 325 21 lime 346 3 shale 349 14 lime 363 base of the Kansas City 155 shale 518 12 broken sand 530 20% shale 80% bleeding sand 9 shale 539 1 lime 546 39 shale 585 10 lime 595 8 shale 603 9 lime 612 oil show 6 shale 621 4 shale 625 5 lime <t< td=""><td>17</td><td>•</td><td>21</td></t<>	17	•	21
21 shale 57 18 lime 75 95 shale 170 20 lime 190 30 shale 220 3 lime 223 40 shale 263 15 lime 278 12 shale 290 25 lime 315 oil show 10 shale 325 21 lime 346 3 shale 349 14 lime 363 base of the Kansas City 155 shale 518 12 broken sand 530 20% shale 80% bleeding sand 9 shale 559 7 lime 546 39 shale 585 10 lime 595 8 shale 603 10me 612 oil show 6 shale 618 3 lime 621 4 shale 625 5 lime 630 </td <td>4</td> <td>shale</td> <td>25</td>	4	shale	25
18 lime 75 95 shale 170 20 lime 190 30 shale 220 3 lime 223 40 shale 263 15 lime 278 12 shale 290 25 lime 315 oil show 10 shale 325 21 lime 346 3 shale 349 14 lime 363 base of the Kansas City 155 shale 518 12 broken sand 530 20% shale 80% bleeding sand 9 shale 539 7 lime 546 39 shale 585 10 lime 595 8 shale 603 9 lime 612 oil show 6 shale 618 3 lime 625 5 lime 630 <td>11</td> <td>lime</td> <td>36</td>	11	lime	36
95 shale 170 20 lime 190 30 shale 220 3 lime 223 40 shale 263 15 lime 278 12 shale 290 25 lime 315 oil show 10 shale 325 21 lime 346 3 shale 349 14 lime 363 base of the Kansas City 155 shale 518 12 broken sand 530 20% shale 80% bleeding sand 9 shale 539 7 lime 546 39 shale 585 10 lime 595 8 shale 603 9 lime 612 oil show 6 shale 618 3 lime 621 4 shale 625 5 lime 630 39 shale 669 5 broken sand 677 10% shale 50% bleeding sand 3 oil sand 680 brown, 100% bleeding sand 5 broken sand 677 10% shale 90% bleeding sand	21	shale	57
190	18	lime	75
30 shale 220 3 lime 223 40 shale 263 115 lime 278 112 shale 290 25 lime 315 oil show 10 shale 325 21 lime 346 3 shale 349 14 lime 363 base of the Kansas City 155 shale 518 12 broken sand 530 20% shale 80% bleeding sand 9 shale 539 7 lime 546 39 shale 585 10 lime 546 39 shale 585 10 lime 612 oil show 6 shale 618 3 lime 621 4 shale 625 5 lime 630 39 shale 625 5 lime 630 39 shale 669 5 broken sand 674 50% shale 50% bleeding sand 3 oil sand 680 brown, 100% bleeding sand 5 broken sand 677 10% shale 90% bleeding sand 3 oil sand 680 brown, 100% bleeding sand 5 broken sand 685 80% shale 20% bleeding sand 5 broken sand 688 80% shale 20% bleeding	95	shale	170
Sample S	20	lime	190
40 shale 263 15 lime 278 12 shale 290 25 lime 315 oil show 10 shale 325 21 lime 346 3 shale 349 14 lime 363 base of the Kansas City 155 shale 518 12 broken sand 530 20% shale 80% bleeding sand 9 shale 539 7 lime 546 39 shale 585 10 lime 595 8 shale 603 9 lime 612 oil show 6 shale 618 3 lime 621 4 shale 625 5 lime 630 39 shale 669 5 broken sand 674 50% shale 50% bleeding sand 30 shale 669 5 broken sand 677 10% shale 90% bleeding sand 30 shale 685	30	shale	220
15 lime 278 12 shale 290 25 lime 315 oil show 10 shale 325 21 lime 346 3 shale 349 14 lime 363 base of the Kansas City 155 shale 518 12 broken sand 530 20% shale 80% bleeding sand 9 shale 539 7 lime 546 39 shale 585 10 lime 595 8 shale 603 9 lime 612 oil show 6 shale 618 3 lime 621 4 shale 625 5 lime 630 39 shale 669 5 broken sand 674 50% shale 50% bleeding sand 3 broken sand 677 10% shale 90% bleeding sand 3 oil sand 680 brown, 100% bleeding 5 broken sand 685 80% shale 20% bleeding	3	lime	223
12 shale 290 25 lime 315 oil show 10 shale 325 21 lime 346 3 shale 349 14 lime 363 base of the Kansas City 155 shale 518 12 broken sand 530 20% shale 80% bleeding sand 9 shale 539 7 lime 546 39 shale 585 10 lime 595 8 shale 603 9 lime 612 oil show 6 shale 618 3 lime 621 4 shale 625 5 lime 630 39 shale 669 5 broken sand 674 50% shale 50% bleeding sand 3 broken sand 677 10% shale 90% bleeding sand 3 oil sand 680 brown, 100% bleeding 5 broken sand 685 80% shale 20% bleeding	40	shale	263
10	15	lime	278
10 shale 325 21 lime 346 3 shale 349 14 lime 363 base of the Kansas City 155 shale 518 12 broken sand 530 20% shale 80% bleeding sand 9 shale 539 7 lime 546 39 shale 585 10 lime 595 8 shale 603 9 lime 612 oil show 6 shale 618 3 lime 621 4 shale 625 5 lime 630 39 shale 669 5 broken sand 674 50% shale 50% bleeding sand 3 broken sand 677 10% shale 90% bleeding sand 3 oil sand 680 brown, 100% bleeding 5 broken sand 685 80% shale 20% bleeding 3 shale 723 TD	12	shale	290
21	25	lime	315 oil show
3 shale 349 14 lime 363 base of the Kansas City 155 shale 518 12 broken sand 530 20% shale 80% bleeding sand 9 shale 539 7 lime 546 39 shale 585 10 lime 595 8 shale 603 9 lime 612 oil show 6 shale 618 3 lime 621 4 shale 625 5 lime 630 39 shale 669 5 broken sand 674 50% shale 50% bleeding sand 3 broken sand 677 10% shale 90% bleeding sand 3 oil sand 680 brown, 100% bleeding 5 broken sand 685 80% shale 20% bleeding 38 shale 723 TD	10	shale	325
14 lime 363 base of the Kansas City 155 shale 518 12 broken sand 530 20% shale 80% bleeding sand 9 shale 539 7 lime 546 39 shale 585 10 lime 595 8 shale 603 9 lime 612 oil show 6 shale 618 3 lime 621 4 shale 625 5 lime 630 39 shale 669 5 broken sand 674 50% shale 50% bleeding sand 3 broken sand 677 10% shale 90% bleeding sand 3 oil sand 680 brown, 100% bleeding 5 broken sand 685 80% shale 20% bleeding 5 broken sand 685 80% shale 20% bleeding 38 shale 723 TD	21	lime	346
155 shale 518 12 broken sand 530 20% shale 80% bleeding sand 9 shale 539 7 lime 546 39 shale 585 10 lime 595 8 shale 603 9 lime 612 oil show 6 shale 618 3 lime 621 4 shale 625 5 lime 630 39 shale 669 5 broken sand 674 50% shale 50% bleeding sand 3 broken sand 677 10% shale 90% bleeding sand 3 oil sand 680 brown, 100% bleeding 5 broken sand 685 80% shale 20% bleeding 5 broken sand 685 80% shale 20% bleeding 38 shale 723 TD	3	shale	349
12 broken sand 530 20% shale 80% bleeding sand 9 shale 539 7 lime 546 39 shale 585 10 lime 595 8 shale 603 9 lime 612 oil show 6 shale 618 3 lime 621 4 shale 625 5 lime 630 39 shale 669 5 broken sand 674 50% shale 50% bleeding sand 3 broken sand 677 10% shale 90% bleeding sand 3 oil sand 680 brown, 100% bleeding 5 broken sand 685 80% shale 20% bleeding 5 broken sand 685 80% shale 20% bleeding 3 shale 723 TD	14	lime	363 base of the Kansas City
9 shale 539 7 lime 546 39 shale 585 10 lime 595 8 shale 603 9 lime 612 oil show 6 shale 618 3 lime 621 4 shale 625 5 lime 630 39 shale 669 5 broken sand 674 50% shale 50% bleeding sand 3 oil sand 680 brown, 100% bleeding 5 broken sand 685 80% shale 20% bleeding 38 shale 723 TD		shale	518
7 lime 546 39 shale 585 10 lime 595 8 shale 603 9 lime 612 oil show 6 shale 618 3 lime 621 4 shale 625 5 lime 630 39 shale 669 5 broken sand 674 50% shale 50% bleeding sand 3 broken sand 677 10% shale 90% bleeding sand 3 oil sand 680 brown, 100% bleeding 5 broken sand 685 80% shale 20% bleeding 3 shale 723 TD		broken sand	530 20% shale 80% bleeding sand
39 shale 585 10 lime 595 8 shale 603 9 lime 612 oil show 6 shale 618 3 lime 621 4 shale 625 5 lime 630 39 shale 669 5 broken sand 674 50% shale 50% bleeding sand 3 broken sand 677 10% shale 90% bleeding sand 3 oil sand 680 brown, 100% bleeding 5 broken sand 685 80% shale 20% bleeding 5 broken sand 685 80% shale 20% bleeding 3 shale 723 TD		shale	539
10 lime 595 8 shale 603 9 lime 612 oil show 6 shale 618 3 lime 621 4 shale 625 5 lime 630 39 shale 669 5 broken sand 674 50% shale 50% bleeding sand 3 broken sand 677 10% shale 90% bleeding sand 3 oil sand 680 brown, 100% bleeding 5 broken sand 685 80% shale 20% bleeding 5 broken sand 685 80% shale 20% bleeding 38 shale 723 TD		lime	546
8 shale 603 9 lime 612 oil show 6 shale 618 3 lime 621 4 shale 625 5 lime 630 39 shale 669 5 broken sand 674 50% shale 50% bleeding sand 3 broken sand 677 10% shale 90% bleeding sand 3 oil sand 680 brown, 100% bleeding 5 broken sand 685 80% shale 20% bleeding 5 broken sand 685 80% shale 20% bleeding 38 shale 723 TD		shale	
9 lime 612 oil show 6 shale 618 3 lime 621 4 shale 625 5 lime 630 39 shale 669 5 broken sand 674 50% shale 50% bleeding sand 3 broken sand 677 10% shale 90% bleeding sand 3 oil sand 680 brown, 100% bleeding 5 broken sand 685 80% shale 20% bleeding 38 shale 723 TD		.	
6 shale 618 3 lime 621 4 shale 625 5 lime 630 39 shale 669 5 broken sand 674 50% shale 50% bleeding sand 677 10% shale 90% bleeding sand 680 brown, 100% bleeding 5 broken sand 680 brown, 100% bleeding 5 broken sand 685 80% shale 20% bleeding 38			
3 lime 621 4 shale 625 5 lime 630 39 shale 669 5 broken sand 674 50% shale 50% bleeding sand 3 broken sand 677 10% shale 90% bleeding sand 3 oil sand 680 brown, 100% bleeding 5 broken sand 685 80% shale 20% bleeding 38 shale 723 TD		lime	
4 shale 625 5 lime 630 39 shale 669 5 broken sand 674 50% shale 50% bleeding sand 3 broken sand 677 10% shale 90% bleeding sand 3 oil sand 680 brown, 100% bleeding 5 broken sand 685 80% shale 20% bleeding 38 shale 723 TD		shale	
5 lime 630 39 shale 669 5 broken sand 674 50% shale 50% bleeding sand 3 broken sand 677 10% shale 90% bleeding sand 3 oil sand 680 brown, 100% bleeding 5 broken sand 685 80% shale 20% bleeding 38 shale 723 TD			
shale 669 broken sand 674 50% shale 50% bleeding sand 677 10% shale 90% bleeding sand 680 brown, 100% bleeding 5 broken sand 685 80% shale 20% bleeding 5 shale 723 TD		shale	
5 broken sand 674 50% shale 50% bleeding sand 3 broken sand 677 10% shale 90% bleeding sand 3 oil sand 680 brown, 100% bleeding 5 broken sand 685 80% shale 20% bleeding 38 shale 723 TD		lime	
3 broken sand 677 10% shale 90% bleeding sand 3 oil sand 680 brown, 100% bleeding 5 broken sand 685 80% shale 20% bleeding 38 shale 723 TD			
3 oil sand 680 brown, 100% bleeding 5 broken sand 685 80% shale 20% bleeding 38 shale 723 TD			
5 broken sand 685 80% shale 20% bleeding 723 TD	3		
38 shale 723 TD			
	30	SHAIC	Perf 676-686

Drilled a 9 7/8" hole to 22.4' Drilled a 5 5/8" hole to 723'

Set 22.4' of 7" surface casing cemented with 5 sacks of cement Set 713' of 2 7/8" 8 round upset tubing, 3 centralizers, 1 float shoe, and 1 clamp.