KOLAR Document ID: 1736668

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:				
Name:	Spot Description:				
Address 1:	SecTwpS. R East West				
Address 2:	Feet from North / South Line of Section				
City:	Feet from East / West Line of Section				
Contact Person:	Footages Calculated from Nearest Outside Section Corner:				
Phone: ()	□NE □NW □SE □SW				
CONTRACTOR: License #	GPS Location: Lat:, Long:				
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)				
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84				
Purchaser:	County:				
Designate Type of Completion:	Lease Name: Well #:				
New Well Re-Entry Workover	Field Name:				
	Producing Formation:				
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing: Total Vertical Depth: Plug Back Total Depth:				
☐ Gas ☐ DH ☐ EOR					
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet				
☐ CM (Coal Bed Methane)☐ Cathodic☐ Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No				
	If yes, show depth set: Feet				
If Workover/Re-entry: Old Well Info as follows:					
Operator:	If Alternate II completion, cement circulated from:				
Well Name:	feet depth to: w/ sx cmt.				
Original Comp. Date: Original Total Depth:					
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan				
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)				
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls				
Dual Completion Permit #:	Dewatering method used:				
SWD Permit #:	Location of fluid disposal if hauled offsite:				
EOR	·				
GSW	Operator Name:				
	Lease Name: License #:				
Spud Date or Date Reached TD Completion Date or	QuarterSecTwpS. R East West				
Recompletion Date Recompletion Date	County: Permit #:				

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received Drill Stem Tests Received						
Geologist Report / Mud Logs Received						
UIC Distribution						
ALT I II III Approved by: Date:						

KOLAR Document ID: 1736668


Page Two

Operator Name:					Lease Nam	ne:			Well #:	
Sec Tw	pS. F	R [East	West	County:					
open and closed and flow rates if	, flowing and sh gas to surface t ty Log, Final Lo	nut-in pressurest, along wit	es, whe h final c ain Geo	ther shut-in pre hart(s). Attach physical Data a	essure reached extra sheet if r and Final Electr	station more : ric Loc	level, hydrosta space is needed	tic pressures, d.	bottom hole tempe	val tested, time tool erature, fluid recovery, Digital electronic log
Drill Stem Tests Taken (Attach Additional Sheets)			Ye	es No		Lo	og Formatio	n (Top), Deptl	n and Datum	Sample
Samples Sent to	Geological Sur	vey	Ye	es 🗌 No		Name)		Тор	Datum
Cores Taken Electric Log Run Geologist Repor List All E. Logs F	t / Mud Logs		Y€ Y€	es No						
			Repo		RECORD [Nev	w Used rmediate, producti	on. etc.		
Purpose of St		ze Hole Orilled	Size Casing Set (In O.D.)		Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Purpose:	[Depth	Typo		# Sacks Use		EEZE RECORD	Typo a	nd Percent Additives	
Perforate		Type of Cement		# Sacks Osed		Type and Fercent Additives				
Plug Off Z										
1. Did you perform a hydraulic fracturing treatment on this well? 2. Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? 3. Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? Yes No (If No, skip questions 2 and 3) No (If No, skip question 3) No (If No, fill out Page Three of the ACO-1)										
Date of first Production/Injection or Resumed Production/ Producing Method: Injection: Pumping Cool iff Other (Fundamental Cool of the Coo										
Prowing				Pumping	Wate		ther <i>(Explain)</i> bls.	Gas-Oil Ratio	Gravity	
Per 24 Hours		Oli Bb	15.	Gas	IVICI	vvale	ı Di	JIS.	Gas-Oil Hallo	Gravity
DISPOSITION OF GAS: METHOD OF COMPLETION:					PRODUCTIO	N INTERVAL:				
Vented Sold Used on Lease □ Open Hole □ Perf.						nmingled	Тор	Bottom		
(If vente	ed, Submit ACO-18	.)			(5	SUDITIIL I	ACO-5) (Subi	mit ACO-4)		
Shots Per Foot	Perforation Top	Perforation Bottom	on	Bridge Plug Type				Record		
TUBING RECORD: Size: Set At: Packer At:										

Form	ACO1 - Well Completion
Operator	Zeta Energy, LLC
Well Name	SHOFNER DI-5
Doc ID	1736668

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.875	7	17	21	50/50 Poz	5	NA
Production	5.625	2.875	6.5	715	60/40 Poz		See Ticket on file



Oil & Gas Well Drilling Water Wells Geo-Loop Installation

> Phone: 913-557-9083 Fax: 913-557-9084

-

Paola, KS 66071

WELL LOG

Diamond Star Oil, Inc. Shofner #DI-5 API#15-121-31,114 October 26- October 27, 2015

		,
Thickness of Strata	<u>Formation</u>	<u>Total</u>
4	soil & clay	4
27	limestone	31
14	shale	45
2	lime	47
6	shale	53
17	lime	70
96	shale	166
20	lime	186
28	shale	214
5	lime	219
17	shale	236
35	lime	271
12	shale	283
26	lime	309 oil show
8	shale	317
20	lime	337
4	shale	341
16	lime	357 base of the Kansas City
150	shale	507
14	broken sand	521 brown & green, ok bleeding
9	shale	530
15	lime	545
30	shale	575
6	lime	581
16	shale	597
4	lime	601
4	shale	605
3	lime	608
5	shale	613
7	lime	620
38	shale	658
5	broken sand	663 50% shale, 50% bleeding sand
5 3	broken sand	668 20% shale 80% bleeding sand
3	broken sand	671 80% shale 20% bleeding sand
52	shale	723 TD

Drilled a 9 7/8" hole to 21.6' Drilled a 5 5/8" hole to 723'

Set 21.6' of 7" surface casing cemented with 5 sacks of cement Set 715.5' of new 2 7/8" 8 round upset tubing, 3 centralizers, 1 float shoe, and 1 clamp.