KOLAR Document ID: 1737849

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	SecTwpS. R East
Address 2:	Feet from North / South Line of Section
City:	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	Datum: NAD27 NAD83 WGS84
Wellsite Geologist:	County:
Purchaser:	Lease Name: Well #:
Designate Type of Completion:	Field Name:
☐ New Well ☐ Re-Entry ☐ Workover	Producing Formation:
Oil SWD	Elevation: Ground: Kelly Bushing:
Gas DH EOR	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet
Cothodia Othor (Court First at a la	Multiple Stage Cementing Collar Used? Yes No
Cathodic Other (Core, Expl., etc.):	If yes, show depth set: Feet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from:
Operator:	feet depth to:w/sx cmt.
Well Name:	sx cmt.
Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to EOR Conv. to SWD Plug Back Liner Conv. to GSW Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
☐ Commingled Permit #:	Dewatering method used:
□ Dual Completion Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	QuarterSecTwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II Approved by: Date:

KOLAR Document ID: 1737849

Page Two

Operator Name:					Lease Nam	ne:			Well #:	
Sec Tw	pS. F	R [East	West	County:					
open and closed and flow rates if	, flowing and sh gas to surface t ty Log, Final Lo	nut-in pressurest, along wit	es, whe h final c ain Geo	ther shut-in pre hart(s). Attach physical Data a	essure reached extra sheet if r and Final Electr	station more : ric Loc	level, hydrosta space is needed	tic pressures, d.	bottom hole tempe	val tested, time tool erature, fluid recovery, Digital electronic log
Drill Stem Tests (Attach Addit			Ye	es No		Lo	og Formatio	n (Top), Deptl	n and Datum	Sample
Samples Sent to	Geological Sur	vey	Ye	es 🗌 No		Name)		Тор	Datum
Cores Taken Electric Log Run Geologist Repor List All E. Logs F	t / Mud Logs		Y€ Y€	es No						
			Repo		RECORD [Nev	w Used rmediate, producti	on. etc.		
Purpose of St		ze Hole Orilled	Siz	e Casing (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
				ADDITIONAL	OF MENTING /					
Purpose:	[Depth	Typo	of Cement	# Sacks Use		EEZE RECORD	Typo a	nd Percent Additives	
Perforate Protect Ca Plug Back	Top	Bottom	туре	or cement	# Sacks Use	,u		туре а	ia Percent Additives	
Plug Off Z										
Did you perform Does the volum Was the hydraul	e of the total base	fluid of the hyd	draulic fra	cturing treatmen		•	Yes ns? Yes	No (If No	, skip questions 2 an , skip question 3) , fill out Page Three o	,
Date of first Produ	ction/Injection or	Resumed Produ	uction/	Producing Meth			Coolift 0	thor (Fundain)		
Estimated Produc	otion	Oil Bb	le.	Flowing Gas	Pumping	Wate		ther <i>(Explain)</i> bls.	Gas-Oil Ratio	Gravity
Per 24 Hours		Oli Bb	15.	Gas	IVICI	vvale	ı Di	JIS.	Gas-Oil Hallo	Gravity
DISPO	OSITION OF GAS	S:		N	METHOD OF CO	MPLE.	TION:		PRODUCTIO	N INTERVAL:
Vented	Sold Use	d on Lease		Open Hole				nmingled	Тор	Bottom
(If vente	ed, Submit ACO-18	.)			(5	SUDITIIL I	ACO-5) (Subi	mit ACO-4)		
Shots Per Foot	Perforation Top	Perforation Bottom	on	Bridge Plug Type	Bridge Plug Set At		Acid,		Cementing Squeeze Kind of Material Used)	Record
TUBING RECOR	D: Size:		Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	RJ Energy, LLC
Well Name	ROSSELLE 4A
Doc ID	1737849

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.875	7	17	20	portland	5	n/a
Production	5.875	2.875	9	685	portland	80	n/a

roselle 4a

4	soil	4		
8	clay	12		start 8/29/2023
23	shale	35		finish 8/30/2023
30	lime	65		
89	shale	154		set 20'7"
98	lime	252		ran 685' 2 7/8
165	shale	417		hurricane cemented to surface
25	lime	442		
45	shale	487		
30	lime	517		
22	shale	539		
19	lime	558		
9	shale	567		
6	lime	573		
13	shale	586		
5	lime	591		
11	shale	602		
8	sandy shale	610	odor	
31	brkn sand	641	good show	
5	dk sand	646	show	
45	shale	691	td	



		RJ En	NT REP	OKI				
		_			Well:	Roselle 4-A	Tick	et: EP10299
	y, State: Garnett, KS			-61	County:	AN, KS	Da	te: 8/30/2023
Fie	eld Rep: <mark>Jason Kent</mark>				S-T-R:	5-21-21	Service	Longstring
Dov	vnhole	Informat	tion		Calculated Slurry			
Hol	le Size:	5 5/	8 in			OWC 1/2# PS		alculated Slurry - Tail
Hole	Depth:	69	1 ft			14.83 ppg	Bler	
Casin	g Size:	2 7/	8 in		Water / Sx:	6.77 gal / sk	Weigl	
Casing	Depth:	68	5 ft		Yield:	1,45 ft ³ /sk	Water / S	Sm1.or
Tubing /	Liner:		in		Annular Bbls / Ft.:	bbs / ft.	Yiel	
	Depth:		ft		Depth:	ft ft	Annular Bbls / F	
Tool / P					Annular Volume:	0.0 bbls	Dept	
	Depth:		ft		Excess:		Annular Volum	
Displace	ement:	3.97	7 bbls		Total Slurry:	20.66 bbls	Exces Total Slurr	
T1005			STAGE	TOTAL	Total Sacks:	80 sks	Total Sack	
TIME	RATE	PSI	BBLs	BBLs	REMARKS		Total Sack	s: 0 sks
12:00 PM			-	•	on location, held safety mee	ting		
				-	waited for rig to circulate ho	le and move		
				•				
100000000000000000000000000000000000000	4.0			-	established circulation			
	4.0			•	mixed and pumped 200# Ben	tonite Gel followed by 4 bbls	fresh water	
	4.0			•	mixed and pumped 80 sks O	WC cement w/ 1/2# PhenoSea	al per sk, cement to surface	
	1.0			•	flushed pump clean	- Annual Control		
	1.0			•	pumped two 2 7/8" rubber plu	ugs to casing TD w/ 3.97 bbls	fresh water	
	1.0			•	pressured to 800 PSI, well he			
	4.0				released pressure to set float	valve		
	4.0			•	washed up equipment			
1:30 PM				-				
				-	left location			
				-				
				•				
				-				
				-				
				•				
							等。1915年1月1日 - 1915年1月1日 - 1915年1月1日 - 1915年1日 - 19	•
			Selection .					
				.				
		CREW		PARTY.	UNIT	The second second		
Cemei	nter:	Casey	Kennedy		931	Average 7	SUMMAR	Y
ımp Opera	ator:		Katzer		238	Average Rate	Average Pressure	Total Fluid
	Bulk:	Drew E	Beckwith		246	3.1 bpm	- psi	- bbis
+	H2O:	Wes C	allahan		110			